

A UNIFORM SEARCH FOR SECONDARY ECLIPSES OF HOT JUPITERS IN *KEPLER* Q2 LIGHTCURVES

J. L. COUGHLIN^{1,4} AND M. LÓPEZ-MORALES^{2,3}

Draft version December 6, 2011

ABSTRACT

We present in this paper the results of searching the *Kepler* Q2 public dataset for the secondary eclipses of 76 hot Jupiter planet candidates from the list of 1,235 candidates published by Borucki et al. (2011). This search has been performed by modeling both the *Kepler* pre-search data conditioned light curves and new light curves produced via our own photometric pipeline. We derive new stellar and planetary parameters for each system, while calculating robust errors for both. We find 16 systems with $1-2\sigma$, 14 systems with $2-3\sigma$, and 6 systems with $>3\sigma$ confidence level secondary eclipse detections in at least one light curve produced via the *Kepler* pre-search data conditioned light curve or our own pipeline, however, results can vary depending on the light curve modeled and whether eccentricity is allowed to vary or not. We estimate false alarm probabilities of 31%, 10%, and 6% for the $1-2\sigma$, $2-3\sigma$, and $>3\sigma$ confidence intervals respectively. Comparing each secondary eclipse result to theoretical expectations, we find that the majority of detected planet candidates emit more light than expected due to thermal blackbody emission in the optical *Kepler* bandpass, and present a trend of increasing excess emission with decreasing maximum effective planetary temperature. These results agree with previously published optical secondary eclipse data for other hot Jupiters. We explore modeling biases, significant planetary albedos, non-LTE or other thermal emission, significant internal energy generation, and mis-identification of brown dwarfs, low-mass stars, or stellar blends as possible causes of both the excess emission and its correlation with expected planetary temperature. Although we find no single cause is able to explain all of the planet candidates, significant planetary albedos, with a general trend of increasing planetary albedos with decreasing atmospheric temperatures, is able to explain most of the systems. Identifying systems that we deem likely to be low-mass stars or stellar blends, we estimate an 11% false positive rate in the current *Kepler* planet candidate sample of hot Jupiters. We also establish robust upper limits on the eclipse depth for the remaining systems, and find that the emission of a significant fraction of these systems is consistent with the planets having very low albedos, i.e., at least 30% of all systems have $A_g < 0.3$ at 1σ confidence levels. This result augments the current number of constrained exoplanetary albedos and extends the sample of low albedo determinations to planets with temperatures as low as 1200 K. Finally, we note that continued observations with the *Kepler* spacecraft, and improved techniques for the removal of systematic noise in the *Kepler* data, are needed to better characterize these systems.

Subject headings: planetary systems — methods: data analysis — techniques: photometry

1. INTRODUCTION

Measuring the secondary eclipses of transiting exoplanets at optical wavelengths is a powerful tool for probing their atmospheres, in particular their albedos, brightness temperatures, and energy redistribution factors. The *Kepler* mission has recently uncovered over a thousand new transiting planet candidates (Borucki et al. 2011), which provide an unprecedented and uniform sample of high photometric precision light curves among which secondary eclipse signals can be detected.

In the past decade, many surprising discoveries regarding the atmospheric properties of hot Jupiters have been made. For example, many hot Jupiters appear to

have temperature inversions, with numerous proposed explanations, but no definitive evidence for exactly which physical processes are involved (Hubeny et al. 2003; Fortney et al. 2006; Burrows et al. 2007; Fortney et al. 2008; Spiegel et al. 2009; Zahnle et al. 2009; Knutson et al. 2010; Madhusudhan & Seager 2010). Other results have found that the atmospheric composition of different planets vary significantly, or that they present a wide range of heat circulation efficiencies between their day and night sides (see Baraffe et al. 2010, and references therein).

Most of the observations yielding to those discoveries have been done in the mid-infrared ($3.6 - 24 \mu\text{m}$) with *Spitzer*. Observations at shorter wavelengths are more scarce, especially in the visible, but most of them point towards the predominance of very low geometric albedo, ($A_g < 0.3$ at the 3σ level upper limits), atmospheres in hot Jupiters (Charbonneau et al. 1999; Leigh et al. 2003a,b; Rodler et al. 2008, 2010; Rowe et al. 2008; Alonso et al. 2009a,b, 2010; Snellen et al. 2009; Christiansen et al. 2010; Welsh et al. 2010; Kipping & Bakos 2011a; Kipping & Spiegel 2011; Désert et al. 2011a,b; Langford et al. 2011), in contrast

jlcough@nmsu.edu

¹ Department of Astronomy, New Mexico State University, P.O. Box 30001, MSC 4500, Las Cruces, New Mexico 88003-8001

² Institut de Ciències de l'Espai (CSIC-IEEC), Campus UAB, Facultat de Ciències, Torre C5, parell, 2a pl, E-08193 Bellaterra, Barcelona, Spain

³ Carnegie Institution of Washington, Department of Terrestrial Magnetism, 5241 Broad Branch Road NW, Washington, DC 20015-1305, USA; Visiting Investigator

⁴ NSF Graduate Research Fellow

to the up to $A_g = 0.5$ albedos observed in the colder gas giants in our Solar System (Karkoschka 1994). Those results are in fair agreement with early theoretical models (e.g., Marley et al. 1999; Sudarsky et al. 2000; Seager et al. 2000), which predict significant absorption of the incident stellar radiation in the visible by sodium and potassium, followed by re-emission in the infrared. Other molecules, such as TiO, VO, and HS, have also been suggested as possible strong optical absorbers (e.g., Hubeny et al. 2003; Fortney et al. 2008; Zahnle et al. 2009).

However, three recent studies suggest higher geometric albedos for two planets. Berdyugina et al. (2011) have published a value of $A_g = 0.28 \pm 0.16$ for HD 189733b via polarized reflected light⁵, while Kipping & Bakos (2011a) and Demory et al. (2011) respectively suggest albedos of $A_g = 0.38 \pm 0.12$ and $A_g = 0.32 \pm 0.03$ for Kepler-7b based on measurements of the emission of the planet with *Kepler* during secondary eclipse. Some plausible explanations for such high albedos include Rayleigh scattering and the presence of clouds or hazes in the atmospheres of those planets (Demory et al. 2011). Also, in the case of the hottest planets, some amount of thermal emission could be contributing to the measured emission levels in the reddest edge of the observed visible wavelength windows (e.g., at $\lambda \sim 0.8 \mu\text{m}$).

Although new theoretical work is necessary to determine the cause of apparently high albedos in some hot Jupiters, the key answer to whether these results are typical or not relies on more observations, since the current discussions are based on a statistically insufficient sample of only three planets. The purpose of this work is to significantly increase that sample by searching for the emission of hot Jupiters among the publicly available *Kepler* light curves of planet candidates reported by Borucki et al. (2011). Given the photometric precision of the *Kepler* data and the wavelength coverage of the *Kepler* passband (0.4 - 0.9 μm), these datasets provide unprecedented quality data to detect the secondary eclipses of those planets in the visible and statistically determine the albedos of hot Jupiters. Furthermore, as Borucki et al. (2011) do not explicitly state how they modeled their light curves or obtained their parameters, a re-modeling of the data will perform an independent test on the methods they employed.

In addition to providing estimations of the planetary albedo, measuring the timing and duration of the secondary eclipse, when coupled with the primary eclipse, can directly measure the orbital eccentricity of a system (e.g., Knutson et al. 2007). Also, if there is a significant flux contrast between the day and night side of the planet, one may be able to measure the varying amount of emitted light by the planet in the light curve, and directly measure the day-to-night contrast ratio (Harrington et al. 2006; Knutson et al. 2007). Even a robust upper limit on the eclipse depth can narrow the range of possible planetary albedos and yield useful information on the statistics of exoplanetary albedos.

In §2 we present our target selection criteria and describe how we reprocess the *Kepler* light curves from

the pixel-level data. In §3 we describe how we model the data using the JKTEBOP code, and obtain robust errors on all parameters while accounting for potential systematic noise. We present our derived physical parameters of both the planet candidates and their host stars in §4, and in §5 we examine possible trends in our results. In §6 we discuss individual candidates of interest, and finally in §7 we summarize our findings and examine possible future directions for the study of this sample.

2. OBSERVATIONAL DATA

The first step of our analysis consisted of selecting a set of planet candidates suitable for secondary eclipse detection among the 1,235 planet candidates published by Borucki et al. (2011). We made a pre-selection of potentially detectable objects using the planetary and stellar parameters listed in Table 2 of Borucki et al. (2011), choosing only those systems with $P < 5$ days and $R_p > 0.5 R_J$, after estimating that planets with longer orbital periods and smaller radii are too cool, too small, or too far away from their host star to produce deep enough secondary eclipse signals to be detectable by *Kepler*, even in the most extreme albedo conditions (i.e., $A_g = 1.0$). Our secondary eclipse depth estimations also account for the amount of stellar irradiation, given the effective temperature of the stars reported by Borucki et al. (2011). The result is a list of 76 candidates.

The next step consisted of an inspection of the *Kepler* light curves of those 76 targets. The analysis of Borucki et al. (2011) uses the first four months of *Kepler* observations, which include quarters Q0, Q1, and Q2. However, significantly discrepant systematic noise patterns exist between the light curves from different quarters, which result in additional noise when all the data are combined. Therefore, we decided to use only the data from Q2, which alone contains continuous 90-day observation coverage and is well suited for our search.

We modeled two different light curves for each target: the Presearch Data Conditioned (PDC) light curve, and our own generated light curves that we produced using the pixel-level data and our own photometric pipeline. In the remainder of the paper we refer to this second analysis as the CLM pipeline. As detailed in Jenkins et al. (2010b), the first step in creating the PDC light curves was correcting the pixel level data for bias pattern noise, dark current, gain, non-linearity, cosmic rays, shutter smearing, pixel-to-pixel sensitivity, and other pixel-level effects. The calibrated pixels were then run through a Photometric Analysis (PA) that measures and subtracts background flux, and sums up pixels within a photometric aperture for each star, creating the PA light curve. The size of those apertures are defined such that it is supposed to maximize the mean signal-to-noise for each star. The PA light curves were then subjected to Pre-Search Data Conditioning which attempts to remove systematic effects due to temperature, focus, pointing, and other effects by correlating with ancillary engineering data. The PDC module also corrects for any sudden jumps in the data, for example due to sudden pointing changes or pixel sensitivities due to cosmic ray hits, as well as removes excess flux in the photometric aperture due to crowding.

During our inspection of the PDC data we noted that, despite the thorough analysis detailed by Jenkins et al. (2010b), many of the PDC light curves produced by the

⁵ We note that (Wiktorowicz 2009) reported a non-detection of polarized light from this planet, and placed an upper limit to the polarimetric modulation of the exoplanet at $\Delta P < 7.9 \times 10^{-5}$.

Kepler PDC pipeline still contain significant systematic trends at a level of couple percent variation, an effect that can significantly hinder the detection of secondary eclipses and phase brightness variations. Upon thorough examination of the pixel-level data, PA, and PDC light curves, we concluded that the majority of the trends correlate with and are due to the 0.1-0.5 pixel centroid position drift experienced by the majority of the target stars each quarter. This drift is principally due to Differential Velocity Aberration (DVA), where the amount of stellar aberration introduced by the spacecraft’s velocity varies over the large field of view, resulting in the shifting of stellar positions on the detector as large as 0.6 pixels over a 90 day period (Jenkins et al. 2010c). Spacecraft pointing error only accounts for 0.05 pixels of the total movement (Jenkins et al. 2010c). This drift in the stellar position causes light from the wings of each star’s point spread function to enter and leave the optimal photometric aperture at different rates, resulting in a flux variance of several percent over each quarter. To remove those effects we re-analyzed the *Kepler* pixel-level data using the CLM pipeline.

The CLM photometric pipeline starts with the calibrated pixel-level data, with background flux removed from each pixel. As the majority of target stars are well-isolated, we simply summed up the flux for every pixel that was downloaded from the spacecraft for each star. We find that this removes the majority of long-term systematic variations due to DVA, usually producing light curves with significantly less systematic noise than the similarly produced PA light curves. Usually the only time summing up all the pixels produced more systematic noise is when there was significant crowding in the field by comparably bright stars, but we find this only affects a small fraction of the selected transiting planet candidates, and note that crowding can still significantly affect PA photometry as well.

Even after minimizing the amount of light variation within the aperture, pixel-to-pixel sensitivity, both in spectral response as well as quantum efficiency, and intrapixel variations, still produced significant systematics. We cut out areas of significant systematic variation, which principally occur around BJD 2455015 and BJD 2455065, due to a safe mode event and a pointing tweak. Then, we performed a correlation-based Principal Component Analysis (PCA) (Murtagh & Heck 1987) on the pixel level data, and subtract out the first three PCA components, thus removing the majority of major systematic noise, which is still principally correlated with the large position drift. We have checked and verified that this does not remove or significantly modify the transit signal for any system. We then fit a Bézier curve (Kahaner et al. 1989) to the data, performed a 3-sigma rejection, re-fit a Bézier curve, and then divided by the fit. This iterative procedure does an excellent job of removing any possible remaining low-frequency systematic features in the data without removing or affecting the transits or real high-frequency stellar variations. We then, for only a few systems, removed one or two points that were extremely significant outliers. For one system, KOI 433.01, we removed a single transit that was clearly from another long-period companion in the system. For both the *Kepler* PDC and CLM light curves, we finally subtracted a linear trend to ensure the light curves were

completely flat before modeling (see §3).

We would like to note that, as a possible technique of removing systematic noise, we also attempted to directly solve for a pixel mask that would account for pixel-to-pixel variation in quantum efficiency and spectral response. Every image in the time series was multiplied by this pixel mask, whose values ranged from 0 to 1, and then the pixel fluxes summed to produce a corrected light curve. We used an asexual genetic algorithm, similar to that presented in Coughlin et al. (2011), to solve for the values of each pixel in the pixel mask that produced corrected light curves with a minimum amount of systematic noise, defined via various methods. We found that the technique was very successful at removing nearly all systematic noise from the light curves. However, depending on the minimization criteria selected, we found that the algorithm was prone to over-correct the light curve, and remove features due to real astrophysical phenomena. As well, even when it did appear to remove the systematic trends and not the real astrophysical signatures, it was difficult to tell, unlike with the PCA analysis, whether or not the solution had a real physical basis. Thus, we decided not to employ this technique in our analysis. However, with more work or a better understanding of the systematic noise sources, it might become a viable means for removing systematic noise from *Kepler*, and possibly other, light curves.

In Figure 1 we plot the *Kepler* PA and PDC light curves, our CLM light curves, (including those from simply summing up all the pixels in each frame, applying the PCA correction, and then applying the Bezier correction), the centroid positions, averaged pixel-level image, and the aperture used in the *Kepler* PA and PDC photometry, for each of the 76 candidate systems. Of the original 76 candidates, 36 were deemed unmodelable based on their PDC light curves, due to either strong systematics or intrinsic stellar variability with amplitudes on the order of, or greater than, the depth of the transits. The 36 discarded systems were KOI 1.01, 17.01, 20.01, 127.01, 128.01, 135.01, 183.01, 194.01, 203.01, 208.01, 214.01, 217.01, 254.01, 256.01, 552.01, 554.01, 609.01, 667.01, 767.01, 823.01, 882.01, 883.01, 895.01, 981.01, 1152.01, 1176.01, 1177.01, 1227.01, 1285.01, 1382.01, 1448.01, 1452.01, 1540.01, 1541.01, 1543.01, and 1546.01. In the case of our newly generated CLM pipeline light curves, 26 candidates turned out to be unmodelable, most of them due to stellar variability, as in the case of the PDC light curves above, or due to blends in the images resulting in significant light contamination of the target light curves. The 26 systems discarded in this case were KOI 102.01, 135.01, 194.01, 199.01, 208.01, 256.01, 552.01, 554.01, 609.01, 823.01, 882.01, 883.01, 895.01, 931.01, 961.02, 961.03, 981.01, 1152.01, 1177.01, 1227.01, 1285.01, 1382.01, 1448.01, 1452.01, 1540.01, and 1546.01. Thus, in total, there are 21 targets that have no modelable light curve from either analysis, (nearly all due to intrinsic stellar variability), 35 systems that have modelable light curves from both the *Kepler* PDC data and our CLM reduction, and 55 systems that have at least one modelable light curve from either the *Kepler* PDC data or our CLM analysis. In Table 1 we present the *Kepler* Object of Interest (KOI) number, *Kepler* ID number, and host stars’ *Kepler* magnitude, effective temperature, surface gravity, and metallicity from the *Kepler*

Input Catalog of each of the 55 modelable candidates.

We now highlight a few systems to illustrate the different types of systematic and stellar noise in the *Kepler* data, and differences between the PDC and CLM light curves. For KOI 17.01, (see Figure 1.6), the PA and PDC light curves both show a $\sim 1.7\%$ systematic variation over the quarter, as the PA/PDC aperture does not encompass many pixels in the wing of the PSF that contain significant signal, and the star experiences a ~ 0.4 pixel drift over the quarter. In contrast, the raw pixel-summed CLM light curve shows only a $\sim 0.54\%$ systematic variation, and the PCA-corrected and Bezier-corrected CLM light curves show virtually no remaining systematic noise. For KOI 102.01 and 199.01, (see Figures 1.11 and 1.22), there is a close companion star that causes the CLM photometry to produce much worse light curves than the PDC data. In the case of KOI 102.01, significant systematics are introduced in the CLM light curve from the movement of the companion in and out of the frame, given the ~ 0.3 pixel drift over the quarter, and as well the extra third light causes the transits of the primary to be damped out. In the case of KOI 199.01, the companion is an eclipsing binary, and its light curve is imposed on top of that of the transiting system. Significant systematics are still present in the PA data in these two cases, but much less so than the CLM data, and they appear to be removed in the PDC data. In the cases of KOI 256.01 and KOI 1452.01, (see Figures 1.32 and 1.71), the stars exhibit clear high-frequency variations at the same level as the transits, possibly due to stellar pulsation or rapid rotation and star spots. Note that the CLM pipeline does not remove the stellar signal because it is high-frequency and intrinsic to the system, and also that for KOI 256.01 additional long-term systematic noise is present in the *Kepler* PA and PDC data due to the small aperture they employ and the ~ 0.35 pixel drift, but does not exist in the CLM data.

3. LIGHT CURVE MODELING

We used the JKTEBOP eclipsing binary modeling code (Southworth et al. 2004a,b), which is based on the EBOP code (Etzel 1981; Popper & Etzel 1981), to model both the *Kepler* PDC light curves and our own CLM pipeline light curves for the 55 modelable systems. In short, JKTEBOP⁶ models the projection of each star as a biaxial ellipsoid and calculates light curves by numerical integration of concentric circles over each star, and is well-suited to modeling detached eclipsing binaries or transiting extrasolar planets. We modeled each light curve first fixing the eccentricity to $e = 0$, and then leaving it as a free parameter. The reason for leaving e as a free parameter is that, even though systems with $P < 5$ days are generally expected to be circularized, additional bodies in the system or other evolutionary effects can perturb their orbits. Indeed, at the time of this writing, $\sim 36\%$ of currently known transiting planets with $P < 5$ days have a measured non-zero eccentricity (Schneider 2011). Therefore, since we are performing a blind search for secondary eclipses, restricting the search to only circular orbits might result in detection biases. The results between fixing $e = 0$ and letting it vary can

sometimes vary significantly, as shown at the end of this section.

For both cases of either fixing $e = 0$ or letting it vary, we also simultaneously solved for the orbital period of the system, P , time of primary transit minimum, T_0 , the inclination of the orbit, i , $e \cdot \cos(\omega)$ and $e \cdot \sin(\omega)$, where ω is the longitude of periastron, the planet-to-star surface brightness ratio, J , the sum of the fractional radii, r_{sum} , the planet-to-star radii ratio, k , and the out-of-eclipse (baseline) flux. (We note for clarity that the relation between J , k , and the planet-to-star luminosity ratio, L_r , is $L_r = k^2 J$.) To account for any potential brightness variations with phase, we also multiply the planet's luminosity, L_p , by a factor of one plus a sinusoidal curve, so that

$$L_p(T) = L_p + A_{L_p} \cdot \sin\left(\frac{2\pi(T - T_0)}{P} - \frac{\pi}{2}\right) \quad (1)$$

where $L_p(T)$ is the planet's luminosity at a given observed time, T , and A_{L_p} , for which we solve, is the amplitude of the sinusoidal curve. Note that we have fixed the period of this sine wave to the orbital period of each system, and fixed the reference zero phase so that the maximum amplitude peak coincides with the center of the secondary eclipse. Although there has been at least one case of a measured planetary brightness phase curve having its maximum offset from secondary eclipse in the infrared (Knutson et al. 2007), many optical observations indicate planetary brightness phase curve maximums coincident with the secondary eclipse (Borucki et al. 2009; Snellen et al. 2009; Welsh et al. 2010; Bonomo et al. 2011). We note that a value of $A_{L_p} = 0.0$ implies no brightness variations with phase. A value of $A_{L_p} = 0.2$ implies the planet is 20% brighter at phase 0.5, when the day-side is visible, and 20% fainter at phase 1.0, when the night-side is visible, compared to phases 0.25 and 0.75. A value of $A_{L_p} = 1.0$ implies a perfectly dark night-side. Negative values of A_{L_p} would imply a brighter night-side than day-side, which is not physically expected, but allowed for in the code so as not to introduce any bias towards positive values of A_{L_p} . Note also that J is allowed to be both positive and negative so as not to introduce any bias towards positive values of J , and thus false detections.

In both cases we assumed a quadratic limb-darkening law for the stars, and fixed coefficients to the values found by Sing (2010) for the *Kepler* bandpass, using the estimated stellar effective temperatures, surface gravities, and metallicities. We also set the values of the gravity darkening coefficients to those derived by Claret (2000), based on the effective temperature of the stars. Even though we fix the limb and gravity darkening coefficients, they are computed from stellar models and have an associated uncertainty when compared to reality. As the choice of these coefficients can affect the determination of other system parameters, their uncertainty must be taken into account in the error analysis. Claret (2008) determined this uncertainty to be $\sim 10\%$, and thus we allowed the values of the limb and gravity darkening coefficients to vary over a range of $\pm 10\%$ during the error estimation analysis, described below.

Finally, as pointed out by Kipping (2010), sparse sam-

⁶ For more information on JKTEBOP, see <http://www.astro.keele.ac.uk/jkt/codes/jktebop.html>




Figure 1. Plots of the light curves, centroid positions, pixel-level images, and photometric apertures used in the *Kepler* PA and PDC reduction, for all initial 76 candidate systems. The top panel for each system shows the Q2 *Kepler* PA and PDC light curves. The next panel shows our CLM pipeline reduced light curves, including those from simply summing all the pixels in each frame, applying PCA correction, and then applying a Bezier correction, with the most severe systematic noise regions cut out. The next panel shows the flux-weighted relative centroid movement in both X and Y over Q2, using all pixels in the frame, again with the most severe systematic noise regions cut out. The bottom left panel is the average image of all the frames over the quarter. The bottom right panel shows the photometric aperture used in the *Kepler* PA and PDC light curve reduction, where only white pixels were counted and summed. Only the first plot, Figure 1.1, is shown in the text for guidance. Figures 1.1-1.76 are available in the online version of the Journal.

Table 1
Modeled Systems and Their Host Star Properties

KOI	Kepler ID	m _{kep}	T _* (K)	log g (cgs)	[Fe/H]	M _* KIC (M _☉)	R _* KIC (R _☉)	M _* ISO (M _☉)	R _* ISO (R _☉)
1.01	011446443	11.338	5713	4.14	-0.139	1.133 ^{+1.726} _{-0.681}	1.496 ^{+1.400} _{-0.727}	1.019 ^{+0.060} _{-0.053}	0.943 ^{+0.074} _{-0.060}
2.01	010666592	10.463	6577	4.32	0.000	1.351 ^{+2.059} _{-0.812}	1.336 ^{+1.251} _{-0.649}	1.316 ^{+0.078} _{-0.075}	1.363 ^{+0.115} _{-0.113}
5.01	008554498	11.665	5766	4.04	0.116	1.176 ^{+1.720} _{-0.706}	1.748 ^{+1.574} _{-0.846}	1.035 ^{+0.060} _{-0.055}	0.962 ^{+0.077} _{-0.065}
10.01	006922244	13.563	6164	4.44	-0.128	1.110 ^{+1.718} _{-0.666}	1.056 ^{+1.002} _{-0.510}	1.162 ^{+0.074} _{-0.066}	1.133 ^{+0.109} _{-0.093}
13.01	009941662	9.958	8848	3.93	-0.141	1.813 ^{+2.807} _{-1.088}	2.454 ^{+2.329} _{-1.186}	1.989 ^{+0.055} _{-0.053}	1.616 ^{+0.021} _{-0.022}
17.01	010874614	13.000	5724	4.47	0.000	0.908 ^{+1.353} _{-0.538}	0.911 ^{+0.842} _{-0.443}	1.022 ^{+0.060} _{-0.054}	0.947 ^{+0.075} _{-0.061}
18.01	008191672	13.369	5816	4.46	0.000	0.922 ^{+1.447} _{-0.551}	0.942 ^{+0.862} _{-0.454}	1.050 ^{+0.062} _{-0.059}	0.981 ^{+0.081} _{-0.071}
20.01	011804465	13.438	6012	4.47	-0.161	1.069 ^{+1.637} _{-0.639}	0.999 ^{+0.933} _{-0.483}	1.110 ^{+0.071} _{-0.061}	1.059 ^{+0.100} _{-0.080}
64.01	007051180	13.143	5128	3.94	-0.341	1.180 ^{+1.737} _{-0.694}	1.956 ^{+1.729} _{-0.936}	0.868 ^{+0.048} _{-0.047}	0.786 ^{+0.046} _{-0.042}
97.01	005780885	12.885	5944	4.27	0.052	1.086 ^{+1.705} _{-0.649}	1.279 ^{+1.170} _{-0.616}	1.089 ^{+0.067} _{-0.060}	1.031 ^{+0.094} _{-0.077}
102.01	008456679	12.566	5919	3.90	-0.358	1.216 ^{+1.862} _{-0.727}	2.058 ^{+1.922} _{-0.994}	1.081 ^{+0.067} _{-0.061}	1.020 ^{+0.092} _{-0.075}
127.01	008359498	13.938	5570	4.53	0.174	1.043 ^{+1.581} _{-0.634}	0.921 ^{+0.850} _{-0.436}	0.980 ^{+0.056} _{-0.053}	0.897 ^{+0.066} _{-0.055}
128.01	011359879	13.758	5718	4.18	0.362	1.139 ^{+1.700} _{-0.688}	1.443 ^{+1.284} _{-0.699}	1.020 ^{+0.061} _{-0.054}	0.945 ^{+0.076} _{-0.061}
144.01	004180280	13.698	4724	4.00	0.241	1.098 ^{+1.680} _{-0.662}	1.744 ^{+1.568} _{-0.838}	0.767 ^{+0.053} _{-0.055}	0.694 ^{+0.049} _{-0.052}
183.01	009651668	14.290	5722	4.71	-0.141	1.012 ^{+1.536} _{-0.608}	0.734 ^{+0.678} _{-0.353}	1.022 ^{+0.062} _{-0.054}	0.947 ^{+0.077} _{-0.062}
186.01	012019440	14.952	5826	4.56	0.021	1.059 ^{+1.660} _{-0.632}	0.877 ^{+0.819} _{-0.414}	1.052 ^{+0.063} _{-0.058}	0.984 ^{+0.083} _{-0.070}
188.01	005357901	14.741	5087	4.73	0.255	0.893 ^{+1.353} _{-0.542}	0.671 ^{+0.619} _{-0.318}	0.859 ^{+0.046} _{-0.048}	0.778 ^{+0.043} _{-0.042}
195.01	011502867	14.835	5604	4.50	-0.188	1.058 ^{+1.580} _{-0.640}	0.968 ^{+0.862} _{-0.469}	0.988 ^{+0.059} _{-0.051}	0.907 ^{+0.071} _{-0.053}
196.01	009410930	14.465	5585	4.51	0.096	1.029 ^{+1.574} _{-0.620}	0.937 ^{+0.842} _{-0.450}	0.984 ^{+0.056} _{-0.053}	0.901 ^{+0.067} _{-0.054}
199.01	010019708	14.879	6214	4.60	0.104	1.081 ^{+1.641} _{-0.650}	0.863 ^{+0.797} _{-0.415}	1.182 ^{+0.076} _{-0.070}	1.161 ^{+0.113} _{-0.100}
201.01	006849046	14.014	5491	4.45	0.187	1.039 ^{+1.628} _{-0.620}	0.985 ^{+0.920} _{-0.465}	0.959 ^{+0.053} _{-0.052}	0.875 ^{+0.059} _{-0.052}
202.01	007877496	14.309	5912	4.44	0.120	1.093 ^{+1.667} _{-0.654}	1.052 ^{+0.952} _{-0.516}	1.080 ^{+0.064} _{-0.060}	1.019 ^{+0.088} _{-0.075}
203.01	010619192	14.141	5634	4.49	0.041	1.056 ^{+1.592} _{-0.636}	0.980 ^{+0.915} _{-0.473}	0.996 ^{+0.060} _{-0.051}	0.915 ^{+0.072} _{-0.054}
204.01	009305831	14.678	5287	4.48	-0.104	0.966 ^{+1.447} _{-0.577}	0.950 ^{+0.854} _{-0.460}	0.905 ^{+0.054} _{-0.045}	0.821 ^{+0.054} _{-0.042}
214.01	011046458	14.256	5322	4.44	0.018	1.022 ^{+1.510} _{-0.612}	1.015 ^{+0.890} _{-0.488}	0.916 ^{+0.052} _{-0.048}	0.832 ^{+0.050} _{-0.046}
217.01	009595827	15.127	5504	4.72	0.220	0.975 ^{+1.448} _{-0.584}	0.706 ^{+0.649} _{-0.330}	0.963 ^{+0.054} _{-0.053}	0.879 ^{+0.060} _{-0.053}
229.01	003847907	14.720	5608	4.37	0.219	1.069 ^{+1.616} _{-0.645}	1.124 ^{+1.041} _{-0.533}	0.990 ^{+0.056} _{-0.052}	0.909 ^{+0.067} _{-0.054}
254.01	005794240	15.979	3948	4.54	0.234	0.530 ^{+0.810} _{-0.322}	0.650 ^{+0.602} _{-0.307}	0.347 ^{+0.168} _{-0.118}	0.319 ^{+0.124} _{-0.090}
356.01	011624249	13.807	5124	4.07	-0.503	1.111 ^{+1.623} _{-0.665}	1.593 ^{+1.466} _{-0.750}	0.869 ^{+0.048} _{-0.049}	0.787 ^{+0.045} _{-0.043}
412.01	005683743	14.288	5584	4.28	-0.011	1.093 ^{+1.667} _{-0.654}	1.275 ^{+1.153} _{-0.625}	0.983 ^{+0.058} _{-0.053}	0.901 ^{+0.068} _{-0.054}
421.01	009115800	14.995	5181	4.32	-0.075	1.016 ^{+1.500} _{-0.610}	1.155 ^{+1.053} _{-0.547}	0.880 ^{+0.051} _{-0.047}	0.797 ^{+0.049} _{-0.042}
433.01	010937029	14.924	5237	4.37	0.375	0.986 ^{+1.476} _{-0.589}	1.080 ^{+0.971} _{-0.523}	0.894 ^{+0.052} _{-0.046}	0.810 ^{+0.052} _{-0.041}
611.01	006309763	14.022	6122	4.55	-0.132	1.085 ^{+1.599} _{-0.645}	0.914 ^{+0.852} _{-0.429}	1.149 ^{+0.069} _{-0.066}	1.115 ^{+0.102} _{-0.092}
667.01	006752502	13.826	4135	4.57	0.000	0.607 ^{+0.917} _{-0.364}	0.681 ^{+0.597} _{-0.326}	0.501 ^{+0.126} _{-0.165}	0.431 ^{+0.114} _{-0.121}
684.01	007730747	13.831	5331	3.96	0.113	1.174 ^{+1.743} _{-0.704}	1.870 ^{+1.718} _{-0.873}	0.917 ^{+0.053} _{-0.048}	0.833 ^{+0.054} _{-0.045}
760.01	011138155	15.263	5887	4.62	0.010	1.060 ^{+1.611} _{-0.634}	0.840 ^{+0.801} _{-0.403}	1.072 ^{+0.063} _{-0.061}	1.008 ^{+0.087} _{-0.076}
767.01	011414511	15.052	5431	4.44	0.023	1.026 ^{+1.615} _{-0.625}	1.007 ^{+0.943} _{-0.485}	0.946 ^{+0.050} _{-0.052}	0.862 ^{+0.053} _{-0.052}
801.01	003351888	15.001	5472	4.39	0.182	1.041 ^{+1.590} _{-0.632}	1.080 ^{+1.000} _{-0.510}	0.955 ^{+0.054} _{-0.054}	0.871 ^{+0.059} _{-0.054}
809.01	003935914	15.530	5690	4.48	-0.385	1.047 ^{+1.518} _{-0.630}	0.967 ^{+0.877} _{-0.454}	1.012 ^{+0.061} _{-0.053}	0.934 ^{+0.075} _{-0.059}
813.01	004275191	15.725	5357	4.73	-0.285	0.955 ^{+1.428} _{-0.576}	0.695 ^{+0.641} _{-0.328}	0.924 ^{+0.052} _{-0.050}	0.839 ^{+0.054} _{-0.047}
830.01	005358624	15.224	4915	4.90	0.155	0.797 ^{+1.176} _{-0.478}	0.528 ^{+0.481} _{-0.250}	0.819 ^{+0.047} _{-0.052}	0.742 ^{+0.041} _{-0.049}
838.01	005534814	15.311	5794	4.48	-0.095	1.049 ^{+1.596} _{-0.619}	0.987 ^{+0.913} _{-0.471}	1.043 ^{+0.059} _{-0.057}	0.972 ^{+0.078} _{-0.068}
840.01	005651104	15.028	4916	4.39	-0.091	0.936 ^{+1.379} _{-0.556}	1.023 ^{+0.953} _{-0.481}	0.818 ^{+0.048} _{-0.052}	0.742 ^{+0.042} _{-0.049}
843.01	005881688	15.270	5784	4.40	0.203	1.093 ^{+1.650} _{-0.655}	1.109 ^{+0.972} _{-0.531}	1.041 ^{+0.060} _{-0.057}	0.969 ^{+0.079} _{-0.068}
897.01	007849854	15.257	5734	4.46	0.270	1.066 ^{+1.597} _{-0.637}	1.024 ^{+0.934} _{-0.497}	1.025 ^{+0.060} _{-0.056}	0.951 ^{+0.075} _{-0.064}
908.01	008255887	15.113	5391	4.25	0.128	1.050 ^{+1.591} _{-0.636}	1.279 ^{+1.197} _{-0.618}	0.933 ^{+0.052} _{-0.051}	0.849 ^{+0.053} _{-0.050}
913.01	008544996	15.198	5463	4.75	-0.281	0.967 ^{+1.521} _{-0.589}	0.688 ^{+0.644} _{-0.332}	0.953 ^{+0.052} _{-0.053}	0.869 ^{+0.057} _{-0.053}
931.01	009166862	15.272	5714	4.78	0.319	1.016 ^{+1.547} _{-0.617}	0.685 ^{+0.624} _{-0.330}	1.020 ^{+0.061} _{-0.053}	0.944 ^{+0.075} _{-0.061}
961.02	008561063	15.920	4188	4.56	0.000	0.612 ^{+0.888} _{-0.368}	0.671 ^{+0.609} _{-0.315}	0.536 ^{+0.117} _{-0.157}	0.461 ^{+0.114} _{-0.123}
961.03	008561063	15.920	4188	4.56	0.000	0.626 ^{+0.955} _{-0.377}	0.679 ^{+0.621} _{-0.325}	0.539 ^{+0.115} _{-0.155}	0.463 ^{+0.113} _{-0.123}
1176.01	003749365	15.715	4601	4.69	0.376	0.746 ^{+1.115} _{-0.453}	0.648 ^{+0.614} _{-0.309}	0.736 ^{+0.053} _{-0.078}	0.663 ^{+0.053} _{-0.083}
1419.01	011125936	15.507	5848	4.46	-0.292	1.075 ^{+1.614} _{-0.645}	0.999 ^{+0.920} _{-0.474}	1.059 ^{+0.065} _{-0.059}	0.992 ^{+0.087} _{-0.072}
1459.01	009761199	15.692	4060	4.40	0.098	0.646 ^{+1.001} _{-0.389}	0.830 ^{+0.781} _{-0.393}	0.444 ^{+0.138} _{-0.159}	0.384 ^{+0.115} _{-0.113}
1541.01	004840513	15.189	6164	4.53	0.068	1.100 ^{+1.685} _{-0.657}	0.954 ^{+0.850} _{-0.465}	1.163 ^{+0.074} _{-0.068}	1.134 ^{+0.108} _{-0.095}
1543.01	005270698	14.985	5821	4.54	-0.240	1.044 ^{+1.587} _{-0.618}	0.912 ^{+0.870} _{-0.433}	1.052 ^{+0.061} _{-0.059}	0.983 ^{+0.080} _{-0.071}

pling times, such as the 29.4244 minute sampling of the *Kepler* long-cadence data, can significantly alter the morphological shape of a transit light curve and result in erroneous planetary parameter estimations if the effect is not taken into account. Thus, we instructed JKTEBOP to integrate the models over 29.4244 minutes, composed of 10 separate sub-intervals centered on each observed data point, to account for this effect.

We derived error estimates using three error analysis techniques implemented in JKTEBOP: Monte Carlo, Bootstrapping, and Residual Permutation, but chose to adopt the parameter errors estimated by this last technique as it has been shown to best account for the effect of systematic noise in transit light curves (Jenkins et al. 2002). While Monte Carlo and Bootstrapping tend to underestimate errors in the presence of systematic noise, those two techniques have traditionally been chosen over Residual Permutation because in the latter one can only refit the data as many times as available data points. This poses a problem for most ground based transit light curves, which typically have only a couple hundred points, but for *Kepler* Q2 data, which contains almost 5000 data points over a 90-day interval for the long-cadence data, and nearly 30 times more for the short-cadence data, the method is not statistically limited and therefore best suited to derive robust errors.

In Figure 2 we plot the resulting phased light curves, with the corresponding best-fit model light curve when allowing eccentricity to vary, along with histograms of the parameter distributions from the error analysis, for the 40 modelable systems with *Kepler* PDC light curves. In Figure 3 we do the same, but for the 50 modelable systems with CLM light curves. In Table 2 we list the median values for all the modeling parameters, for both sets of light curves, and for both fixing $e = 0$ and allowing it to vary, along with their determined asymmetric, Gaussian, 1σ errors.

As a result of our light curve modeling we find, when fixing $e = 0$, 9 secondary eclipse detections at the $1-2\sigma$ level, 3 detections at the $2-3\sigma$ level and 4 detections at the $>3\sigma$ level in the PDC light curves. In the CLM light curves, we find 11 secondary eclipse detections at the $1-2\sigma$ level, 4 detections at the $2-3\sigma$ level and 4 detections at the $>3\sigma$ level. In the case of allowing eccentricity to vary we find 18 detections at $1-2\sigma$ level, 3 detections at $2-3\sigma$ level, and 4 detections at $>3\sigma$ level in the PDC light curves. In the CLM light curves we find 10 detections at $1-2\sigma$ level, 10 detections at $2-3\sigma$ level, and 5 detections at $>3\sigma$ level. Each set of results has been used independently in the statistical study of candidate emission parameters described in Sections 4 and 5. Examining both sets of light curves, and both $e = 0$ and e allowed to vary, we find 16 systems with $1-2\sigma$, 14 systems with $2-3\sigma$, and 6 systems with $>3\sigma$ confidence level secondary eclipse detections in at least one light curve. It is more difficult to quantify the number of systems that have certain level detections among multiple light curves and eccentricity constraints, given that not all systems had both PDC and CLM light curves and that eccentric systems may not be detected in the non-eccentric model, and is best left to the discussion of individual systems in §6. Additionally, examining the 35 systems that had both modelable PDC and CLM light curves, we find that for the PDC light curves the average reduced χ^2 value

is 4.86, while for the CLM light curves it is 2.48, and that on average, each system's CLM light curve has a 27% lower reduced χ^2 value compared to the PDC light curve.

We also note that there were significant detections of negative J values for some systems. When fixing eccentricity to zero, for the PDC light curves, we find 3 detections of negative J at the $1-2\sigma$ level, but none at higher significance. In the CLM light curves, we find 4 detections of negative J at the $1-2\sigma$ level, but none at higher significance. In the case of allowing eccentricity to vary, for the PDC light curves, we find 4 detections of negative J at the $1-2\sigma$ level, and 1 detection at the $2-3\sigma$ level, but none at higher significance. In the CLM light curves we find 4 detections of negative J at the $1-2\sigma$ level, 1 detection at the $2-3\sigma$ level, and 1 detection at the $>3\sigma$ level. Since there is no known physical mechanism to increase the flux of the system when the planet passes behind the host star, these detections are obviously spurious. Since there is no bias towards or preference for positive or negative J values in the modeling code, and assuming that the Kepler data does not suffer from systematics that preferentially result in either decrements or increments in flux that span expected secondary eclipse durations, statistically speaking we must have as many false detections of positive J values, or secondary eclipses, for as many detections of negative J values we have, per each confidence interval. Thus, when fixing eccentricity to zero, for PDC light curves, we estimate our false alarm probabilities as 33% for $1-2\sigma$ detections, and 0% for $>2\sigma$ detections. For CLM light curves, we estimate a 36% false alarm probability for $1-2\sigma$ detections, and 0% for $>2\sigma$ detections. When allowing eccentricity to vary, for PDC light curves we estimate false alarm probabilities of 22% for $1-2\sigma$ detections, 33% for $2-3\sigma$ detections, and 0% for $>3\sigma$ detections. For the CLM light curves, we estimate a 40% false alarm probability for $1-2\sigma$ detections, 10% for $2-3\sigma$ detections, and 20% for $>3\sigma$ detections. Although we are dealing with small number statistics and the uncertainties on the determined false alarm probabilities are large, we note that these roughly agree with what we would statistically expect for each confidence interval quoted, i.e., a 1σ detection has a formal 31.73% false alarm probability by definition, though allowing eccentricity to vary does appear to induce false detections at ~ 1.5 times greater frequency. Combining all the results from each light curve type and eccentricity parameter, we can generalize our false alarm probabilities to 31%, 10%, and 6% for the $1-2\sigma$, $2-3\sigma$, and $>3\sigma$ confidence intervals respectively.

4. DERIVATION OF STELLAR AND PLANETARY PARAMETERS

The secondary eclipse detections presented in the previous section allow, for the first time, to make a statistically significant analysis of the emission properties of exoplanet candidates at visible wavelengths, specifically in the $\sim 0.4 - 0.9 \mu\text{m}$ *Kepler* passband.

In this section we first revise the parameters of the host stars necessary to derive the physical properties of the planets and then compute physical and atmospheric parameters for each planet candidate, i.e., the brightness, equilibrium, and maximum effective temperatures, radii, and albedos, using both the originally reported and




Figure 2. Plots of the phased light curves of the 40 systems produced from the *Kepler* PDC photometric pipeline, shown with our best model fits, allowing eccentricity to vary, and histograms of the resulting parameter distributions from the error analysis. Only the first plot, Figure 2.1, is shown in the text for guidance. Figures 2.1-2.40 are available in the online version of the Journal.




Figure 3. Plots of the phased light curves of the 50 systems produced using our CLM photometric pipeline, shown with our best model fits, allowing eccentricity to vary, and histograms of the resulting parameter distributions from the error analysis. Only the first plot, Figure 3.1, is shown in the text for guidance. Figures 3.1-3.50 are available in the online version of the Journal.

revised stellar parameter values. A detailed statistical study of the properties for the planets based on those parameters is presented in §5.

4.1. Stellar Parameters

The Kepler Input Catalog (KIC) provides estimates of the effective temperature, surface gravity, and radius for all the host stars in our sample. Those parameters have been derived from a combination of broad and narrow-band photometry (Brown et al. 2011), although it has been also recognized that some of the parameter values in the KIC might contain significant errors. As explained in detail by Brown et al. (2011), the majority of approximately Sun-like stars in the KIC have effective temperatures that only disagree by 200 K or less from the temperature values of a control sample derived by other methods. However, for stars significantly more massive or less massive than the Sun, i.e., with $T_\star \gtrsim 9000$ K and $T_\star \lesssim 4000$ K, where T_\star is the effective temperature of the star, the temperatures in the KIC can suffer from large systematics and are not reliable. As well, in the case of the derived stellar radii, R_\star , the values reported in the KIC are derived from statistical relations between the values obtained for T_\star , the surface gravity of the stars, $\log g$, and the luminosity, L_\star (see sections 7 and 8 of Brown et al. (2011), for more details). Therefore, if any of those parameters are systematically off, (such as $\log g$, which has an associated error of ± 0.4 dex), the values derived for R_\star will be erroneous.

All the host stars in our sample have KIC effective temperature estimates between 4000 and 9000 K, so we have assumed that those values are accurate within the errors. From those temperatures we recomputed the radius and mass of the stars via interpolation of up-to-date stellar evolutionary models by Bertelli et al. (2008) for $M_\star \leq 1.4 M_\odot$ and Siess et al. (2000) for $M_\star > 1.4 M_\odot$. In the models we have assumed that all the stars are nearly coeval, with an age of ~ 1 Gyr and therefore on the main sequence, have abundances similar to the Sun, i.e., $Z = 0.017$, $Y = 0.26$, and have a mixing length of $\alpha = 1.68$.

The errors in those parameters have been estimated by recomputing the mass and radius of each star 10,000 times, each time adding random Gaussian noise to the underlying variables and examining the 1σ spread of the resulting distribution. In the error estimations using the KIC values, we assumed an error of ± 0.4 dex for $\log g$, as reported by Brown et al. (2011). In the error estimations using the model isochrones we assume an error of ± 200 K for T_\star , as reported by Brown et al. (2011). The values for the mass and radius of each star as computed from the KIC, labeled “KIC”, and via interpolation of the stellar isochrones, labeled “ISO”, along with their estimated errors, are listed in Table 1.

4.2. Planetary Parameters

Given the stellar parameters and their associated errors, we proceeded with calculating physical parameters for each planet. From the orbital period of the system and the mass of the star, we calculated the semi-major axis of the planets via Newton’s version of Kepler’s Third Law. The radius of each planet, R_p , was calculated from the stellar radius and the value of the radius ratio derived

in §3. The obtained R_p values are compared with those reported by Borucki et al. (2011) in Figure 4 by multiplying the derived value of the ratio of the radii from each study, including results from both the PDC and CLM data for ours, by the radius of the host star derived via both the KIC and stellar isochrones. Except for a handful of outliers, most values of the planetary radii derived via different parameter estimations seem to agree with the Borucki et al. (2011) results within $\sim 5\%$. We note though that the radii of individual planet candidates can be significantly affected depending on whether their stellar radii are derived from the KIC or stellar isochrones, on average $\sim 20\%$.

We also calculated the sub-stellar equilibrium temperature, maximum effective temperature, and brightness temperature of each planet following the same equations as in Cowan & Agol (2011), who themselves draw upon Hansen (2008) and Burrows et al. (2008). We calculated the equilibrium temperature of each planet at its sub-stellar point, T_0 , using T_\star and the semi-major axis of the system, a , via,

$$T_0 = T_\star \cdot (R_\star/a)^{0.5} \quad (2)$$

We note that this expression assumes non-significant eccentricity effects on the heating of the planet by the star.

We calculated the maximum effective temperature of the planet, $T_{\epsilon=0}$, using the equation

$$T_{\epsilon=0} = (2/3)^{\frac{1}{4}} \cdot T_0 \quad (3)$$

assuming no albedo or heat recirculation.

Finally, to calculate the measured brightness temperature of each planet, T_b , we assume both the planet and star emit like blackbodies and compute T_b by integrating their fluxes over the *Kepler* passband from the equation

$$J = \frac{\int t_\lambda \cdot \lambda^{-5} \cdot (\exp(\frac{hc}{\lambda k T_b}) - 1)^{-1} \cdot d\lambda}{\int t_\lambda \cdot \lambda^{-5} \cdot (\exp(\frac{hc}{\lambda k T_\star}) - 1)^{-1} \cdot d\lambda} \quad (4)$$

where λ is a given wavelength, t_λ is the net transmission of the telescope and detector at a given wavelength, h is Planck’s constant, c is the speed of light, and k is Boltzmann’s constant.

In the cases where significant sinusoidal variations were detected in the light curves, i.e., cases where we found a positive value for A_{L_p} with a detection level of at least 2σ , we treated the effect as real and accounted for it in the determination of the day-side flux of the planet by multiplying the values of J in Eq. 4 by $(1+A_{L_p})$. The only systems where significant sinusoidal variations were detected are KOI 2.01 and KOI 13.01, for both the PDC and CLM data, and both fixing eccentricity to zero and letting it vary. For KOI 1541.01 a significant sinusoidal variation was also found, but only for the CLM data and when allowing eccentricity to vary. Notice that, if real, the observed amplitude of sinusoidal variations can be either due to a significant albedo, and thus a varying amount of reflected light with phase, a significant temperature difference between the day and night sides of the planets, i.e., very little heat redistribution, and therefore varying amounts of emitted light with phase, or photometric beaming. It is possible that sinusoidal systematic signals could mask as significant phase varia-




Figure 4. Comparison of the values for the planetary radius as given by Borucki et al. (2011) and derived in this paper. Red and blue symbols correspond, respectively, to the results from the PDC and CLM light curves. The errorbars are computed assuming a fixed stellar radius, but taking into account the errors on the value of the ratio of the radii. In the left panel the stellar radius has been set to its value in the KIC, while in the right panel the stellar radius is computed via stellar isochrones from its given T_* value in the KIC. The dashed line delineates an expected 1:1 correlation.

tions, but in order to be detected as such by the residual-permutation error analysis we employed, the systematic feature would have to have a stable amplitude and period over the course of the 90-day observations, and have the period and phase of maximum amplitude coincide with the orbital period and secondary eclipse phase of the planet, which we deem unlikely.

In the above temperature calculations we have assumed no albedo and therefore all the observed planetary fluxes are due to thermal emission. However, the atmosphere of the planets can contain clouds or hazes which would reflect at least part of the incident stellar light. To account for those effects, we can estimate the different contribution amounts of reflected light to the measured planet-to-star surface brightness ratio, as

$$F_a = \frac{A \cdot R_*^2}{a^2} \quad (5)$$

where A is the geometric albedo of the planet in the integrated *Kepler* passband. Assuming different values of A between 0.0 (no albedo) and 1.0 (purely reflective atmosphere), we can subtract the resultant value of F_a from J in order to remove the reflected light contribution from the measurements of the eclipse depths before computing the T_b of the planet that accounts for the remaining, thermally emitted, light. Furthermore, given the measured surface brightness ratio and Equation 5, we can determine the maximum possible geometric albedo of the planet in the *Kepler* wavelength range, A_{max} , by assuming that all of the detected emission is solely due to reflected light. Setting $F_a = J$ and solving for A , we obtain the expression

$$A_{max} = \frac{a^2 J}{R_*^2} \quad (6)$$

Finally, we have computed robust errors for all the derived quantities, i.e., T_0 , $T_{e=0}$, T_b , a , R_p , A_{max} , and also T_b/T_0 (see next section) by re-calculating all their values 10,000 times, each time adding random Gaussian noise with amplitudes equal to the errors of the under-

lying quantities J , P , k , T_* , M_* , and R_* . The resulting median values of each parameter and their asymmetric Gaussian 1σ errors are listed in Table 3 along with the detection significance of the secondary eclipse, σ_{sec} , and the luminosity ratio of the system, $L_r = L_p/L_*$, for both the PDC and CLM light curves, both letting eccentricity vary and fixing it to zero, and both using the stellar parameters derived from the KIC and via stellar isochrones. Negative values of σ_{sec} mean that a negative value of J was found, i.e., an increase of light at secondary eclipse, instead of the expected decrease. We deem those results unphysical, but note we can still use them to establish upper limits for the depth of the eclipse, and estimate the fraction of spurious eclipse detections in our analysis, as already described at the end of §3.

5. STATISTICAL PROPERTIES OF THE SECONDARY ECLIPSE EMISSIONS

Following Cowan & Agol (2011), we plot in Figure 5 the dimensionless *Kepler* passband day-side brightness temperature ratio of each planet candidate in our sample, T_b/T_0 , versus their maximum expected day-side temperature, $T_{e=0}$, for the case of eccentricity fixed to zero. The different panels in the figure correspond to the results from the PDC and the CLM light curves, and both using the stellar parameters derived from the KIC and via stellar isochrones. In all the panels we have assumed zero albedo, which is equivalent to assuming that all the emission from the planet is thermal. (The case of non-zero albedos is considered below.) The $1-2\sigma$, $2-3\sigma$, and $>3\sigma$ detections, and 1σ upper limits of the $<1\sigma$ detections, are represented by solid circles of different colors and sizes. In addition, the open squares correspond to planets with previously published secondary eclipse detections in the optical, i.e., CoRoT-1b (Alonso et al. 2009b), CoRoT-2b (Alonso et al. 2009a), Hat-P-7b (Welsh et al. 2010), Kepler-5b (Kipping & Bakos 2011a), Kepler-7b (Kipping & Bakos 2011a; Demory et al. 2011), and OGLE-TR-56b (Sing & López-Morales 2009; Adams et al. 2011), as well as previously published secondary eclipse upper limits, i.e., HD209458 (Rowe et al. 2008), TrES-2b

(Kipping & Bakos 2011b), and Kepler-4b, Kepler-6b, and Kepler-8b (Kipping & Bakos 2011a). Each point is shown with its 1σ x and y-axis errorbars, except for the $< 1\sigma$ detection upper limits, where the x-axis errorbars are omitted for clarity. Finally, the three horizontal lines in each plot indicate the expected values of T_b/T_0 for no energy redistribution, i.e., $f = 2/3$, a uniform day-side temperature, i.e., $f = 1/2$, and a uniform planetary temperature, i.e., $f = 1/4$ (see López-Morales & Seager 2007; Cowan & Agol 2011). In Figure 6 we reproduce the same plots but with eccentricity allowed to vary.

Unless there is some extra emission at optical wavelengths that is not being accounted for, all the planets should lie below the $f = 2/3$ lines in Figures 5 and 6. However, it is immediately apparent that the vast majority of candidates lie above that line. In addition, there appears to be a trend of increasing T_b/T_0 with decreasing $T_{\epsilon=0}$, with some possible detections approaching 2.5 times the maximum expected brightness temperature, i.e., nearly 40 times more flux than expected. All the planets with previously published secondaries also appear to follow the same trend, although they all have $T_{\epsilon=0} \gtrsim 2000$ K. This trend will be discussed in more detail below.

We have explored several possible explanations for such large observed emissions at visible wavelengths: 1) A bias in the determination of stellar and planetary parameters or the secondary eclipse detection efficiency, 2) high albedos, which would make reflected light a major contributor to the planetary emission, 3) very large amounts of non-LTE or other thermal emission at optical wavelengths, 4) the presence of a significant source of internal energy generation within the planet, and 5) some of the candidates are in fact very low mass stars or brown dwarf companions, or background eclipsing binary blends.

Potential Biases: The determined stellar parameters of T_\star , M_\star , and R_\star can have significant uncertainties, as noted in §4, and indeed can vary notably when taken from the KIC or computed from stellar isochrones based on T_\star . The values of those parameters are intimately tied to the derivation of the planetary parameters $T_{\epsilon=0}$, T_0 , T_b , a , R_p , F_a , and A_{max} , and that must be kept in mind when interpreting any possible results. For example, the stellar isochrones assume the stars are main-sequence, and thus if a host star is really a sub-giant or otherwise evolved, the stellar flux at the planet’s surface would be underestimated. This would in turn cause an underestimated value of both $T_{\epsilon=0}$ and T_0 , and thus potentially overestimated values of T_b/T_0 at lower $T_{\epsilon=0}$. However, it is unlikely that a large fraction of the examined systems are significantly evolved, and sub-giants would likely show telltale variations in their light curves. Given this, and that as far as we know there is no other preferential bias in the determination of the stellar parameters, we would not expect this problem to systematically influence the results presented in Figures 5 and 6.

When examining secondary detection efficiency, we note that the derived upper limits on the secondary eclipse depths are roughly at the same level as the noise of the *Kepler* data. That level of noise is consistent among the set of *Kepler* light curves we have examined. Thus, as we search the data for planets with lower values of $T_{\epsilon=0}$ and T_0 , the corresponding upper limit for

T_b/T_0 naturally increases, as the expected eclipse depth decreases while the noise level remains the same. This introduces an artificial trend of higher T_b/T_0 upper limits as $T_{\epsilon=0}$ decreases, which can be seen in Figures 5 and 6. Similarly, when examining the $\sim 1\sigma$ detections, about $\sim 32\%$ of the detections will be statistically spurious, as exemplified in the data and already discussed in §3. We thus expect an artificial trend of higher T_b/T_0 values with decreasing values of $T_{\epsilon=0}$ for $\sim 32\%$ of the $\sim 1\sigma$ detections. However, when we move to the $\gtrsim 2\sigma$ detections, the expected rate of spurious detections drop to $\lesssim 5\text{--}10\%$. The data in Figures 5 and 6 still reveal a significant trend of increasing T_b/T_0 values with decreasing $T_{\epsilon=0}$ in the $\gtrsim 2\sigma$ detections, (including as well previous secondary eclipse detections from the literature), so we conclude this trend is real and due to either increasing albedos or emission features in the visible as the atmospheric temperature of the planets decrease. The hypothesis of high albedos is further discussed below. As for emission features, a literature search on this topic does not reveal any known physical processes that would produce this effect, so further theoretical work might be necessary.

High Albedos: As mentioned in the introduction, some recent studies suggest high albedos for some known hot giant planets (e.g. Berdyugina et al. 2011; Kipping & Bakos 2011a; Demory et al. 2011). To examine the possibility that the excess flux observed in our list of secondary eclipse candidates is due to albedo, we have recomputed the expected normalized brightness temperature T_b/T_0 of each candidate when assuming increasing values of the albedo. The reflected light contribution is computed using equation 5 and subtracted from the total flux measured for each object. T_b is then recomputed using the remaining flux, assuming it is solely due to thermal emission. The results are shown in Figure 7 for three different albedos, $A = 0.1, 0.5$, and 1.0 , using the secondary eclipse depths measured from the CLM pipeline light curves for $e = 0$, (the eclipse depths measured from the other light curves described in §2 give similar results).

As expected, T_b/T_0 decreases as the albedo increases, and many of the points in Figure 7 go below the $T_b/T_0 = (2/3)^{1/4}$, i.e., $A = 0$ and $f = 2/3$, limit once high enough albedos are assumed. The emission of 53% of the planet candidates can be interpreted as a combination of reflected light and thermal emission when we assume a geometric albedo of $A = 0.5$, set $e = 0$, and derive stellar parameters from the KIC, though only 31% when deriving stellar parameters from stellar isochrones. Those levels of reflectivity might indicate the presence of clouds, haze, or Rayleigh scattering in the atmosphere of those planets, with a general trend of increasing albedo with decreasing planetary temperature responsible for the trend of increasingly excess emission at lower planetary temperatures. We note, however, that a significant number of points, 40% and 63% when deriving stellar parameters from the KIC and stellar isochrones respectively, with $e = 0$, still remain above $T_b/T_0 = (2/3)^{1/4}$, even if we assume perfectly reflecting planets, i.e. $A = 1.0$. Many of these remaining systems are at low values of $T_{\epsilon=0}$, and some of those points are $\gtrsim 2\sigma$ detections, so there is still excess emission and a correlation of T_b/T_0 with decreasing $T_{\epsilon=0}$ that cannot be explained by reflected light, and




Figure 5. Plots of the effective day side temperature ratio versus the maximum effective day side temperature when fixing eccentricity to zero. The values obtained when deriving stellar parameters from the KIC are shown in the left column, while values obtained when deriving stellar parameters from stellar isochrones are shown in the right column. Values obtained when using the *Kepler* PDC light curves are shown in the first row, while values obtained when using the CLM pipeline are shown in the second row. Solid circles correspond to *Kepler* systems modeled in this paper, while open squares are previously published detections or upper limits of exoplanet secondary eclipses at optical wavelengths. All errors are 1σ . The x-axis errorbars are not shown for the $<1\sigma$ detections for clarity. The solid, dashed, and dotted black lines in each figure correspond to the expected temperature ratio assuming no heat recirculation, a uniform day-side temperature, and a uniform planetary temperature respectively.

needs to be explained in some other way.

Non-LTE or Other Thermal Emission: We have used the brightness temperature parameter T_b to represent the amount of thermal emission from each planet, assuming that the planets emit as blackbodies. In that case, if the emission of the planet yields a T_b larger than that predicted by $f = 2/3$ and $A = 0$, that emission is above the so-called equilibrium temperature. However, the atmospheres of exoplanets do not necessarily emit as blackbodies, and some spectral models of hot Jupiters (e.g., Fortney et al. 2008) predict significantly higher emission levels in the optical region covered by the *Kepler* bandpass ($\sim 0.4 - 0.9 \mu\text{m}$) compared to blackbody approximations. The emission spectrum of a planet will depend strongly on its atmospheric composition and Temperature-Pressure (T-P) profile. Although some models including the presence of strong absorbers, such as TiO and VO, have been proposed (Hubeny et al. 2003; Fortney et al. 2008; Burrows et al. 2008), uncertainties in the T-P profiles and the lack of previous observational data limit the reliability of those models. In addition, and as already mentioned above, there is cur-

rently no model that predicts the increase of T_b/T_0 for decreasing $T_{\epsilon=0}$ observed in Figures 5 and 6.

Another possibility is that the large amount of stellar irradiation these planets receive induces resonant and non-resonant fluorescent transitions by exciting the chemical species present in their upper atmospheres. Fluorescence has been measured in Solar System objects, i.e., Titan, Saturn and Jupiter, at IR, UV, and X-ray wavelengths (e.g., Yelle & Griffith 2003; López-Valverde et al. 2005; Cravens et al. 2006; Lupu et al. 2011), and possibly in the NIR for the exoplanet HD189733b (Swain et al. 2010), but we could not find any observations of or theoretical work on non-LTE/fluorescence emission in the $0.4 - 0.9 \mu\text{m}$ wavelength range covered by *Kepler*. However, it is expected that non-LTE emission lines in exoplanetary atmospheres will not be significantly broadened by collisions, and will appear instead as sharp emission features (Martin-Torres, priv. comm.). Considering the amount of energy required to produce these fluorescent emissions, it is unlikely that, given their narrow emission range, they would be luminous enough to significantly increase the mea-




Figure 6. Similar to Figure 5, but with eccentricity allowed to vary.

sured emission levels over the very wide Kepler bandpass above the expected LTE emissions observed in Figures 5 and 6.

Significant Internal Energy Generation: Our own Jupiter radiates about 1.6 times as much energy as it receives from the Sun. The additional heat source is generally attributed to either residual heat left over from the initial Solar System nebula collapse, or ongoing slow contraction of the planet’s core. However, if the planet candidates in our list were undergoing a similar internal energy generation process, T_b/T_0 would only reach up to about $1.6^{1/4} = 1.12$, not high enough to explain the emission of objects in our sample with $T_{\epsilon=0} \lesssim 1500$ K.

Low Mass Stars, Brown Dwarfs, or Blends: The last possibility we consider is that some of the objects in the list are in fact brown-dwarfs or low-mass stars, but this assumption also poses some problems. Exoplanet search results over the years have revealed what appears to be a “brown dwarf desert” within orbital separations from the host star of $a \lesssim 5$ AU, for solar type stars (see e.g., Grether & Lineweaver 2006). However, the discovery of CoRoT-3b, a $21.7 M_{Jup}$ object orbiting at a separation of only 0.057 AU around an F3-type star, has opened some debate about whether this object is really a brown dwarf, or if planets more massive than the defined Deuterium burning limit can form around stars more massive

than the Sun. To test this idea we plot in Figure 8 the measured T_b/T_0 of each planet candidate versus the effective temperature of the star, T_{\star} . We see, however, no clear correlation between the temperature of the host star and an excess brightness of the planet candidates, and an error-weighted linear fit does not yield a statistically significant slope. We also plot in Figure 8 the values for T_b/T_0 versus R_p , a , and A_{L_p} , but do not see any significant linear correlations either.

We also utilize the upper limits on possible secondary eclipses we derived to examine potential trends in A_{max} as computed using Eq. 6. In Figure 9 we plot both the 1σ and 3σ upper limits, delineated by solid and dashed lines respectively, on the values of A_{max} versus $T_{\epsilon=0}$ for both fixing eccentricity to zero and allowing it to vary, for the CLM light curves and deriving stellar parameters from isochrones. We also include the values for previously published detections and upper limits of secondary eclipses in the optical wavelength regime. Also in Figure 9 we plot the cumulative number of systems, and total fraction of all systems, that were modeled in this paper and that have their upper limit of A_{max} below a given value of A , for both 1σ and 3σ upper limits. As can be seen, when fixing eccentricity to zero, we can generally obtain constraints on the maximum possible albedo for $\sim 85\%$ of the *Kepler* systems at the 1σ confidence level, and $\sim 45\%$ of systems at the 3σ confidence level. When




Figure 7. Plots of the effective day side temperature ratio versus the maximum effective day side temperature for, from top to bottom, albedos of 0.1, 0.5, and 1.0, using the CLM pipeline light curves and assuming no eccentricity. The values obtained when deriving stellar parameters from the KIC are shown in the left column, while values obtained when deriving stellar parameters from stellar isochrones are shown in the right column. Solid circles correspond to *Kepler* systems modeled in this paper, while open squares are previously published detections or upper limits of exoplanet secondary eclipses at optical wavelengths. The solid, dashed, and dotted black lines in each figure correspond to the expected temperature ratio assuming no recirculation, a uniform day-side temperature, and a uniform planetary temperature respectively. Systems that disappear from the plots when moving from low to high albedos can be fully explained by reflected light, while systems that remain at $A = 1.0$ still present excess emission that cannot be explained solely by reflected light.




Figure 8. Plots of the effective day side temperature ratio versus the radius of the planet (top-left), the semi-major axis of the system (top-right), the effective temperature of the star (bottom-left), and the amplitude of the sine curve applied to the planet's luminosity (bottom-right), using the CLM light curves, assuming no eccentricity, and deriving stellar parameters from stellar isochrones. Results for the PDC light curves are not shown, but produce similar results. Solid circles correspond to *Kepler* systems modeled in this paper, while open squares are previously published detections or upper limits of exoplanet secondary eclipses at optical wavelengths. The x-axis errorbars are not shown for the $< 1\sigma$ detections for clarity. The solid, dashed, and dotted black lines in each figure correspond to the expected temperature ratio assuming no recirculation, a uniform day-side temperature, and a uniform planetary temperature respectively.

letting eccentricity vary, we can only constrain A_{max} for $\sim 50\%$ and $\sim 30\%$ of the *Kepler* systems at the 1σ and 3σ confidence levels respectively. However, comparing the $T_{\epsilon=0}$ values of the previously published planets to that of the *Kepler* candidates, we find we have significantly increased the number of systems with constrained albedos in the $T_{\epsilon=0} \lesssim 2000$ K regime. As can be seen, many of the systems in this temperature regime appear to have maximum possible albedos below 0.3 at the 1σ confidence level, thus confirming previous findings of low albedos for hot Jupiters at optical wavelengths, and indicating that such low albedos may be common down to planetary temperatures of 1200 K.

6. PROPERTIES OF SOME INDIVIDUAL OBJECTS

In the previous section we analyzed the secondary eclipse detections as a set, in an attempt to find common characteristics of the sample. We have carefully examined each individual system, and in this section present and discuss the most interesting objects in more detail.

6.1. KOI 1.01 / TrES-2b

KOI 1.01 is also known as TrES-2b, and was discovered to be a transiting planet by O'Donovan et al. (2006) before the *Kepler* mission was launched. Kipping & Bakos (2011b) determined an upper limit to the eclipse depth of 37 ppm at the 1σ level, and 73 ppm at the 3σ level, based on short-cadence Q0 and Q1 *Kepler* data, thus limiting the geometric albedo to $A_g < 0.146$ at 3σ confidence. Kipping & Spiegel (2011) have recently published the detection of phase curve variations with an amplitude of 6.5 ± 1.9 ppm using Q0-Q2 short cadence data, but do not detect the secondary eclipse itself, calculating that any secondary eclipse measurement must have an uncertainty of ~ 13 ppm. If this variation is due to reflected light, then Kipping & Spiegel (2011) calculate the the albedo of the planet as $A_g = 0.0253 \pm 0.0072$.

Using the CLM pipeline light curves, and fixing eccentricity to zero, we determined a secondary eclipse depth of $-3.9^{+8.1}_{-8.0}$ ppm, thus yielding upper limits on the eclipse depth of 4.2 and 20.4 ppm for 1σ and 3σ confidence levels respectively. We determined a value for the the maximum possible albedo, A_{max} , using stellar values from the KIC, of $-0.004^{+0.010}_{-0.019}$, yielding upper limits on the albedo of 0.006 and 0.026 for 1σ and 3σ confidence levels respectively. If using values from stellar isochrones, we instead determine $A_{max} = -0.014^{+0.028}_{-0.029}$, and thus 1σ and 3σ upper limits of 0.016 and 0.072, respectively. We did not detect any significant orbital phase variation, although a significant value of the luminosity of the planet must be found in order to produce a significant value of A_{L_p} via our modeling technique. Given a difference in the calculated planet-to-star luminosity ratio between our measurements and those of Kipping & Spiegel (2011) of 10.4 ± 8.3 ppm, our results do not conflict with those of Kipping & Spiegel (2011) at a confidence level greater than 1.25σ .

We also note that the error on individual points in the Q2 long cadence data is 43 ppm, and thus given the predicted 77.1 minute occultation duration, the 29.4244 minute cadence of *Kepler* long cadence data, the 88.7 days of coverage, and the 2.47 day orbital period of the system, we calculate that one could detect the secondary

eclipse of the planet to a 1σ precision of 4.5 ppm. This is in agreement with our 1σ upper limit, although our formal 1σ errors on the eclipse depth are twice as large, likely due to remaining systematics that were accounted for in the residual-permutation error analysis. However, with better systematic noise reduction, and an additional 1-2 quarters of data, the secondary eclipse of this planet could very well be detected to 3σ confidence. Future efforts should be directed towards this goal to confirm the phase signal found by Kipping & Spiegel (2011), and ensure it is not due to remaining systematics in the *Kepler* lightcurves or intrinsic stellar variability.

6.2. KOI 2.01 / HAT-P-7b

KOI 2.01 is also known as HAT-P-7 and was discovered by Pál et al. (2008) prior to the launch of the *Kepler* mission. Borucki et al. (2009) detected a secondary eclipse in the Q0 *Kepler* data of 130 ± 11 ppm, and a 122 ppm phase variation. Christiansen et al. (2010) determined an independent 3σ upper limit of 550 ppm on the secondary eclipse depth at optical wavelengths using the EPOXI spacecraft. Using Q1 *Kepler* data, Welsh et al. (2010) determined a secondary eclipse depth of 85.8 ppm, a 63.7 ppm phase variation due to reflection from the planet, a 37.3 ppm phase variation due to ellipsoidal distortions in the star induced by tidal interaction between the planet and star, and determined an albedo in the *Kepler* passband of 0.18, though no errors on the derived quantities were given.

We do not detect any significant orbital eccentricity ($>3\sigma$) in KOI 2.01 / HAT-P-7 in neither the PDC nor the CLM light curves when allowing eccentricity to vary. Fixing eccentricity to zero, for the *Kepler* PDC light curve, we determine a planet-to-star luminosity ratio of $75.0^{+9.5}_{-8.1}$ ppm and a value for A_{L_p} of $0.421^{+0.073}_{-0.071}$, and thus a $63.2^{+13.6}_{-12.6}$ ppm phase variation. Similarly, for the CLM light curve, we derive a planet-to-star luminosity ratio of $77.7^{+10.3}_{-9.5}$ ppm and a value for A_{L_p} of $0.240^{+0.065}_{-0.045}$, and thus a $37.3^{+11.2}_{-8.3}$ ppm phase variation. Our determined eclipse depths are very consistent between the CLM and PDC light curves, and within $\sim 1\sigma$ of the value found by Welsh et al. (2010), though are not compatible with the value found by Borucki et al. (2009) at the $\sim 4\sigma$ level. Examining the amplitude of the phase variation of the system, we first point out that there is a $\sim 1.5\sigma$ difference in the values derived between the PDC and CLM light curves, and likely is a result of the different methods employed to remove systematic noise. While the high-frequency signal of the secondary eclipse was not affected, the low-frequency signal of the phase variation, with a period of ~ 2.2 days, was much more easily distorted. It is not clear which measurement on the phase variation is more valid, though the CLM pipeline light curves yields a χ^2_{red} of 7.6, versus a value of 26.5 for the PDC data. This result should highlight the level of care that needs to be taken when examining and interpreting phase variations and other low-frequency signals in *Kepler* data.

Finally, utilizing stellar isochrones for the mass and radius determination of the host star, we determine 3σ upper limits to the maximum albedo of the planet of 0.556 and 0.594 for the PDC and CLM light curves respectively, in agreement with the values determined by Welsh et al. (2010).




Figure 9. Left Column: Plots of the 1σ and 3σ upper limits, delineated by solid and dashed lines respectively, on the maximum possible albedo values versus the maximum effective day side temperature when deriving stellar parameters from stellar isochrones, using the CLM pipeline light curves. Right Column: Plots of the cumulative number of systems and total fraction of all systems modeled in this paper that have their upper limit of A_{\max} below a given value of A , for both 1σ and 3σ upper limits. Values obtained when fixing eccentricity to zero are shown in first row, while values obtained when allowing eccentricity to vary are shown in the second row. Solid circles correspond to *Kepler* systems modeled in this paper, while open squares are previously published detections or upper limits of exoplanet secondary eclipses at optical wavelengths. The results when using the *Kepler* PDC curves are not plotted, but are very similar to the presented CLM light curves.

6.3. KOI 10.01 / *Kepler-8b*

KOI 10.01 is also known as *Kepler-8b*, and was first discovered to be a transiting planet by Jenkins et al. (2010a). Kipping & Bakos (2011a) found that the orbit is consistent with a circular orbit, and placed a 3σ upper limit on a secondary eclipse of 101.1 ppm, thus constraining the albedo to < 0.63 .

We do not detect any significant eccentricity ($> 3\sigma$) in neither the PDC nor CLM light curves when allowing eccentricity to vary. Fixing the eccentricity to zero, we place 3σ upper limits on the secondary eclipse of the planet at 119 ppm, ($14.9^{+34.7}_{-13.9}$ ppm), and 114 ppm, ($19.6^{+31.6}_{-33.7}$ ppm), for the PDC and CLM light curves respectively. Deriving the parameters for the host star from stellar isochrones yields a 3σ limit on the maximum albedo of 0.898 and 0.933 for the PDC and CLM light curves respectively. Thus, we do not provide any additional constraints on the atmosphere of this planet over previous studies.

6.4. KOI 13.01

KOI 13 was noted by (Borucki et al. 2011) to be a double star, and unresolved in the *Kepler* images due to the $\sim 4''$ pixel size. Szabó et al. (2011) recently conducted a thorough analysis of the system with careful detail to isolating the transiting planet candidate in the double star system, and concluded that KOI 13.01 is likely a brown dwarf with a radius of $2.2 \pm 0.1 R_J$. They also concluded that the transit showed an asymmetrical profile, due to the rapidly rotating nature of the host of KOI 13.01, detected a secondary eclipse with a depth of 120 ± 10 ppm, and did not find any significant orbital eccentricity. More recently, Shporer et al. (2011) determined a mass of $9.2 \pm 1.1 M_{Jup}$ via photometric beaming, and Barnes et al. (2011) used the asymmetrical profile of the transit to measure a planetary radius of $1.756 \pm 0.014 R_{\odot}$, thus making it more likely that this object is a massive hot Jupiter. Mazeh et al. (2011) further support this characterization, and additionally measure a secondary eclipse depth of 163.8 ± 3.8 ppm.

We do not detect any significant eccentricity ($> 3\sigma$) in neither the PDC nor CLM light curves when allowing eccentricity to vary, and we can confirm that the asym-

metrical transit shape exists in both the PDC and CLM lightcurves. Fixing the eccentricity to zero, we determine a secondary eclipse depth of $124.3^{+6.9}_{-7.8}$ and $125.6^{+6.3}_{-8.6}$ ppm for the PDC and CLM light curves respectively, which are statistically consistent with each other and the values found by Szabó et al. (2011), though is discrepant at the 5σ level with the value measured by Mazeh et al. (2011). We note that KOI 13.01 is the planet with the highest value of $T_{\epsilon=0}$ in our sample, and one of the few that is consistent with a T_b/T_0 value of less than 1.0, although we did not take third light into account in our analysis.

6.5. KOI 17.01 / Kepler-6b

KOI 17.01 is also known as Kepler-6b, and was discovered to be a transiting planet by Dunham et al. (2010). Kipping & Bakos (2011a) did not find any evidence for a non-circular orbit, and constrained any possible secondary eclipses to less than 51.5 ppm, and thus a geometric albedo less than 0.32, both at 3σ confidence. Désert et al. (2011a) was able to use *Kepler* data from Q0-Q5, of which Q3-Q5 were not yet publicly accessible at the time of writing, to measure a secondary eclipse of 22 ± 7 ppm, and did not find any evidence for a non-circular orbit. Combining this eclipse measurement with others obtained via *Spitzer*, they determined a geometric albedo of 0.11 ± 0.04 .

We do not detect any significant eccentricity ($>3\sigma$), and place a 3σ upper limit on any possible secondary eclipse at 34.5 ppm, ($-17.1^{+17.2}_{-22.3}$ ppm). This constrains the planetary albedo, at the 3σ level, to less than 0.25 and 0.31 when deriving stellar parameters from the KIC and isochrones respectively, consistent with both the values derived by Kipping & Bakos (2011a) and Désert et al. (2011a).

6.6. KOI 18.01 / Kepler-5b

KOI 18.01 is also known as Kepler-5b, and was discovered to be a transiting planet by Koch et al. (2010). Kipping & Bakos (2011a) did not find any evidence for a non-circular orbit, though found weak evidence for a secondary eclipse with a depth of 26 ± 17 ppm, implying a geometric albedo of 0.15 ± 0.10 . Désert et al. (2011a) detected the secondary eclipse, again using Q0-Q5 data, to greater precision and determined a depth of 21 ± 6 ppm, which they combined with *Spitzer* observations to determine a geometric albedo of 0.12 ± 0.04 .

We do not detect any significant eccentricity ($>3\sigma$), and do not detect the secondary eclipse in neither the PDC nor CLM light curves, placing a 3σ upper limit on the eclipse depth of 62.9 ppm ($-27.4^{+30.1}_{-33.2}$ ppm) using the CLM light curve. The derived median value and associated 1σ uncertainties on the secondary eclipse depth for the PDC data is $0.21^{+1.4}_{-0.3}$ ppm, in obvious contradiction to the previously mentioned measured eclipse depths. However, the PDC light curve for KOI 18.01 appears to suffer from a high level of systematic noise, and inspection of the parameter distribution histograms for the surface brightness ratio and luminosity ratio reveal them to significantly deviate from a Gaussian shape, having directly derived 2σ uncertainties of $\pm 36.1^{+10.7}_{-10.7}$ ppm, thus providing a more reasonable 3σ upper limit on the eclipse depth of 54.4 ppm for the PDC light curve.

6.7. KOI 20.01 / Kepler-12b

KOI 20.01 has recently been announced by Fortney et al. (2011) as Kepler-12b, a $1.7 R_J$, $0.43 M_J$ planet orbiting a slightly evolved G0 star at a period of 4.4 days. Using *Kepler* data from Q0-Q7, of which Q3-Q7 were not publicly accessible at the time of writing, they were able to measure a 31 ± 8 ppm secondary eclipse, which implies a geometric albedo of 0.14 ± 0.04 when combined with additional *Spitzer* observations. They also do not detect any significant orbital eccentricity.

Using our CLM light curves, we derived a 3σ upper limit on the eclipse depth of 56.3 ppm, ($4.7^{+17.2}_{-9.7}$ ppm), when fixing eccentricity to zero, implying a 3σ upper limit on the maximum possible albedo of the planet of 0.40. These results are in agreement with the values recently found by Fortney et al. (2011).

6.8. KOI 64.01

Borucki et al. (2011) noted that KOI 64.01 may be a binary system composed of a F-type primary and a M-type secondary. We do not detect any significant eccentricity ($>3\sigma$) in the system, though we do detect marginal evidence for a secondary eclipse in the system. Fixing the eccentricity to zero, we detect a secondary eclipse with a depth of $47.7^{+25.0}_{-23.3}$ and $75.1^{+35.1}_{-27.7}$ ppm, (2.0σ and 2.7σ detections), for the PDC and CLM light curves respectively. Taking the CLM light curve detection as a more reliable measurement, given its χ_{red} value of 7.3 versus a value of 10.4 for the PDC data, we cannot provide any constraints on the maximum albedo, and in fact even an albedo of 1.0 cannot account for this level of emission. Assuming it has an albedo of 0.0, we calculate a value of $T_b/T_0 = 1.05^{+0.29}_{-0.23}$ if deriving stellar values from the KIC, and $1.57^{+0.09}_{-0.11}$ if using stellar isochrones, which are both above the maximum allowed value of $(2/3)^{1/4}$ for a planet with no heat redistribution. Thus, this object, if the secondary eclipse detection is real, likely has a significant source of internal energy generation, and certainly may be a brown dwarf or low-mass star. We note however that the effective temperature for the star given in the KIC is 5128 K, which would suggest a K0 spectral type, not F-type. Thus if the host star is a K0 dwarf, the companion, if not a planet, would likely be a brown dwarf, unless the system is composed of a foreground K0 dwarf and a background F+M type eclipsing binary.

6.9. KOI 97.01 / Kepler-7b

KOI 97.01 is also known as Kepler-7b, and was discovered to be a transiting planet by Latham et al. (2010). Kipping & Bakos (2011a) found a secondary eclipse depth of 47 ± 14 ppm, implying a geometric albedo of 0.38 ± 0.12 , and found a day/night flux difference of 17 ± 9 ppm. Demory et al. (2011) used *Kepler* data from Q0-Q4, of which Q3 and Q4 were not yet publicly available at the time of writing, to detect a secondary eclipse of 44 ± 5 ppm, which implied an albedo of 0.32 ± 0.03 . They also detected an orbital phase curve with an amplitude of 42 ± 4 ppm. Neither study found evidence for significant orbital eccentricity.

We obtain $>3\sigma$ detections of the secondary eclipse in both the PDC and CLM light curves, both fixing ec-

centricity to zero and allowing it to vary, though we do not detect any significant ($>3\sigma$) eccentricity in the system. Fixing the eccentricity to zero, we obtain secondary eclipse depths of $53.2^{+14.1}_{-13.0}$ ppm and $66.1^{+17.4}_{-17.5}$ ppm for the PDC and CLM light curves respectively, however we find we cannot place any significant limits on the maximum possible albedo. We determine values for A_{L_p} of 0.12 ± 0.24 and $-0.17^{+0.06}_{-0.10}$ for the PDC and CLM light curves respectively, which translate to phase variations of $12.8^{+25.8}_{-25.7}$ ppm and $-22.5^{+9.9}_{-14.5}$, neither of which is significant at a $>3\sigma$ level.

Both of our values for the eclipse depth are consistent with those obtained by Kipping & Bakos (2011a) at $<1\sigma$ discrepancy, and at $<1.5\sigma$ with those of Demory et al. (2011). Upon inspection of the data, it turns out that we are not able to significantly constrain the albedo, when both Kipping & Bakos (2011a) and Demory et al. (2011) were able to, due to the values we adopt for the stellar mass and radius. We determined median values of $1.09 M_\odot$ and $1.28 R_\odot$ using the KIC, and $1.09 M_\odot$ and $1.03 R_\odot$ via stellar isochrones, where the other studies adopted values of $\sim 1.3 M_\odot$ and $\sim 1.9 R_\odot$, as Latham et al. (2010) found this star to be a G-type subgiant. Unfortunately the KIC did not hint at this star being non-main-sequence, and the stellar isochrones we employ assume the host star is on the main-sequence. Obviously changing the stellar radius by a factor of ~ 2 greatly impacts the estimate of reflected light, and this should emphasize the connection between the assumed stellar properties and derived planetary properties. Although we do not detect significant phase variations, our obtained values for the PDC light curve are not in conflict with either previously published result at greater than $\sim 1\sigma$ significance. The value for the CLM light curve does conflict at $>3\sigma$ significance, and we attribute it to differences in the light curve processing from the pixel level data. This is another example of how low-frequency signals can change significantly in *Kepler* data depending on the reduction technique employed.

6.10. KOI 183.01

We highlight KOI 183.01 due to a possibly significant detection of its secondary eclipse and eccentricity. Using the CLM light curves, we obtain a value for the secondary eclipse depth of 14^{+42}_{-40} ppm when fixing eccentricity to zero, but a value of 125^{+42}_{-39} , (3.2σ), when allowing eccentricity to vary. In the latter case, we measure values of $e \cdot \cos(\omega) = -0.152^{+0.009}_{-0.008}$ and $e \cdot \sin(\omega) = 0.03^{+0.12}_{-0.14}$, yielding values of $e = 0.178^{+0.075}_{-0.023}$ and $\omega = 169^{+47}_{-34}$ degrees.

We employ the Bayesian Information Criterion (BIC) (Schwarz 1978) to determine if allowing the eccentricity to vary, thus adding two more free parameters, provides a statistically significantly better fit to the data than fixing it to zero. Given competing models with different values of χ^2 , and a different number of free parameters, k , the value

$$BIC = \chi^2 + k \cdot \ln(N) \quad (7)$$

is computed, where N is the number of data points, and the model with the lowest BIC value is the preferred model. Given the 3,720 data points in the light curve, 8 free parameters with a χ^2 value of 12499 when fixing

the eccentricity to zero, and 10 free parameters with a χ^2 value of 12476 when allowing eccentricity to vary, values for the BIC of 12565 and 12558 are obtained for the fixed and free eccentricity models respectively. Given the lower BIC value for the eccentricity free model, and given that the resulting parameter distributions from the residual permutation analysis are well-behaved Gaussian curves and do not show any anomalies (see Figure 3.14), we conclude that the eccentricity free model is preferred and statistically significant.

Adopting values for the host star from stellar isochrones, we compute a maximum possible albedo of $0.52^{+0.21}_{-0.19}$, or a value of $T_b/T_0 = 1.28^{+0.08}_{-0.09}$. These are both reasonable values for a moderately reflective planet, one heated beyond radiative thermal equilibrium via tidal heating due to its significant eccentricity, or likely a combination of the two. Additional *Kepler* data and other follow-up observations should hopefully confirm this detection.

6.11. KOI 196.01

KOI 196.01 has recently been confirmed as a $0.49 M_J$, $0.84 R_J$, transiting planet by Santerne et al. (2011) via SOPHIE RV measurements and an analysis of the *Kepler* light curve. They detect a secondary eclipse with a depth of 64^{+10}_{-12} ppm, with corresponding phase variations, and determine a geometric albedo of 0.30 ± 0.08 . They do not find any significant orbital eccentricity.

We also detect the secondary eclipse with a depth of 77 ± 24 ppm and 63^{+33}_{-32} ppm in the PDC and CLM light curves respectively, and also do not find any evidence for significant orbital eccentricity, though we do not find any significant orbital phase variation. Via our eclipse depths, and utilizing stellar isochrones, we determine a maximum possible albedo of $0.29^{+0.10}_{-0.09}$ and $0.26^{+0.14}_{-0.13}$ for the PDC and CLM light curves respectively. Both of our values for the eclipse depth and geometric albedo are consistent and agree with those determined by Santerne et al. (2011).

6.12. KOI 202.01

We highlight KOI 202.01 due to a possible detection of its secondary eclipse, and a robust upper limit on its albedo. We measure the secondary eclipse depth of the system as 69^{+31}_{-30} ppm (2.3σ) and 46^{+31}_{-36} ppm (1.3σ), for the PDC and CLM light curves respectively, and do not detect any significant orbital eccentricity nor phase variations. Although these are not significant enough to claim a robust detection, they are certainly interesting enough results to merit further follow-up with additional data, and place robust 3σ upper limits on the maximum albedo of the system at 0.46 and 0.43 for the PDC and CLM light curves respectively, when deriving host star parameters from stellar isochrones.

6.13. KOI 203.01 / *Kepler*-17b

KOI 203.01 is also known as *Kepler*-17b, and was first confirmed as a transiting planet by Désert et al. (2011b). Using *Kepler* Q0-Q6 observations, of which Q3-Q6 were not yet publicly available at the time of writing, along with follow-up observations from *Spitzer*, they were able to detect a secondary eclipse with a depth of 58 ± 10 ppm,

and thus an albedo of 0.10 ± 0.02 , while finding no evidence for any orbital eccentricity. Bonomo et al. (2011) also detect the secondary eclipse at the 2.5σ level using Q1-Q2 observations, after fitting and subtracting 4th order polynomials to 4-day segments of the light curve, with a depth of 52 ± 21 ppm and consistent with a circular orbit.

We were only able to obtain a 3σ upper limit on the secondary eclipse depth of 159 ppm (-15 ± 58 ppm) using the CLM light curve and fixing eccentricity to zero. This corresponds to 3σ upper limits on the albedo of 0.26 and 0.28 when deriving the host star parameters from the KIC and stellar isochrones respectively. Our results are thus statistically consistent with the detections of Désert et al. (2011b) and Bonomo et al. (2011), although our errorbars are much larger. Examining the data, this star's lightcurve has large out of eclipse variations, on the order of the depth of the primary transit, due to both intrinsic stellar variability and systematics introduced by the star's movement, that rendered the PA and PDC data unmodelable. Our CLM pipeline was able to remove a large amount of this variability, (enough to reliably measure the primary transit), but did not fully remove it all, as illustrated by the χ^2_{red} value of 19.4. Thus, the eclipse signal for this planet is below the noise level for the CLM lightcurve.

6.14. KOI 1541.01

We highlight this system due to the unusually deep secondary eclipse and high eccentricity we detect at $>3\sigma$ confidence. However, the value for the eccentricity, ~ 0.78 , along with the unusually deep eclipse depth of ~ 1100 ppm, and a large χ^2_{red} value of 28.7, lead us to believe this system suffers from severe systematics which happened to phase together in such a way as to create an artificial eclipse. If the signal is real, then this system must be a background eclipsing binary blend or other similar object.

6.15. KOI 1543.01

This system is very similar to KOI 1541.01 in that we also obtain a $>3\sigma$ detection of a secondary eclipse, but with an unusually high values for the eclipse depth, eccentricity, and χ^2_{red} . Inspection of the light curve also reveals this system to contain significant systematics, or else must be a background eclipsing binary.

7. SUMMARY AND CONCLUSIONS

We have analyzed the *Kepler* Q2 light curves of 76 hot Jupiter transiting planet candidates using both the *Kepler* PDC data and the results from our own photometric pipeline for producing light curves from the pixel-level data. Of the 76 initial candidates only 55 have light curves with high enough photometric stability to search for secondary eclipses. For the remaining targets this search is hindered by either intrinsic variability of the host star or residual systematics in the light curve analyses. We have found that significant systematics in the *Kepler* light curves due to small photometric apertures and large centroid motions hinder analyses if not properly removed or accounted for, and that a re-reduction of the photometry is best done at the pixel-stamp level. We also stress the importance of taking into account how

Kepler light curves are produced from the pixel level data when considering any detection of low-frequency signals, as they can vary significantly depending on the technique employed.

We have also re-determined the stellar and planetary parameters of each system while deriving robust errors that take into account residual systematic noise in the light curves. We detect what appear to be the secondary eclipse signals of ~ 20 -30 of the targets in our list at $> 1\sigma$ confidence levels, and also derive robust upper limits for the secondary eclipse emission of all the remaining objects in our sample. All of our sample present excess emission compared to what is expected via black-body thermal emission alone, as well as a trend of increasing excess emission with decreasing expected maximum effective planetary temperature, in agreement with previously reported secondary eclipse detections of hot Jupiters in the optical, which can be attributed to the 'appearance' of increasing albedos with decreasing planetary temperatures. By performing statistical analyses of those results we arrive to the following main conclusions.

1. Assuming no contribution from reflected light, i.e., $A = 0.0$, the majority of the detected secondary eclipses reveal thermal emission levels higher than the maximum emission levels expected for planets in local thermodynamical equilibrium.
2. While the extra emission from many of the planets can be accounted for by varying the amount of reflected light, the emission from $\sim 50\%$ of the detected objects ($>1\sigma$) can not be accounted for even when assuming perfectly reflective planets (i.e., $A = 1.0$). These planets must either have much higher thermal emission in the optical compared to a blackbody, as predicted by theoretical models, have very large non-LTE optical emission features, have underestimated host star masses, radii, or effective temperatures, or are in fact false-positives and not planets but rather brown dwarfs, very low-mass stars, or stellar blends. Follow-up observations of these systems are necessary to confirm this conclusion. The most outstanding potentially false positive systems are KOI 64.01, 144.01, 684.01, 843.01, 1541.01, and 1543.01. Given that this is 6 of the 55 systems that we modeled, or 11% of the sample, it appears to agree with the expected $\sim 10\%$ false positive rate of the initial 1,235 candidates estimated by Morton & Johnson (2011).
3. Although we do not identify a sole cause of the observed trend of increasing excess planetary emission with decreasing expected maximum effective planetary temperature, the hypothesis of increasing planetary albedo with decreasing planetary temperature is able to explain many of the systems. This would be physically plausible as the upper atmospheres of Jupiter-like planets transition from very low albedos at high temperatures, as observed for hot Jupiters, to higher albedos at lower temperatures, as observed for cool Jupiters in our own solar system. We note that further observations via *Kepler* and multi-wavelength ground-based facilities of both the planetary candidates and their host stars are still needed to fully explain this trend.

4. From the emission upper limits placed on planet candidates for which we do not detect secondary eclipse signals, we conclude that a significant number, at least 30% at the 1σ level, of those targets must have very low-albedos, ($A_g < 0.3$), which is a result that is consistent with the majority of previous observations and early theoretical hot Jupiter model predictions. All previous observational upper limits had been placed on hot Jupiters with expected atmospheric effective temperatures higher than ~ 1650 K. Our results extend that temperature limit to planets with expected effective temperatures higher than 1200 K and can help further establish what chemicals place a critical role in the atmospheric properties of hot Jupiters.
5. From the inspection of individual targets we conclude that the majority of our secondary eclipse depths for candidates with previously published eclipse detections are consistent with the results from those other studies. We note that several of those other studies have access to *Kepler* data from quarters after Q2, while our analysis is limited to just the public Q2 data, and therefore our results have larger detection errorbars in some cases.
6. Our results are based on only one quarter of *Kepler* data, but 12-24 quarters should become available in the future. Therefore, we expect that future studies of these targets will be able to improve our secondary eclipse detections and upper limits by factors of 3-5, or much greater if noise systematics in the light curves can be further reduced.

We first and foremost thank the entire *Kepler* team and all those who have contributed to the *Kepler Mission*, without which this paper would not be possible. We thank the referee for a very thorough and truly helpful report, which greatly improved the manuscript. J.L.C acknowledges support through a National Science Foundation Graduate Research Fellowship. J.L.C. & M.L.M are grateful for funding from *Kepler's* Guest Observer Program. Some/all of the data presented in this paper were obtained from the Multimission Archive at the Space Telescope Science Institute (MAST). STScI is operated by the Association of Universities for Research in Astronomy, Inc., under NASA contract NAS5-26555. Support for MAST for non-HST data is provided by the NASA Office of Space Science via grant NNX09AF08G and by other grants and contracts. This research has made use of NASA's Astrophysics Data System.

REFERENCES

- Adams, E. R., et al. 2011, *ApJ*, 741, 102
 Alonso, R., Guillot, T., Mazeh, T., Aigrain, S., Alapini, A., Barge, P., Hatzes, A., & Pont, F. 2009a, *A&A*, 501, L23
 —. 2010, *A&A*, 512, C1+
 Alonso, R., et al. 2009b, *A&A*, 506, 353
 Baraffe, I., Chabrier, G., & Barman, T. 2010, *Reports on Progress in Physics*, 73, 016901
 Barnes, J. W., Linscott, E., & Shporer, A. 2011, *ApJS*, 197, 10
 Berdyugina, S. V., Berdyugin, A. V., Fluri, D. M., & Piirola, V. 2011, *ApJ*, 728, L6+
 Bertelli, G., Girardi, L., Marigo, P., & Nasi, E. 2008, *A&A*, 484, 815
 Bonomo, A. S., et al. 2011, *ArXiv e-prints*, 1110.5462
 Borucki, W. J., et al. 2009, *Science*, 325, 709
 —. 2011, *ApJ*, 736, 19
 Brown, T. M., Latham, D. W., Everett, M. E., & Esquerdo, G. A. 2011, *AJ*, 142, 112
 Burrows, A., Budaj, J., & Hubeny, I. 2008, *ApJ*, 678, 1436
 Burrows, A., Hubeny, I., Budaj, J., Knutson, H. A., & Charbonneau, D. 2007, *ApJ*, 668, L171
 Charbonneau, D., Noyes, R. W., Korzennik, S. G., Nisenson, P., Jha, S., Vogt, S. S., & Kibrick, R. I. 1999, *ApJ*, 522, L145
 Christiansen, J. L., et al. 2010, *ApJ*, 710, 97
 Claret, A. 2000, *A&A*, 359, 289
 —. 2008, *A&A*, 482, 259
 Coughlin, J. L., López-Morales, M., Harrison, T. E., Ule, N., & Hoffman, D. I. 2011, *AJ*, 141, 78
 Cowan, N. B., & Agol, E. 2011, *ApJ*, 729, 54
 Cravens, T. E., Clark, J., Bhardwaj, A., Elsner, R., Waite, J. H., Maurellis, A. N., Gladstone, G. R., & Branduardi-Raymont, G. 2006, *Journal of Geophysical Research (Space Physics)*, 111, A07308
 Demory, B.-O., et al. 2011, *ApJ*, 735, L12+
 Désert, J.-M., et al. 2011a, *ApJS*, 197, 11
 —. 2011b, *ApJS*, 197, 14
 Dunham, E. W., et al. 2010, *ApJ*, 713, L136
 Etzel, P. B. 1981, in *Photometric and Spectroscopic Binary Systems*, ed. E. B. Carling & Z. Kopal, 111+
 Fortney, J. J., Cooper, C. S., Showman, A. P., Marley, M. S., & Freedman, R. S. 2006, *ApJ*, 652, 746
 Fortney, J. J., Ladders, K., Marley, M. S., & Freedman, R. S. 2008, *ApJ*, 678, 1419
 Fortney, J. J., et al. 2011, *ApJS*, 197, 9
 Grether, D., & Lineweaver, C. H. 2006, *ApJ*, 640, 1051
 Hansen, B. M. S. 2008, *ApJS*, 179, 484
 Harrington, J., Hansen, B. M., Luszcz, S. H., Seager, S., Deming, D., Menou, K., Cho, J. Y.-K., & Richardson, L. J. 2006, *Science*, 314, 623
 Hubeny, I., Burrows, A., & Sudarsky, D. 2003, *ApJ*, 594, 1011
 Jenkins, J. M., Caldwell, D. A., & Borucki, W. J. 2002, *ApJ*, 564, 495
 Jenkins, J. M., et al. 2010a, *ApJ*, 724, 1108
 —. 2010b, *ApJ*, 713, L87
 —. 2010c, *ApJ*, 713, L120
 Kahaner, D., Moler, C., & Nash, S. 1989, *Numerical methods and software*, ed. Kahaner, D., Moler, C., & Nash, S.
 Karkoschka, E. 1994, *Icarus*, 111, 174
 Kipping, D., & Bakos, G. 2011a, *ApJ*, 730, 50
 —. 2011b, *ApJ*, 733, 36
 Kipping, D. M. 2010, *MNRAS*, 408, 1758
 Kipping, D. M., & Spiegel, D. S. 2011, *MNRAS*, L317+
 Knutson, H. A., Howard, A. W., & Isaacson, H. 2010, *ApJ*, 720, 1569
 Knutson, H. A., et al. 2007, *Nature*, 447, 183
 Koch, D. G., et al. 2010, *ApJ*, 713, L131
 Langford, S. V., Wyithe, J. S. B., Turner, E. L., Jenkins, E. B., Narita, N., Liu, X., Suto, Y., & Yamada, T. 2011, *MNRAS*, 415, 673
 Latham, D. W., et al. 2010, *ApJ*, 713, L140
 Leigh, C., Collier Cameron, A., Horne, K., Penny, A., & James, D. 2003a, *MNRAS*, 344, 1271
 Leigh, C., Collier Cameron, A., Udry, S., Donati, J.-F., Horne, K., James, D., & Penny, A. 2003b, *MNRAS*, 346, L16
 López-Morales, M., & Seager, S. 2007, *ApJ*, 667, L191
 López-Valverde, M. A., Lellouch, E., & Coustenis, A. 2005, *Icarus*, 175, 503
 Lupu, R. E., Feldman, P. D., McCandliss, S. R., & Strobel, D. F. 2011, *ApJ*, 732, 37
 Madhusudhan, N., & Seager, S. 2010, *ApJ*, 725, 261
 Marley, M. S., Gelino, C., Stephens, D., Lunine, J. I., & Freedman, R. 1999, *ApJ*, 513, 879
 Mazeh, T., Nachmani, G., Sokol, G., Faigler, S., & Zucker, S. 2011, *ArXiv e-prints*, 1110.3512
 Morton, T. D., & Johnson, J. A. 2011, *ApJ*, 738, 170
 Murtagh, F., & Heck, A., eds. 1987, *Astrophysics and Space Science Library*, Vol. 131, *Multivariate Data Analysis*
 O'Donovan, F. T., et al. 2006, *ApJ*, 651, L61

- Pál, A., et al. 2008, *ApJ*, 680, 1450
- Popper, D. M., & Etzel, P. B. 1981, *AJ*, 86, 102
- Rodler, F., Kürster, M., & Henning, T. 2008, *A&A*, 485, 859
- . 2010, *A&A*, 514, A23+
- Rowe, J. F., et al. 2008, *ApJ*, 689, 1345
- Santerne, A., Bonomo, A. S., Hébrard, G., Deleuil, M., Moutou, C., Almenara, J., Bouchy, F., & Díaz, R. F. 2011, *ArXiv e-prints*, 1108.0550
- Schneider, J. 2011, *The Extrasolar Planets Encyclopaedia*, <http://exoplanet.eu/catalog.php>
- Schwarz, G. 1978, *The Annals of Statistics*, 6, 461
- Seager, S., Whitney, B. A., & Sasselov, D. D. 2000, *ApJ*, 540, 504
- Shporer, A., et al. 2011, *AJ*, 142, 195
- Siess, L., Dufour, E., & Forestini, M. 2000, *A&A*, 358, 593
- Sing, D. K. 2010, *A&A*, 510, A21
- Sing, D. K., & López-Morales, M. 2009, *A&A*, 493, L31
- Snellen, I. A. G., de Mooij, E. J. W., & Albrecht, S. 2009, *Nature*, 459, 543
- Southworth, J., Maxted, P. F. L., & Smalley, B. 2004a, *MNRAS*, 351, 1277
- Southworth, J., Zucker, S., Maxted, P. F. L., & Smalley, B. 2004b, *MNRAS*, 355, 986
- Spiegel, D. S., Silverio, K., & Burrows, A. 2009, *ApJ*, 699, 1487
- Sudarsky, D., Burrows, A., & Pinto, P. 2000, *ApJ*, 538, 885
- Swain, M. R., et al. 2010, *Nature*, 463, 637
- Szabó, G. M., et al. 2011, *ApJ*, 736, L4+
- Welsh, W. F., Orosz, J. A., Seager, S., Fortney, J. J., Jenkins, J., Rowe, J. F., Koch, D., & Borucki, W. J. 2010, *ApJ*, 713, L145
- Wiktorowicz, S. J. 2009, *ApJ*, 696, 0902.0624
- Yelle, R. V., & Griffith, C. A. 2003, *Icarus*, 166, 107
- Zahnle, K., Marley, M. S., Freedman, R. S., Lodders, K., & Fortney, J. J. 2009, *ApJ*, 701, L20

Table 2
Modeling Results: Median Values and Associated 1σ Uncertainties

KOI	J	r_{sum}	k	i ($^{\circ}$)	ecosw	esinw	P (Days)	T_0 (BJD-2450000)	A_{L_p}
PDC Light Curve With Eccentricity Fixed to Zero									
2.01	$0.0108^{+0.0013}_{-0.0011}$	$0.254^{+0.005}_{-0.005}$	$0.0769^{+0.0004}_{-0.0004}$	$83.92^{+0.7045}_{-0.5848}$	$0.000^{+0.000}_{-0.000}$	$0.000^{+0.000}_{-0.000}$	$2.204732^{+3.1e-06}_{-3.0e-06}$	$4954.35796^{+0.00013}_{-0.00013}$	$0.421^{+0.000}_{-0.000}$
5.01	$-0.0088^{+0.0088}_{-0.0097}$	$0.123^{+0.010}_{-0.013}$	$0.0356^{+0.0009}_{-0.0011}$	$83.60^{+0.7978}_{-0.5911}$	$0.000^{+0.000}_{-0.000}$	$0.000^{+0.000}_{-0.000}$	$4.780381^{+3.7e-05}_{-6.7e-05}$	$4965.97227^{+0.00119}_{-0.00121}$	$0.300^{+0.000}_{-0.000}$
10.01	$0.0014^{+0.0033}_{-0.0013}$	$0.151^{+0.004}_{-0.004}$	$0.0938^{+0.0006}_{-0.0007}$	$84.68^{+0.3495}_{-0.2975}$	$0.000^{+0.000}_{-0.000}$	$0.000^{+0.000}_{-0.000}$	$3.522511^{+1.5e-05}_{-1.6e-05}$	$4954.11838^{+0.00043}_{-0.00041}$	$-5.752^{+0.000}_{-0.000}$
13.01	$0.0248^{+0.0013}_{-0.0015}$	$0.294^{+0.005}_{-0.006}$	$0.0659^{+0.0002}_{-0.0003}$	$79.79^{+0.5070}_{-0.4079}$	$0.000^{+0.000}_{-0.000}$	$0.000^{+0.000}_{-0.000}$	$1.763589^{+2.3e-06}_{-2.3e-06}$	$4953.56510^{+0.00013}_{-0.00014}$	$0.339^{+0.000}_{-0.000}$
18.01	$0.0000^{+0.0001}_{-0.0000}$	$0.174^{+0.027}_{-0.005}$	$0.0783^{+0.0025}_{-0.0007}$	$87.64^{+1.7674}_{-3.6176}$	$0.000^{+0.000}_{-0.000}$	$0.000^{+0.000}_{-0.000}$	$3.548460^{+2.4e-05}_{-2.5e-05}$	$4955.90081^{+0.00068}_{-0.00064}$	$-78.785^{+0.000}_{-0.000}$
64.01	$0.0207^{+0.0104}_{-0.0109}$	$0.283^{+0.018}_{-0.019}$	$0.0425^{+0.0018}_{-0.0013}$	$75.01^{+1.1206}_{-1.0527}$	$0.000^{+0.000}_{-0.000}$	$0.000^{+0.000}_{-0.000}$	$1.951178^{+2.8e-05}_{-2.9e-05}$	$4990.53822^{+0.00086}_{-0.00086}$	$-0.312^{+0.000}_{-0.000}$
97.01	$0.0066^{+0.0017}_{-0.0016}$	$0.156^{+0.003}_{-0.004}$	$0.0817^{+0.0005}_{-0.0005}$	$85.93^{+2.4176}_{-0.3637}$	$0.000^{+0.000}_{-0.000}$	$0.000^{+0.000}_{-0.000}$	$4.885495^{+1.7e-05}_{-1.7e-05}$	$4967.27590^{+0.00030}_{-0.00031}$	$0.115^{+0.000}_{-0.000}$
102.01	$0.0140^{+0.0089}_{-0.0101}$	$0.199^{+0.026}_{-0.021}$	$0.0284^{+0.0008}_{-0.0007}$	$84.17^{+2.8540}_{-2.5667}$	$0.000^{+0.000}_{-0.000}$	$0.000^{+0.000}_{-0.000}$	$1.735114^{+2.1e-05}_{-2.1e-05}$	$4968.06072^{+0.00101}_{-0.00102}$	$-0.187^{+0.000}_{-0.000}$
144.01	$0.0353^{+0.0337}_{-0.0292}$	$0.127^{+0.026}_{-0.012}$	$0.0352^{+0.0021}_{-0.0012}$	$86.86^{+2.3598}_{-2.5586}$	$0.000^{+0.000}_{-0.000}$	$0.000^{+0.000}_{-0.000}$	$4.176149^{+1.5e-04}_{-1.6e-04}$	$4966.09112^{+0.00322}_{-0.00310}$	$2.019^{+0.000}_{-0.000}$
186.01	$-0.0014^{+0.0026}_{-0.0027}$	$0.126^{+0.005}_{-0.003}$	$0.1218^{+0.0011}_{-0.0008}$	$88.51^{+1.3964}_{-0.8215}$	$0.000^{+0.000}_{-0.000}$	$0.000^{+0.000}_{-0.000}$	$3.243268^{+1.3e-05}_{-1.4e-05}$	$4966.66796^{+0.00037}_{-0.00036}$	$0.051^{+0.000}_{-0.000}$
188.01	$0.0033^{+0.0024}_{-0.0022}$	$0.092^{+0.004}_{-0.004}$	$0.1155^{+0.0016}_{-0.0018}$	$87.37^{+0.4475}_{-0.3527}$	$0.000^{+0.000}_{-0.000}$	$0.000^{+0.000}_{-0.000}$	$3.797023^{+1.2e-05}_{-1.2e-05}$	$4966.50793^{+0.00029}_{-0.00028}$	$-0.309^{+0.000}_{-0.000}$
195.01	$0.0047^{+0.0027}_{-0.0030}$	$0.107^{+0.004}_{-0.004}$	$0.1165^{+0.0011}_{-0.0013}$	$86.42^{+0.3423}_{-0.2949}$	$0.000^{+0.000}_{-0.000}$	$0.000^{+0.000}_{-0.000}$	$3.217522^{+1.0e-05}_{-1.3e-05}$	$4966.63096^{+0.00033}_{-0.00032}$	$-0.132^{+0.000}_{-0.000}$
196.01	$0.0060^{+0.0019}_{-0.0019}$	$0.221^{+0.005}_{-0.006}$	$0.1022^{+0.0007}_{-0.0008}$	$82.05^{+0.4642}_{-0.3994}$	$0.000^{+0.000}_{-0.000}$	$0.000^{+0.000}_{-0.000}$	$1.855561^{+5.0e-06}_{-5.4e-06}$	$4970.18013^{+0.00024}_{-0.00023}$	$-0.168^{+0.000}_{-0.000}$
199.01	$0.0029^{+0.0030}_{-0.0032}$	$0.151^{+0.006}_{-0.007}$	$0.0963^{+0.0009}_{-0.0009}$	$86.81^{+1.0287}_{-0.7643}$	$0.000^{+0.000}_{-0.000}$	$0.000^{+0.000}_{-0.000}$	$3.268695^{+1.7e-05}_{-1.6e-05}$	$4970.48096^{+0.00043}_{-0.00044}$	$0.079^{+0.000}_{-0.000}$
201.01	$-0.0059^{+0.0051}_{-0.0051}$	$0.093^{+0.009}_{-0.005}$	$0.0800^{+0.0021}_{-0.0012}$	$88.31^{+1.5193}_{-1.1075}$	$0.000^{+0.000}_{-0.000}$	$0.000^{+0.000}_{-0.000}$	$4.225373^{+2.1e-05}_{-2.2e-05}$	$4970.56037^{+0.00039}_{-0.00039}$	$1.145^{+0.000}_{-0.000}$
202.01	$0.0053^{+0.0023}_{-0.0023}$	$0.225^{+0.004}_{-0.004}$	$0.1040^{+0.0006}_{-0.0006}$	$80.75^{+0.2992}_{-0.2744}$	$0.000^{+0.000}_{-0.000}$	$0.000^{+0.000}_{-0.000}$	$1.720867^{+4.4e-06}_{-4.7e-06}$	$4966.02007^{+0.00023}_{-0.00023}$	$-0.333^{+0.000}_{-0.000}$
204.01	$-0.0019^{+0.012}_{-0.0041}$	$0.151^{+0.012}_{-0.014}$	$0.0817^{+0.0017}_{-0.0022}$	$85.16^{+2.4103}_{-0.9589}$	$0.000^{+0.000}_{-0.000}$	$0.000^{+0.000}_{-0.000}$	$3.246708^{+2.4e-05}_{-2.6e-05}$	$4966.37897^{+0.00067}_{-0.00064}$	$1.579^{+0.000}_{-0.000}$
229.01	$0.0000^{+0.0004}_{-0.0000}$	$0.400^{+0.005}_{-0.005}$	$0.2872^{+0.0327}_{-0.0289}$	$67.77^{+0.3073}_{-0.3087}$	$0.000^{+0.000}_{-0.000}$	$0.000^{+0.000}_{-0.000}$	$3.573190^{+8.5e-05}_{-8.7e-05}$	$4967.93368^{+0.00196}_{-0.00200}$	$-2.565^{+0.000}_{-0.000}$
356.01	$0.0007^{+0.0140}_{-0.0115}$	$0.169^{+0.055}_{-0.026}$	$0.0334^{+0.0026}_{-0.0013}$	$84.64^{+3.6556}_{-4.5146}$	$0.000^{+0.000}_{-0.000}$	$0.000^{+0.000}_{-0.000}$	$1.827099^{+3.1e-05}_{-3.2e-05}$	$5003.52457^{+0.00093}_{-0.00093}$	$-0.007^{+0.000}_{-0.000}$
412.01	$0.0063^{+0.0116}_{-0.0121}$	$0.100^{+0.025}_{-0.008}$	$0.0571^{+0.0030}_{-0.0012}$	$87.79^{+1.7520}_{-2.3886}$	$0.000^{+0.000}_{-0.000}$	$0.000^{+0.000}_{-0.000}$	$4.146994^{+5.6e-05}_{-5.7e-05}$	$5003.32536^{+0.00073}_{-0.00075}$	$-0.487^{+0.000}_{-0.000}$
421.01	$-0.0059^{+0.0048}_{-0.0042}$	$0.076^{+0.005}_{-0.005}$	$0.1197^{+0.0021}_{-0.0024}$	$88.00^{+0.5723}_{-0.4216}$	$0.000^{+0.000}_{-0.000}$	$0.000^{+0.000}_{-0.000}$	$4.454225^{+2.2e-05}_{-2.3e-05}$	$5005.81890^{+0.00028}_{-0.00026}$	$0.137^{+0.000}_{-0.000}$
433.01	$0.0001^{+0.0152}_{-0.0070}$	$0.352^{+0.055}_{-0.070}$	$0.2406^{+0.1861}_{-0.1474}$	$70.78^{+4.5618}_{-0.4346}$	$0.000^{+0.000}_{-0.000}$	$0.000^{+0.000}_{-0.000}$	$4.030457^{+1.5e-04}_{-1.4e-04}$	$5004.09086^{+0.00179}_{-0.00180}$	$0.033^{+0.000}_{-0.000}$
611.01	$-0.0030^{+0.0078}_{-0.0075}$	$0.126^{+0.009}_{-0.006}$	$0.0760^{+0.0077}_{-0.0022}$	$83.75^{+0.3507}_{-0.5390}$	$0.000^{+0.000}_{-0.000}$	$0.000^{+0.000}_{-0.000}$	$3.251646^{+2.8e-05}_{-2.6e-05}$	$5004.05985^{+0.00038}_{-0.00040}$	$-0.039^{+0.000}_{-0.000}$
684.01	$0.0802^{+0.0491}_{-0.0439}$	$0.066^{+0.028}_{-0.016}$	$0.0269^{+0.0029}_{-0.0019}$	$87.36^{+1.6669}_{-2.0032}$	$0.000^{+0.000}_{-0.000}$	$0.000^{+0.000}_{-0.000}$	$4.035328^{+1.9e-04}_{-1.8e-04}$	$5005.25386^{+0.00223}_{-0.00229}$	$-0.183^{+0.000}_{-0.000}$
760.01	$0.0023^{+0.0054}_{-0.0052}$	$0.094^{+0.003}_{-0.003}$	$0.1055^{+0.0013}_{-0.0013}$	$85.85^{+0.1909}_{-0.1787}$	$0.000^{+0.000}_{-0.000}$	$0.000^{+0.000}_{-0.000}$	$4.959343^{+4.4e-05}_{-4.4e-05}$	$5005.25676^{+0.00043}_{-0.00045}$	$-0.300^{+0.000}_{-0.000}$
801.01	$0.0061^{+0.0067}_{-0.0059}$	$0.221^{+0.021}_{-0.023}$	$0.0865^{+0.0023}_{-0.0025}$	$83.93^{+3.0796}_{-1.9812}$	$0.000^{+0.000}_{-0.000}$	$0.000^{+0.000}_{-0.000}$	$1.625498^{+1.1e-05}_{-1.1e-05}$	$5003.82699^{+0.00035}_{-0.00037}$	$-0.722^{+0.000}_{-0.000}$
809.01	$-0.0023^{+0.0041}_{-0.0048}$	$0.163^{+0.017}_{-0.017}$	$0.1177^{+0.0027}_{-0.0012}$	$87.56^{+2.0953}_{-2.2166}$	$0.000^{+0.000}_{-0.000}$	$0.000^{+0.000}_{-0.000}$	$1.594742^{+1.1e-06}_{-1.0e-06}$	$5003.64754^{+0.00024}_{-0.00023}$	$0.779^{+0.000}_{-0.000}$
813.01	$-0.0166^{+0.0094}_{-0.0091}$	$0.089^{+0.017}_{-0.012}$	$0.0897^{+0.0042}_{-0.0031}$	$87.62^{+2.2020}_{-1.5063}$	$0.000^{+0.000}_{-0.000}$	$0.000^{+0.000}_{-0.000}$	$3.895887^{+5.2e-05}_{-5.4e-05}$	$5003.52771^{+0.00069}_{-0.00066}$	$-0.070^{+0.000}_{-0.000}$
830.01	$0.0024^{+0.0031}_{-0.0032}$	$0.099^{+0.006}_{-0.002}$	$0.1370^{+0.0026}_{-0.0010}$	$89.03^{+0.8555}_{-1.0199}$	$0.000^{+0.000}_{-0.000}$	$0.000^{+0.000}_{-0.000}$	$3.525638^{+1.1e-05}_{-1.1e-05}$	$5003.04715^{+0.00015}_{-0.00015}$	$-0.775^{+0.000}_{-0.000}$
838.01	$0.0001^{+0.0044}_{-0.0028}$	$0.118^{+0.009}_{-0.010}$	$0.1047^{+0.0235}_{-0.0139}$	$84.18^{+0.5842}_{-0.5591}$	$0.000^{+0.000}_{-0.000}$	$0.000^{+0.000}_{-0.000}$	$4.859423^{+8.1e-05}_{-8.2e-05}$	$5006.01042^{+0.00077}_{-0.00082}$	$1.279^{+0.000}_{-0.000}$
840.01	$-0.0045^{+0.0061}_{-0.0061}$	$0.113^{+0.008}_{-0.008}$	$0.1048^{+0.0024}_{-0.0026}$	$85.44^{+0.5689}_{-0.4960}$	$0.000^{+0.000}_{-0.000}$	$0.000^{+0.000}_{-0.000}$	$3.040348^{+2.2e-05}_{-2.3e-05}$	$5002.94813^{+0.00041}_{-0.00042}$	$0.104^{+0.000}_{-0.000}$
843.01	$-0.0007^{+0.0052}_{-0.0135}$	$0.132^{+0.027}_{-0.032}$	$0.0544^{+0.0028}_{-0.0034}$	$84.60^{+2.7198}_{-1.8763}$	$0.000^{+0.000}_{-0.000}$	$0.000^{+0.000}_{-0.000}$	$4.190630^{+1.1e-04}_{-1.1e-04}$	$5004.43891^{+0.00137}_{-0.00134}$	$0.935^{+0.000}_{-0.000}$
897.01	$0.0032^{+0.0036}_{-0.0032}$	$0.159^{+0.008}_{-0.010}$	$0.1166^{+0.0016}_{-0.0019}$	$85.30^{+0.9264}_{-0.7186}$	$0.000^{+0.000}_{-0.000}$	$0.000^{+0.000}_{-0.000}$	$2.052344^{+8.0e-06}_{-8.7e-06}$	$5002.89010^{+0.00022}_{-0.00022}$	$-1.469^{+0.000}_{-0.000}$
908.01	$0.0050^{+0.0060}_{-0.0052}$	$0.092^{+0.012}_{-0.004}$	$0.0839^{+0.0026}_{-0.0010}$	$88.63^{+1.2397}_{-1.4946}$	$0.000^{+0.000}_{-0.000}$	$0.000^{+0.000}_{-0.000}$	$4.708363^{+4.8e-05}_{-4.8e-05}$	$5004.44523^{+0.00048}_{-0.00046}$	$0.200^{+0.000}_{-0.000}$
913.01	$0.0021^{+0.0027}_{-0.0027}$	$0.105^{+0.004}_{-0.002}$	$0.1240^{+0.0012}_{-0.0007}$	$89.05^{+0.8784}_{-0.8239}$	$0.000^{+0.000}_{-0.000}$	$0.000^{+0.000}_{-0.000}$	$4.082286^{+2.0e-05}_{-1.9e-05}$	$5002.63669^{+0.00023}_{-0.00023}$	$0.162^{+0.000}_{-0.000}$
931.01	$0.0007^{+0.0034}_{-0.0010}$	$0.112^{+0.009}_{-0.003}$	$0.1201^{+0.0024}_{-0.0008}$	$88.67^{+1.0903}_{-1.4164}$	$0.000^{+0.000}_{-0.000}$	$0.000^{+0.000}_{-0.000}$	$3.855646^{+2.3e-05}_{-2.2e-05}$	$5003.67760^{+0.00028}_{-0.00030}$	$-2.995^{+0.000}_{-0.000}$
961.02	$0.0017^{+0.0198}_{-0.0184}$	$0.292^{+0.076}_{-0.072}$	$0.0486^{+0.0108}_{-0.0050}$	$75.39^{+4.6244}_{-4.8234}$	$0.000^{+0.000}_{-0.000}$	$0.000^{+0.000}_{-0.000}$	$0.453296^{+3.3e-06}_{-6.3e-06}$	$4966.86709^{+0.00116}_{-0.00114}$	$0.048^{+0.000}_{-0.000}$
961.03	$0.0159^{+0.0472}_{-0.0397}$	$0.060^{+0.072}_{-0.004}$	$0.4879^{+1.0011}_{-0.4024}$	$86.69^{+2.2059}_{-0.2260}$	$0.000^{+0.000}_{-0.000}$	$0.000^{+0.000}_{-0.000}$	$1.865033^{+1.2e-05}_{-5.8e-05}$	$4966.79647^{+0.00259}_{-0.00251}$	$0.000^{+0.000}_{-0.000}$
1419.01	$0.0131^{+0.0145}_{-0.0130}$	$0.322^{+0.049}_{-0.050}$	$0.0555^{+0.0128}_{-0.0034}$	$73.38^{+3.0786}_{-3.1111}$	$0.000^{+0.000}_{-0.000}$	$0.000^{+0.000}_{-0.000}$	$1.336074^{+2.7e-05}_{-2.8e-05}$	$5011.25875^{+0.00087}_{-0.00092}$	$-0.874^{+0.000}_{-0.000}$
1459.01	$0.0267^{+0.0110}_{-0.0127}$	$0.403^{+0.044}_{-0.061}$	$0.0930^{+0.0367}_{-0.0143}$	$69.77^{+4.0056}_{-3.0350}$	$0.000^{+0.000}_{-0.000}$	$0.000^{+0.000}_{-0.000}$	$0.692024^{+7.7e-06}_{-7.2e-06}$	$4966.11024^{+0.00088}_{-0.00092}$	$1.794^{+0.000}_{-0.000}$
CLM Light Curve With Eccentricity Fixed to Zero									
1.01	$-0.0002^{+0.0004}_{-0.0004}$	$0.142^{+0.000}_{-0.000}$	$0.1250^{+0.0002}_{-0.0002}$	$83.90^{+0.0307}_{-0.0291}$	$0.000^{+0.000}_{-0.000}$	$0.000^{+0.000}_{-0.000}$	$2.470614^{+1.3e-06}_{-1.3e-06}$	4955	

Table 2
Modeling Results: Median Values and Associated 1σ Uncertainties

183.01	0.0009 ^{+0.0026} _{-0.0024}	0.143 ^{+0.005} _{-0.006}	0.1160 ^{+0.0010} _{-0.0011}	86.89 ^{+0.7468} _{-0.5931}	0.000 ^{+0.000} _{-0.000}	0.000 ^{+0.000} _{-0.000}	2.684312 ^{+9.8e-06} _{-9.3e-06}	4966.35461 ^{+0.00030} _{-0.00031}	-0.485 ^{+1.0} _{-2.0}
186.01	-0.0044 ^{+0.0035} _{-0.0035}	0.125 ^{+0.016} _{-0.003}	0.1161 ^{+0.0032} _{-0.0008}	88.53 ^{+1.2341} _{-2.1877}	0.000 ^{+0.000} _{-0.000}	0.000 ^{+0.000} _{-0.000}	3.243284 ^{+2.0e-05} _{-2.1e-05}	4966.66745 ^{+0.00052} _{-0.00055}	1.022 ^{+1.0} _{-0.0}
188.01	-0.0034 ^{+0.0031} _{-0.0032}	0.096 ^{+0.005} _{-0.006}	0.1119 ^{+0.0019} _{-0.0023}	87.02 ^{+0.5846} _{-0.4387}	0.000 ^{+0.000} _{-0.000}	0.000 ^{+0.000} _{-0.000}	3.797013 ^{+1.8e-05} _{-1.9e-05}	4966.50811 ^{+0.00042} _{-0.00043}	0.682 ^{+1.0} _{-0.0}
195.01	0.0000 ^{+0.0016} _{-0.0000}	0.120 ^{+0.004} _{-0.004}	0.1163 ^{+0.0011} _{-0.0012}	85.39 ^{+0.2986} _{-0.2548}	0.000 ^{+0.000} _{-0.000}	0.000 ^{+0.000} _{-0.000}	3.217557 ^{+1.7e-05} _{-1.7e-05}	4966.63025 ^{+0.00043} _{-0.00045}	-2.605 ^{+5.0} _{-1.0}
196.01	0.0053 ^{+0.0027} _{-0.0026}	0.222 ^{+0.007} _{-0.008}	0.0987 ^{+0.0009} _{-0.0011}	81.90 ^{+0.6662} _{-0.5586}	0.000 ^{+0.000} _{-0.000}	0.000 ^{+0.000} _{-0.000}	1.855556 ^{+6.7e-06} _{-6.5e-06}	4970.18029 ^{+0.00029} _{-0.00029}	-0.070 ^{+0.0} _{-0.0}
201.01	-0.0015 ^{+0.0030} _{-0.0042}	0.094 ^{+0.010} _{-0.006}	0.0795 ^{+0.0022} _{-0.0013}	88.18 ^{+1.6531} _{-1.1858}	0.000 ^{+0.000} _{-0.000}	0.000 ^{+0.000} _{-0.000}	4.225404 ^{+2.8e-05} _{-2.7e-05}	4970.55976 ^{+0.00050} _{-0.00053}	1.572 ^{+1.0} _{-3.0}
202.01	0.0040 ^{+0.0026} _{-0.0031}	0.231 ^{+0.005} _{-0.006}	0.0981 ^{+0.0007} _{-0.0007}	80.22 ^{+0.3884} _{-0.3450}	0.000 ^{+0.000} _{-0.000}	0.000 ^{+0.000} _{-0.000}	1.720865 ^{+6.1e-06} _{-6.3e-06}	4966.02018 ^{+0.00032} _{-0.00031}	0.041 ^{+0.0} _{-0.0}
203.01	-0.0007 ^{+0.0029} _{-0.0029}	0.211 ^{+0.008} _{-0.009}	0.1286 ^{+0.0014} _{-0.0014}	86.30 ^{+1.6250} _{-1.0981}	0.000 ^{+0.000} _{-0.000}	0.000 ^{+0.000} _{-0.000}	1.485701 ^{+4.4e-06} _{-4.2e-06}	4965.79327 ^{+0.00024} _{-0.00025}	0.648 ^{+3.0} _{-2.0}
204.01	0.0052 ^{+0.0088} _{-0.0085}	0.181 ^{+0.019} _{-0.027}	0.0737 ^{+0.0022} _{-0.0032}	82.70 ^{+2.0921} _{-1.2986}	0.000 ^{+0.000} _{-0.000}	0.000 ^{+0.000} _{-0.000}	3.246635 ^{+5.5e-05} _{-5.8e-05}	4966.38059 ^{+0.00156} _{-0.00149}	-0.759 ^{+2.0} _{-2.0}
214.01	-0.0062 ^{+0.0113} _{-0.0121}	0.107 ^{+0.024} _{-0.016}	0.0873 ^{+0.0570} _{-0.0059}	84.80 ^{+0.9593} _{-1.5310}	0.000 ^{+0.000} _{-0.000}	0.000 ^{+0.000} _{-0.000}	3.311885 ^{+5.1e-05} _{-5.2e-05}	4964.74112 ^{+0.00140} _{-0.00138}	0.297 ^{+1.0} _{-0.0}
217.01	-0.0035 ^{+0.0048} _{-0.0051}	0.308 ^{+0.041} _{-0.028}	0.9595 ^{+0.5014} _{-0.2870}	73.38 ^{+1.7996} _{-2.7018}	0.000 ^{+0.000} _{-0.000}	0.000 ^{+0.000} _{-0.000}	3.905132 ^{+4.7e-05} _{-5.0e-05}	4966.41317 ^{+0.00103} _{-0.00107}	0.001 ^{+0.0} _{-0.0}
229.01	-0.0001 ^{+0.0033} _{-0.0124}	0.118 ^{+0.030} _{-0.010}	0.0481 ^{+0.0028} _{-0.0011}	87.30 ^{+2.0647} _{-2.8908}	0.000 ^{+0.000} _{-0.000}	0.000 ^{+0.000} _{-0.000}	3.573283 ^{+9.2e-05} _{-9.5e-05}	4967.93051 ^{+0.00220} _{-0.00214}	0.473 ^{+1.0} _{-5.0}
254.01	-0.0043 ^{+0.0070} _{-0.0074}	0.117 ^{+0.008} _{-0.010}	0.1704 ^{+0.0047} _{-0.0047}	86.47 ^{+0.8810} _{-0.6947}	0.000 ^{+0.000} _{-0.000}	0.000 ^{+0.000} _{-0.000}	2.455267 ^{+2.9e-05} _{-2.8e-05}	5003.82069 ^{+0.00067} _{-0.00068}	0.567 ^{+1.0} _{-1.0}
356.01	0.0492 ^{+0.0240} _{-0.0219}	0.144 ^{+0.036} _{-0.006}	0.0306 ^{+0.0017} _{-0.0006}	88.06 ^{+1.4945} _{-4.8438}	0.000 ^{+0.000} _{-0.000}	0.000 ^{+0.000} _{-0.000}	1.826966 ^{+5.1e-05} _{-5.0e-05}	5003.52754 ^{+0.00143} _{-0.00145}	-0.024 ^{+0.0} _{-0.0}
412.01	0.0002 ^{+0.0060} _{-0.0001}	0.098 ^{+0.031} _{-0.008}	0.0477 ^{+0.0032} _{-0.0012}	87.86 ^{+1.6992} _{-2.8928}	0.000 ^{+0.000} _{-0.000}	0.000 ^{+0.000} _{-0.000}	4.146970 ^{+1.3e-04} _{-1.3e-04}	5003.32630 ^{+0.00177} _{-0.00176}	-8.920 ^{+8.0} _{-2.0}
421.01	-0.0010 ^{+0.0046} _{-0.0048}	0.076 ^{+0.006} _{-0.008}	0.1157 ^{+0.0027} _{-0.0038}	87.96 ^{+1.0035} _{-0.5585}	0.000 ^{+0.000} _{-0.000}	0.000 ^{+0.000} _{-0.000}	4.454260 ^{+3.5e-05} _{-3.5e-05}	5005.81883 ^{+0.00041} _{-0.00042}	0.687 ^{+3.0} _{-1.0}
433.01	0.0001 ^{+0.0051} _{-0.0005}	0.094 ^{+0.027} _{-0.005}	0.0471 ^{+0.0032} _{-0.0012}	88.28 ^{+1.4186} _{-2.7352}	0.000 ^{+0.000} _{-0.000}	0.000 ^{+0.000} _{-0.000}	4.030278 ^{+1.6e-04} _{-1.6e-04}	5004.09410 ^{+0.00190} _{-0.00191}	-5.396 ^{+1.0} _{-2.0}
611.01	0.0025 ^{+0.0093} _{-0.0091}	0.154 ^{+0.024} _{-0.029}	0.1562 ^{+0.1307} _{-0.0764}	81.93 ^{+1.8034} _{-1.4920}	0.000 ^{+0.000} _{-0.000}	0.000 ^{+0.000} _{-0.000}	3.251641 ^{+3.9e-05} _{-4.1e-05}	5004.06018 ^{+0.00058} _{-0.00056}	-0.010 ^{+0.0} _{-0.0}
667.01	0.0002 ^{+0.0247} _{-0.0018}	0.086 ^{+0.038} _{-0.009}	0.0775 ^{+0.0348} _{-0.0030}	87.96 ^{+2.0162} _{-3.0764}	0.000 ^{+0.000} _{-0.000}	0.000 ^{+0.000} _{-0.000}	4.305106 ^{+2.4e-04} _{-2.3e-04}	5003.45531 ^{+0.00280} _{-0.00282}	-0.353 ^{+6.0} _{-6.0}
684.01	0.1004 ^{+0.0638} _{-0.0614}	0.049 ^{+0.010} _{-0.005}	0.0250 ^{+0.0014} _{-0.0012}	88.99 ^{+0.7713} _{-1.0734}	0.000 ^{+0.000} _{-0.000}	0.000 ^{+0.000} _{-0.000}	4.035349 ^{+2.4e-04} _{-2.5e-04}	5005.25460 ^{+0.00308} _{-0.00304}	0.015 ^{+0.0} _{-0.0}
760.01	0.0020 ^{+0.0068} _{-0.0069}	0.096 ^{+0.004} _{-0.004}	0.1044 ^{+0.0017} _{-0.0017}	85.70 ^{+0.2468} _{-0.2116}	0.000 ^{+0.000} _{-0.000}	0.000 ^{+0.000} _{-0.000}	4.959295 ^{+5.6e-05} _{-5.6e-05}	5005.25690 ^{+0.00056} _{-0.00056}	-0.112 ^{+0.0} _{-0.0}
767.01	0.0052 ^{+0.0038} _{-0.0038}	0.141 ^{+0.006} _{-0.007}	0.1224 ^{+0.0015} _{-0.0018}	85.95 ^{+0.6974} _{-0.5371}	0.000 ^{+0.000} _{-0.000}	0.000 ^{+0.000} _{-0.000}	2.816536 ^{+1.5e-05} _{-1.6e-05}	5003.96629 ^{+0.00028} _{-0.00028}	-0.163 ^{+0.0} _{-0.0}
801.01	0.0130 ^{+0.0074} _{-0.0082}	0.207 ^{+0.038} _{-0.017}	0.0804 ^{+0.0038} _{-0.0017}	85.57 ^{+4.3150} _{-3.9176}	0.000 ^{+0.000} _{-0.000}	0.000 ^{+0.000} _{-0.000}	1.625528 ^{+1.7e-05} _{-1.6e-05}	5003.82578 ^{+0.00053} _{-0.00054}	-0.184 ^{+0.0} _{-0.0}
809.01	0.0074 ^{+0.0051} _{-0.0051}	0.205 ^{+0.017} _{-0.017}	0.1153 ^{+0.0024} _{-0.0024}	83.03 ^{+1.3933} _{-1.0817}	0.000 ^{+0.000} _{-0.000}	0.000 ^{+0.000} _{-0.000}	1.594732 ^{+1.0e-05} _{-1.0e-05}	5003.64783 ^{+0.00034} _{-0.00034}	0.028 ^{+0.0} _{-0.0}
813.01	-0.0113 ^{+0.0170} _{-0.0157}	0.081 ^{+0.022} _{-0.005}	0.0810 ^{+0.0049} _{-0.0016}	88.56 ^{+1.1321} _{-2.2494}	0.000 ^{+0.000} _{-0.000}	0.000 ^{+0.000} _{-0.000}	3.895873 ^{+9.6e-05} _{-9.4e-05}	5003.52774 ^{+0.00122} _{-0.00125}	0.116 ^{+0.0} _{-0.0}
830.01	0.0012 ^{+0.0026} _{-0.0023}	0.099 ^{+0.005} _{-0.002}	0.1274 ^{+0.0021} _{-0.0011}	88.94 ^{+0.9826} _{-0.8831}	0.000 ^{+0.000} _{-0.000}	0.000 ^{+0.000} _{-0.000}	3.525644 ^{+1.2e-05} _{-1.3e-05}	5003.04701 ^{+0.00019} _{-0.00017}	-1.527 ^{+3.0} _{-8.0}
838.01	-0.0151 ^{+0.0116} _{-0.0116}	0.152 ^{+0.015} _{-0.030}	0.1845 ^{+0.0840} _{-0.1044}	81.97 ^{+1.9229} _{-0.9304}	0.000 ^{+0.000} _{-0.000}	0.000 ^{+0.000} _{-0.000}	4.859266 ^{+1.2e-04} _{-1.2e-04}	5006.01125 ^{+0.00113} _{-0.00114}	-0.043 ^{+0.0} _{-0.0}
840.01	-0.0033 ^{+0.0074} _{-0.0070}	0.112 ^{+0.011} _{-0.016}	0.0952 ^{+0.0031} _{-0.0043}	85.44 ^{+1.1176} _{-0.7342}	0.000 ^{+0.000} _{-0.000}	0.000 ^{+0.000} _{-0.000}	3.040330 ^{+3.1e-05} _{-2.9e-05}	5002.94851 ^{+0.00051} _{-0.00050}	0.179 ^{+0.0} _{-0.0}
843.01	0.0269 ^{+0.0045} _{-0.0187}	0.140 ^{+0.045} _{-0.046}	0.0507 ^{+0.0039} _{-0.0044}	84.08 ^{+4.3553} _{-2.9033}	0.000 ^{+0.000} _{-0.000}	0.000 ^{+0.000} _{-0.000}	4.190464 ^{+1.8e-04} _{-1.8e-04}	5004.44160 ^{+0.00207} _{-0.00221}	-0.188 ^{+0.0} _{-0.0}
897.01	0.0065 ^{+0.0054} _{-0.0055}	0.172 ^{+0.011} _{-0.013}	0.1163 ^{+0.0021} _{-0.0024}	84.24 ^{+1.0754} _{-0.8300}	0.000 ^{+0.000} _{-0.000}	0.000 ^{+0.000} _{-0.000}	2.052357 ^{+1.5e-05} _{-1.4e-05}	5002.88992 ^{+0.00036} _{-0.00039}	-0.020 ^{+0.0} _{-0.0}
908.01	0.0176 ^{+0.0103} _{-0.0095}	0.093 ^{+0.020} _{-0.005}	0.0794 ^{+0.0041} _{-0.0013}	88.35 ^{+1.3065} _{-2.1367}	0.000 ^{+0.000} _{-0.000}	0.000 ^{+0.000} _{-0.000}	4.708360 ^{+8.6e-05} _{-8.2e-05}	5004.44498 ^{+0.00085} _{-0.00087}	-0.167 ^{+0.0} _{-0.0}
913.01	0.0016 ^{+0.0038} _{-0.0041}	0.105 ^{+0.007} _{-0.003}	0.1098 ^{+0.0017} _{-0.0008}	88.83 ^{+1.0892} _{-1.1304}	0.000 ^{+0.000} _{-0.000}	0.000 ^{+0.000} _{-0.000}	4.082304 ^{+3.0e-05} _{-3.1e-05}	5002.63661 ^{+0.00039} _{-0.00038}	-0.702 ^{+2.0} _{-2.0}
1176.01	-0.0016 ^{+0.0039} _{-0.0038}	0.138 ^{+0.011} _{-0.014}	0.1268 ^{+0.0034} _{-0.0046}	86.29 ^{+1.6953} _{-0.9589}	0.000 ^{+0.000} _{-0.000}	0.000 ^{+0.000} _{-0.000}	1.937750 ^{+9.4e-06} _{-9.6e-06}	5011.68870 ^{+0.00021} _{-0.00021}	0.338 ^{+1.0} _{-1.0}
1419.01	0.0146 ^{+0.0371} _{-0.0304}	0.221 ^{+0.103} _{-0.068}	0.0475 ^{+0.0060} _{-0.0027}	80.02 ^{+5.1744} _{-3.7577}	0.000 ^{+0.000} _{-0.000}	0.000 ^{+0.000} _{-0.000}	1.936124 ^{+5.1e-05} _{-2.6e-05}	5011.25829 ^{+0.00175} _{-0.00165}	-0.439 ^{+1.0} _{-1.0}
1459.01	0.0327 ^{+0.0157} _{-0.0151}	0.243 ^{+0.056} _{-0.035}	0.0637 ^{+0.0053} _{-0.0033}	79.92 ^{+2.7393} _{-3.8427}	0.000 ^{+0.000} _{-0.000}	0.000 ^{+0.000} _{-0.000}	0.692019 ^{+9.5e-06} _{-9.5e-06}	4966.11081 ^{+0.00113} _{-0.00116}	2.865 ^{+2.0} _{-1.0}
1541.01	0.0494 ^{+0.0084} _{-0.0091}	0.192 ^{+0.005} _{-0.005}	0.1726 ^{+0.0014} _{-0.0017}	85.74 ^{+0.5331} _{-0.4268}	0.000 ^{+0.000} _{-0.000}	0.000 ^{+0.000} _{-0.000}	2.379290 ^{+1.5e-05} _{-1.5e-05}	4966.65042 ^{+0.00050} _{-0.00055}	0.143 ^{+0.0} _{-0.0}
1543.01	0.0266 ^{+0.0225} _{-0.0236}	0.158 ^{+0.014} _{-0.006}	0.1422 ^{+0.0042} _{-0.0024}	87.93 ^{+1.8368} _{-1.6934}	0.000 ^{+0.000} _{-0.000}	0.000 ^{+0.000} _{-0.000}	3.964266 ^{+4.6e-05} _{-4.4e-05}	4969.02968 ^{+0.00091} _{-0.00091}	-1.080 ^{+1.0} _{-3.0}

PDC Light Curve With Eccentricity Allowed To Vary

2.01	0.0106 ^{+0.0013} _{-0.0011}	0.270 ^{+0.013} _{-0.010}	0.0768 ^{+0.0003} _{-0.0004}	83.10 ^{+0.8755} _{-1.0221}	0.001 ^{+0.002} _{-0.002}	0.067 ^{+0.043} _{-0.034}	2.204732 ^{+3.1e-06} _{-3.0e-06}	4954.35797 ^{+0.00013} _{-0.00013}	0.442 ^{+0.00013} _{-0.00013}
5.01	0.0077 ^{+0.0211} _{-0.0100}	0.126 ^{+0.007} _{-0.009}	0.0357 ^{+0.0008} _{-0.0009}	83.38 ^{+0.7151} _{-0.4133}	0.014 ^{+0.028} _{-0.025}	0.009 ^{+0.040} _{-0.058}	4.780380 ^{+6.7e-05} _{-6.6e-05}	4965.97242 ^{+0.00127} _{-0.00121}	-0.141 ^{+0.00127} _{-0.00121}
10.01	0.0032 ^{+0.0043} _{-0.0027}	0.125 ^{+0.012} _{-0.006}	0.0938 ^{+0.0006} _{-0.0007}	86.30 ^{+0.3346} _{-0.6457}	-0.002 ^{+0.024} _{-0.023}	-0.188 ^{+0.089} _{-0.062}	3.522511 ^{+1.5e-05} _{-1.6e-05}	4954.11837 ^{+0.00046} _{-0.00046}	-2.726 ^{+0.00046} _{-0.00046}
13.01	0.0250 ^{+0.0013} _{-0.0015}	0.295 ^{+0.015} _{-0.011}	0.0657 ^{+0.0002} _{-0.0003}	79.74 ^{+0.8677} _{-1.5644}	0.002 ^{+0.001} _{-0.001}	0.020 ^{+0.049} _{-0.032}	1.763589 ^{+2.3e-06} _{-2.3e-06}	4953.56511 ^{+0.00013} _{-0.00014}	0.341 ^{+0.00013} _{-0.00014}
18.01	0.0023 ^{+0.0001} _{-0.0022}	0.171 ^{+0.012} _{-0.015}	0.0782 ^{+0.0012} _{-0.0010}	87.70 ^{+1.7823} _{-2.5452}	-0.018 ^{+0.121} _{-0.121}	-0.055 ^{+0.197} _{-0.191}	3.548460 ^{+0.00088} _{-0.00085}	4955.90075 ^{+0.00088} _{-0.00085}	-3.250 ^{+0.00088} _{-0.00085}
64.01	0.0134 ^{+0.0090} _{-0.0092}	0.231 ^{+0.015} _{-0.012}	0.0427 ^{+0.0027} _{-0.0013}	80.10 ^{+0.6878} _{-1.0034}	-0.009 ^{+0.012} _{-0.013}	-0.226 ^{+0.064} _{-0.064}	1.951177 ^{+2.8e-05} _{-2.9e-05}	4990.53809 ^{+0.00096} _{-0.00098}	-0.423 ^{+0.00096} _{-0.00098}
97.01	0.0070 ^{+0.0017} _{-0.0016}	0.155 ^{+0.012} _{-0.010}	0.0817 ^{+0.0005} _{-0.0005}	86.02 ^{+0.6034} _{-0.7233}	-0.000 ^{+0.003} _{-0.003}	-0.010 ^{+0.077} _{-0.071}	4.885495 ^{+1.7e-05} _{-1.7e-05}	4967.27590 ^{+0.00030} _{-0.00031}	0.115 ^{+0.00030} _{-0.00031}
102.01	0.0255 ^{+0.0095} _{-0.0120}	0.179 ^{+0.018} _{-0.014}	0.0303 ^{+0.0017} _{-0.0014}	84.56 ^{+0.7794} _{-0.9164}	0.010 ^{+0.009} _{-0.009}	-0.402 ^{+0.218} _{-0.183}	1.735108 ^{+2.1e-05} _{-2.1e-05}	4968.06104 ^{+0.00108} _{-0.00105}	-0.090 ^{+0.00108} _{-0.00105}
144.01	0.0712 ^{+0.0482} _{-0.0482}	0.263 ^{+0.020} _{-0.019}	0.0347 ^{+0.0006} _{-0.0005}	79.28 ^{+3.8171} _{-1.1387}	0.397 ^{+0.086} _{-0.050}	0.652 ^{+0.084} _{-0.173}	4.176174 ^{+1.7e-04} _{-1.7e-04}	4966.09365 ^{+0.00376} _{-0.00376}	1.016 ^{+0.00376} _{-0.00376}
186.01	-0.0031 ^{+0.0038} _{-0.0033}	0.119 ^{+0.014} _{-0.013}	0.1224 ^{+0.0011} _{-0.0010}	88.35 ^{+0.7668} _{-0.7526}	-0.002 ^{+0.028} _{-0.029}	-0.075 ^{+0.073} _{-0.127}	3.243267 ^{+0.00033} _{-1.4e-05}	4966.66801 ^{+0.00037} _{-0.00036}	0.027 ^{+0.00037} _{-0.00036}
188.01	0.0051 ^{+0.0030} _{-0.0030}	0.077 ^{+0.009} _{-0.009}	0.1153 ^{+0.0016} _{-0.0018}	88.16 ^{+0.4271} _{-0.4090}	-0.006 ^{+0.008} _{-0.008}	-0.174 ^{+0.120} _{-0.114}	3.797023 ^{+1.3e-05} _{-1.2e-05}	4966.50793 ^{+0.00028} _{-0.00028}	-0.212 ^{+0.00028} _{-0.00028}
195.01	0.0071 ^{+0.0034} _{-0.0033}	0.094 ^{+0.011} _{-0.011}	0.1160 ^{+0.0012} _{-0.0013}	87.22 ^{+0.5812} _{-0.6459}	0.006 ^{+0.006} _{-0.007}	-0.113 ^{+0.114} _{-0.121}	3.217521 ^{+1.2e-05} _{-1.2e-05}	4966.63098 ^{+0.00033} _{-0.00033}	-0.083 ^{+0.00033} _{-0.00033}
196.01	0.0073 ^{+0.0021} _{-0.0019}	0.202 ^{+0.015} _{-0.023}	0.1023 ^{+0.0007} _{-0.0008}	83.35 ^{+1.3374} _{-1.0172}	-0.008 ^{+0.007} _{-0.007}	-0.096 ^{+0.084} _{-0.116}	1.855561 ^{+5.1e-06} _{-5.3e-06}	4970.18009 ^{+0.00024} _{-0.00023}	-0.129 ^{+0.00024} _{-0.00023}
199.01	0.0051 ^{+0.0051} _{-0.0051}	0.141 ^{+0.017} _{-0.017}	0.0963 ^{+0.0009} _{-0.0009}	87.34 ^{+0.9351} _{-0.9736}	0.026 ^{+0.029} _{-0.023}	-0.069 ^{+0.024} _{-0.135}	3.268695 ^{+0.00043} _{-1.6e-05}	4970.48100 ^{+0.00043} _{-0.00044}	0.068 ^{+0.00043} _{-0.00044}
201.01	-0.0076 ^{+0.0061} _{-0.0053}	0.090 ^{+0.015} _{-0.008}	0.0796 ^{+0.0018} _{-0.0009}	88.72 ^{+1.1788} _{-1.2048}	-0.007 ^{+0.009} _{-0.009}	-0.010 ^{+0.131} _{-0.123}	4.225373 ^{+2.1e-05} _{-2.2e-05}	4970.56037 ^{+0.00040} _{-0.00039}	0.966 ^{+0.00040} _{-0.00039}
202.01	0.0069 ^{+0.0023} _{-0.0023}	0.198 ^{+0.009} _{-0.012}	0.1038 ^{+0.0006} _{-0.0006}	82.79 ^{+0.7640} _{-0.6781}	-0.017 ^{+0.006} _{-0.007}	-0.125 ^{+0.051} _{-0.062}	1.720867 ^{+4.4e-06} _{-4.6e-06}	4966.01997 ^{+0.00024} _{-0.00024}	-0.238 ^{+0.00024} _{-0.00024}
204.01	-0.0053 ^{+0.0046} _{-0.0056}	0.141 ^{+0.013} _{-0.015}	0.0817 ^{+0.0017} _{-0.0021}	85.87 ^{+0.9701} _{-0.7645}	-0.016 ^{+0.025} _{-0.027}	-0.073 ^{+0.131} _{-0.129}	3.246707 ^{+2.4e-05} _{-2.5e-05}	4966.37895 ^{+0.00068} _{-0.00069}	1.055 ^{+0.00068} _{-0.00069}
229.01	0.0264 ^{+0.0155} _{-0.0158}	0.148 ^{+0.022} _{-0.018}	0.0500 ^{+0.0014} _{-0.0018}	85.95 ^{+2.5816} _{-2.2049}	-0.043 ^{+0.014} _{-0.013}	0.236 ^{+0.134} _{-0.153}	3.573177 ^{+6.7e-05} _{-7.0e-05}	4967.93350 ^{+0.00156} _{-0.00154}	-0.332 ^{+0.00156} _{-0.00154}
356.01	0.0262 ^{+0.0151} _{-0.0201}	0.166 ^{+0.042} _{-0.014}	0.0347 ^{+0.0035} _{-0.0021}	84.64 ^{+0.9385} _{-2.1961}	-0.050 ^{+0.021} _{-0.026}	-0.215 ^{+0.021} _{-0.310}	1.827096 ^{+3.3e-05} _{-3.5e-05}	5003.52430 ^{+0.00109} _{-0.00116}	-0.029 ^{+0.00109} _{-0.00116}
412.01	0.0152 ^{+0.0151} _{-0.0155}	0.082 ^{+0.018} _{-0.011}	0.0566 ^{+0.0029} _{-0.0008}	88.87 ^{+1.0283} _{-1.2331}	0.002 ^{+0.021} _{-0.019}	-0.202 ^{+0.192} _{-0.203}	4.146994 ^{+5.6e-05} _{-5.7e-05}	5003.32538 ^{+0.00073} _{-0.00076}	-0.373 ^{+0.00073} _{-0.00076}

Table 2
Modeling Results: Median Values and Associated 1σ Uncertainties

421.01	-0.0087 ^{+0.0055} _{-0.0044}	0.086 ^{+0.009} _{-0.012}	0.1188 ^{+0.0025} _{-0.0026}	87.62 ^{+0.9498} _{-0.5578}	0.005 ^{+0.006} _{-0.007}	0.127 ^{+0.141} _{-0.125}	4.454225 ^{+2.2e-05} _{-2.2e-05}	5005.81889 ^{+0.00027} _{-0.00027}	0.113 ^{+0.001} _{-0.001}
433.01	0.0437 ^{+0.0098} _{-0.0339}	0.161 ^{+0.076} _{-0.028}	0.0529 ^{+0.0015} _{-0.0010}	84.46 ^{+3.1427} _{-2.2738}	0.269 ^{+0.022} _{-0.096}	0.412 ^{+0.332} _{-0.179}	4.030406 ^{+1.1e-04} _{-1.1e-04}	5004.09261 ^{+0.00159} _{-0.00148}	0.287 ^{+0.001} _{-0.001}
611.01	0.0133 ^{+0.0068} _{-0.0067}	0.108 ^{+0.007} _{-0.005}	0.0758 ^{+0.0077} _{-0.0021}	85.39 ^{+0.3427} _{-0.4494}	-0.021 ^{+0.005} _{-0.005}	-0.157 ^{+0.135} _{-0.066}	3.251646 ^{+2.5e-05} _{-2.5e-05}	5004.05972 ^{+0.00038} _{-0.00041}	0.081 ^{+0.001} _{-0.001}
684.01	0.0453 ^{+0.0358} _{-0.0314}	0.131 ^{+0.015} _{-0.013}	0.0351 ^{+0.0207} _{-0.0036}	84.59 ^{+0.7313} _{-1.0427}	0.002 ^{+0.005} _{-0.006}	-0.274 ^{+0.154} _{-0.164}	4.035281 ^{+2.1e-04} _{-2.1e-04}	5005.25327 ^{+0.00252} _{-0.00265}	-0.157 ^{+0.001} _{-0.001}
760.01	0.0018 ^{+0.0085} _{-0.0065}	0.090 ^{+0.006} _{-0.006}	0.1055 ^{+0.0013} _{-0.0013}	86.16 ^{+0.4756} _{-0.4736}	0.085 ^{+0.033} _{-0.032}	-0.051 ^{+0.074} _{-0.067}	4.959343 ^{+4.4e-05} _{-4.4e-05}	5005.25710 ^{+0.00048} _{-0.00048}	-0.182 ^{+0.001} _{-0.001}
801.01	0.0121 ^{+0.0064} _{-0.0082}	0.215 ^{+0.030} _{-0.021}	0.0837 ^{+0.0024} _{-0.0008}	87.23 ^{+2.5490} _{-3.4209}	-0.012 ^{+0.024} _{-0.026}	0.079 ^{+0.123} _{-0.139}	1.625498 ^{+1.1e-05} _{-1.1e-05}	5003.82697 ^{+0.00035} _{-0.00038}	-0.474 ^{+0.001} _{-0.001}
809.01	-0.0142 ^{+0.0054} _{-0.0058}	0.151 ^{+0.024} _{-0.022}	0.1230 ^{+0.0016} _{-0.0019}	86.26 ^{+0.9381} _{-1.1708}	-0.113 ^{+0.010} _{-0.010}	-0.269 ^{+0.160} _{-0.140}	1.594742 ^{+7.4e-06} _{-7.5e-06}	5003.64725 ^{+0.00026} _{-0.00026}	0.387 ^{+0.001} _{-0.001}
813.01	-0.0205 ^{+0.0188} _{-0.0106}	0.101 ^{+0.026} _{-0.018}	0.0876 ^{+0.0031} _{-0.0011}	88.09 ^{+1.4899} _{-2.8157}	-0.006 ^{+0.016} _{-0.045}	0.176 ^{+0.171} _{-0.221}	3.895881 ^{+5.3e-05} _{-5.5e-05}	5003.52771 ^{+0.00078} _{-0.00082}	-0.034 ^{+0.001} _{-0.001}
830.01	0.0070 ^{+0.0036} _{-0.0059}	0.089 ^{+0.023} _{-0.012}	0.1370 ^{+0.0016} _{-0.0010}	89.20 ^{+0.6777} _{-0.9649}	-0.028 ^{+0.007} _{-0.013}	-0.126 ^{+0.201} _{-0.138}	3.525638 ^{+1.0e-05} _{-1.1e-05}	5003.04714 ^{+0.00015} _{-0.00017}	-0.524 ^{+0.001} _{-0.001}
838.01	0.0001 ^{+0.0007} _{-0.0004}	0.054 ^{+0.003} _{-0.004}	0.1080 ^{+0.0433} _{-0.0191}	88.37 ^{+0.1654} _{-0.1793}	-0.079 ^{+0.105} _{-0.096}	-0.678 ^{+0.087} _{-0.069}	4.859425 ^{+8.4e-05} _{-8.7e-05}	5006.00988 ^{+0.00111} _{-0.00115}	9.589 ^{+0.001} _{-0.001}
840.01	-0.0074 ^{+0.0079} _{-0.0078}	0.085 ^{+0.009} _{-0.009}	0.1049 ^{+0.0023} _{-0.0027}	87.34 ^{+0.4691} _{-0.5066}	-0.003 ^{+0.018} _{-0.018}	-0.285 ^{+0.138} _{-0.114}	3.040347 ^{+2.2e-05} _{-2.3e-05}	5002.94812 ^{+0.00042} _{-0.00043}	0.085 ^{+0.001} _{-0.001}
843.01	-0.0005 ^{+0.0022} _{-0.0088}	0.112 ^{+0.009} _{-0.008}	0.0550 ^{+0.0029} _{-0.0036}	86.21 ^{+0.6140} _{-0.5054}	0.024 ^{+0.160} _{-0.164}	-0.240 ^{+0.274} _{-0.185}	4.190622 ^{+1.2e-04} _{-1.1e-04}	5004.43916 ^{+0.00175} _{-0.00170}	0.970 ^{+0.001} _{-0.001}
897.01	0.0054 ^{+0.0057} _{-0.0048}	0.126 ^{+0.017} _{-0.017}	0.1154 ^{+0.0018} _{-0.0018}	87.18 ^{+0.8279} _{-1.7458}	0.011 ^{+0.023} _{-0.023}	-0.196 ^{+0.150} _{-0.125}	2.052344 ^{+8.6e-06} _{-8.7e-06}	5002.89012 ^{+0.00024} _{-0.00024}	-0.986 ^{+0.001} _{-0.001}
908.01	0.0093 ^{+0.0068} _{-0.0092}	0.094 ^{+0.025} _{-0.014}	0.0844 ^{+0.0021} _{-0.0013}	88.28 ^{+1.1959} _{-1.7425}	-0.031 ^{+0.020} _{-0.051}	-0.017 ^{+0.202} _{-0.172}	4.708363 ^{+4.9e-05} _{-4.9e-05}	5004.44518 ^{+0.00051} _{-0.00056}	0.155 ^{+0.001} _{-0.001}
913.01	0.0047 ^{+0.0031} _{-0.0040}	0.095 ^{+0.012} _{-0.009}	0.1241 ^{+0.0013} _{-0.0008}	89.18 ^{+0.7440} _{-0.7086}	-0.013 ^{+0.014} _{-0.013}	-0.103 ^{+0.103} _{-0.107}	4.082286 ^{+2.0e-05} _{-1.9e-05}	5002.63669 ^{+0.00023} _{-0.00022}	0.131 ^{+0.001} _{-0.001}
931.01	0.0027 ^{+0.0049} _{-0.0025}	0.111 ^{+0.020} _{-0.009}	0.1200 ^{+0.0013} _{-0.0008}	88.76 ^{+1.0292} _{-1.3306}	-0.027 ^{+0.035} _{-0.076}	-0.025 ^{+0.138} _{-0.097}	3.855646 ^{+2.3e-05} _{-2.3e-05}	5003.67756 ^{+0.00031} _{-0.00035}	-1.988 ^{+0.001} _{-0.001}
961.02	0.0026 ^{+0.0040} _{-0.0259}	0.298 ^{+0.028} _{-0.028}	0.0487 ^{+0.0076} _{-0.0046}	74.29 ^{+1.4869} _{-1.1549}	-0.034 ^{+0.164} _{-0.157}	0.036 ^{+0.083} _{-0.129}	0.453296 ^{+6.3e-06} _{-6.2e-06}	4966.86703 ^{+0.00143} _{-0.00144}	0.007 ^{+0.001} _{-0.001}
961.03	0.0000 ^{+0.0023} _{-0.0015}	0.061 ^{+0.005} _{-0.005}	0.1002 ^{+0.2972} _{-0.0580}	86.58 ^{+0.2826} _{-1.6218}	-0.085 ^{+0.583} _{-0.384}	-0.017 ^{+0.099} _{-0.217}	1.865069 ^{+6.2e-05} _{-6.5e-05}	4966.79490 ^{+0.00309} _{-0.00294}	-0.010 ^{+0.001} _{-0.001}
1419.01	0.0249 ^{+0.0172} _{-0.0150}	0.279 ^{+0.024} _{-0.024}	0.0558 ^{+0.0208} _{-0.0032}	77.67 ^{+2.2337} _{-1.0487}	-0.059 ^{+0.014} _{-0.015}	-0.169 ^{+0.089} _{-0.125}	1.336077 ^{+2.6e-05} _{-2.7e-05}	5011.25756 ^{+0.00102} _{-0.00101}	-0.556 ^{+0.001} _{-0.001}
1459.01	0.0181 ^{+0.0167} _{-0.0103}	0.368 ^{+0.021} _{-0.026}	0.1166 ^{+0.0424} _{-0.0340}	74.20 ^{+0.9911} _{-1.3131}	0.082 ^{+0.012} _{-0.013}	-0.177 ^{+0.071} _{-0.082}	0.692025 ^{+7.9e-06} _{-7.4e-06}	4966.11150 ^{+0.00100} _{-0.00105}	1.872 ^{+0.001} _{-0.001}

CLM Light Curve With Eccentricity Allowed To Vary

1.01	-0.0004 ^{+0.0007} _{-0.0004}	0.131 ^{+0.002} _{-0.002}	0.1250 ^{+0.0002} _{-0.0002}	84.83 ^{+0.1677} _{-0.1817}	-0.010 ^{+0.033} _{-0.031}	-0.087 ^{+0.019} _{-0.018}	2.470614 ^{+1.3e-06} _{-1.3e-06}	4955.76250 ^{+0.00015} _{-0.00015}	0.210 ^{+0.001} _{-0.001}
2.01	0.0112 ^{+0.0014} _{-0.0013}	0.264 ^{+0.009} _{-0.008}	0.0765 ^{+0.0003} _{-0.0003}	83.35 ^{+0.7450} _{-0.7427}	-0.001 ^{+0.002} _{-0.002}	0.038 ^{+0.028} _{-0.026}	2.204733 ^{+3.1e-06} _{-3.0e-06}	4954.35792 ^{+0.00013} _{-0.00014}	0.249 ^{+0.001} _{-0.001}
5.01	-0.0000 ^{+0.0080} _{-0.0111}	0.136 ^{+0.007} _{-0.007}	0.0371 ^{+0.0009} _{-0.0009}	82.79 ^{+0.5165} _{-0.5651}	-0.015 ^{+0.099} _{-0.100}	-0.003 ^{+0.045} _{-0.046}	4.780376 ^{+7.1e-05} _{-7.1e-05}	4965.97212 ^{+0.00183} _{-0.00180}	0.021 ^{+0.001} _{-0.001}
10.01	0.0043 ^{+0.0042} _{-0.0039}	0.126 ^{+0.010} _{-0.008}	0.0929 ^{+0.0007} _{-0.0007}	86.21 ^{+0.4192} _{-0.5845}	0.012 ^{+0.021} _{-0.019}	-0.231 ^{+0.083} _{-0.071}	3.522496 ^{+1.9e-05} _{-1.9e-05}	4954.11873 ^{+0.00056} _{-0.00054}	-0.844 ^{+0.001} _{-0.001}
13.01	0.0255 ^{+0.0012} _{-0.0015}	0.309 ^{+0.009} _{-0.010}	0.0653 ^{+0.0002} _{-0.0003}	78.85 ^{+0.7264} _{-0.6362}	0.002 ^{+0.001} _{-0.001}	0.098 ^{+0.053} _{-0.042}	1.763585 ^{+1.6e-06} _{-1.6e-06}	4953.56529 ^{+0.00008} _{-0.00009}	0.292 ^{+0.001} _{-0.001}
17.01	-0.0038 ^{+0.0029} _{-0.0025}	0.147 ^{+0.015} _{-0.016}	0.0941 ^{+0.0009} _{-0.0009}	87.29 ^{+0.9074} _{-0.8624}	0.020 ^{+0.019} _{-0.019}	-0.058 ^{+0.102} _{-0.117}	3.234699 ^{+1.2e-05} _{-1.1e-05}	4954.48579 ^{+0.00034} _{-0.00037}	0.772 ^{+0.001} _{-0.001}
18.01	-0.0037 ^{+0.0046} _{-0.0060}	0.177 ^{+0.042} _{-0.023}	0.0771 ^{+0.0011} _{-0.0006}	87.71 ^{+1.7534} _{-2.8686}	0.014 ^{+0.096} _{-0.059}	-0.032 ^{+0.209} _{-0.153}	3.548447 ^{+2.7e-05} _{-2.8e-05}	4955.90133 ^{+0.00086} _{-0.00086}	1.118 ^{+0.001} _{-0.001}
20.01	0.0007 ^{+0.0016} _{-0.0006}	0.132 ^{+0.007} _{-0.007}	0.1172 ^{+0.0005} _{-0.0005}	88.63 ^{+0.5590} _{-0.5500}	0.007 ^{+0.039} _{-0.037}	-0.068 ^{+0.054} _{-0.050}	4.437979 ^{+1.1e-05} _{-1.0e-05}	5004.00820 ^{+0.00011} _{-0.00012}	-1.722 ^{+0.001} _{-0.001}
64.01	0.0196 ^{+0.0104} _{-0.0110}	0.268 ^{+0.020} _{-0.015}	0.0428 ^{+0.0067} _{-0.0016}	77.66 ^{+0.8119} _{-1.1367}	0.007 ^{+0.009} _{-0.010}	-0.151 ^{+0.060} _{-0.064}	1.951148 ^{+3.3e-05} _{-3.6e-05}	4990.53869 ^{+0.00118} _{-0.00112}	-0.188 ^{+0.001} _{-0.001}
97.01	0.0088 ^{+0.0021} _{-0.0021}	0.167 ^{+0.016} _{-0.012}	0.0807 ^{+0.0005} _{-0.0006}	85.55 ^{+0.8831} _{-1.1023}	-0.005 ^{+0.003} _{-0.004}	0.084 ^{+0.085} _{-0.073}	4.885521 ^{+2.0e-05} _{-2.0e-05}	4967.27548 ^{+0.00034} _{-0.00034}	-0.156 ^{+0.001} _{-0.001}
127.01	-0.0092 ^{+0.0028} _{-0.0033}	0.156 ^{+0.015} _{-0.012}	0.0966 ^{+0.0008} _{-0.0007}	87.18 ^{+2.4895} _{-1.7298}	0.041 ^{+0.007} _{-0.007}	0.341 ^{+0.073} _{-0.073}	3.578773 ^{+2.1e-05} _{-2.1e-05}	4967.02976 ^{+0.00047} _{-0.00047}	0.154 ^{+0.001} _{-0.001}
128.01	-0.0001 ^{+0.0000} _{-0.0000}	0.086 ^{+0.002} _{-0.002}	0.0984 ^{+0.0008} _{-0.0008}	87.50 ^{+0.0968} _{-0.1243}	0.071 ^{+0.152} _{-0.187}	-0.311 ^{+0.037} _{-0.042}	4.942765 ^{+2.7e-05} _{-2.6e-05}	4969.32936 ^{+0.00078} _{-0.00082}	49.513 ^{+0.001} _{-0.001}
144.01	0.0880 ^{+0.0351} _{-0.0314}	0.133 ^{+0.022} _{-0.016}	0.0305 ^{+0.0033} _{-0.0017}	85.83 ^{+1.3422} _{-1.2473}	0.035 ^{+0.006} _{-0.006}	-0.155 ^{+0.209} _{-0.265}	4.176281 ^{+2.5e-04} _{-2.4e-04}	4966.09046 ^{+0.00506} _{-0.00535}	-0.090 ^{+0.001} _{-0.001}
183.01	0.0069 ^{+0.0026} _{-0.0025}	0.148 ^{+0.020} _{-0.019}	0.1159 ^{+0.0011} _{-0.0012}	86.78 ^{+1.0868} _{-1.2452}	-0.152 ^{+0.009} _{-0.008}	0.030 ^{+0.124} _{-0.138}	2.684313 ^{+9.7e-06} _{-9.2e-06}	4966.35439 ^{+0.00031} _{-0.00031}	-0.203 ^{+0.001} _{-0.001}
186.01	-0.0066 ^{+0.0054} _{-0.0043}	0.122 ^{+0.021} _{-0.014}	0.1161 ^{+0.0013} _{-0.0007}	88.66 ^{+1.1558} _{-1.4415}	-0.005 ^{+0.017} _{-0.019}	-0.035 ^{+0.134} _{-0.123}	3.243285 ^{+2.0e-05} _{-2.0e-05}	4966.66741 ^{+0.00052} _{-0.00055}	0.780 ^{+0.001} _{-0.001}
188.01	-0.0003 ^{+0.0009} _{-0.0030}	0.075 ^{+0.005} _{-0.004}	0.1080 ^{+0.0024} _{-0.0022}	88.52 ^{+0.6189} _{-0.3824}	0.103 ^{+0.094} _{-0.093}	-0.147 ^{+0.092} _{-0.098}	3.797011 ^{+1.8e-05} _{-1.8e-05}	4966.50823 ^{+0.00042} _{-0.00043}	0.957 ^{+0.001} _{-0.001}
195.01	0.0081 ^{+0.0047} _{-0.0047}	0.081 ^{+0.010} _{-0.010}	0.1163 ^{+0.0012} _{-0.0012}	87.75 ^{+0.4441} _{-0.4550}	0.018 ^{+0.007} _{-0.007}	-0.379 ^{+0.108} _{-0.108}	3.217557 ^{+1.7e-05} _{-1.7e-05}	4966.63031 ^{+0.00044} _{-0.00045}	-0.242 ^{+0.001} _{-0.001}
196.01	0.0066 ^{+0.0032} _{-0.0029}	0.180 ^{+0.019} _{-0.019}	0.0988 ^{+0.0010} _{-0.0011}	84.60 ^{+0.9580} _{-1.0762}	0.002 ^{+0.011} _{-0.011}	-0.217 ^{+0.109} _{-0.103}	1.855556 ^{+6.6e-06} _{-6.6e-06}	4970.18030 ^{+0.00030} _{-0.00030}	-0.055 ^{+0.001} _{-0.001}
201.01	-0.0034 ^{+0.0034} _{-0.0059}	0.098 ^{+0.013} _{-0.008}	0.0789 ^{+0.0022} _{-0.0008}	88.49 ^{+1.2420} _{-1.4910}	0.031 ^{+0.043} _{-0.033}	0.056 ^{+0.099} _{-0.117}	4.225405 ^{+2.8e-05} _{-2.7e-05}	4970.55978 ^{+0.00052} _{-0.00055}	1.104 ^{+0.001} _{-0.001}
202.01	0.0053 ^{+0.0026} _{-0.0028}	0.209 ^{+0.006} _{-0.010}	0.0981 ^{+0.0007} _{-0.0007}	82.02 ^{+0.6930} _{-0.4738}	-0.011 ^{+0.015} _{-0.015}	-0.105 ^{+0.039} _{-0.054}	1.720865 ^{+6.1e-06} _{-6.3e-06}	4966.02012 ^{+0.00035} _{-0.00035}	0.043 ^{+0.001} _{-0.001}
203.01	0.0046 ^{+0.0035} _{-0.0046}	0.180 ^{+0.034} _{-0.022}	0.1287 ^{+0.0013} _{-0.0014}	87.23 ^{+1.1967} _{-1.2664}	0.093 ^{+0.031} _{-0.030}	-0.169 ^{+0.168} _{-0.138}	1.485701 ^{+4.4e-06} _{-4.2e-06}	4965.79338 ^{+0.00025} _{-0.00027}	-0.301 ^{+0.001} _{-0.001}
204.01	0.0182 ^{+0.0132} _{-0.0157}	0.118 ^{+0.018} _{-0.018}	0.0693 ^{+0.0036} _{-0.0026}	87.19 ^{+0.9036} _{-1.0848}	-0.031 ^{+0.018} _{-0.018}	-0.224 ^{+0.186} _{-0.197}	3.246636 ^{+5.0e-05} _{-5.1e-05}	4966.38047 ^{+0.00150} _{-0.00150}	-0.428 ^{+0.001} _{-0.001}
214.01	-0.0233 ^{+0.0192} _{-0.1543}	0.109 ^{+0.008} _{-0.010}	0.0884 ^{+0.0325} _{-0.0057}	84.68 ^{+0.6625} _{-0.5261}	-0.019 ^{+0.008} _{-0.009}	0.015 ^{+0.063} _{-0.113}	3.311884 ^{+5.1e-05} _{-5.3e-05}	4964.74106 ^{+0.00139} _{-0.00141}	0.183 ^{+0.001} _{-0.001}
217.01	0.0190 ^{+0.0073} _{-0.0072}	0.102 ^{+0.016} _{-0.012}	0.1081 ^{+0.0031} _{-0.0011}	88.63 ^{+1.2886} _{-1.6338}	0.082 ^{+0.006} _{-0.007}	0.032 ^{+0.121} _{-0.140}	3.905094 ^{+3.7e-05} _{-3.7e-05}	4966.41399 ^{+0.00079} _{-0.00082}	0.114 ^{+0.001} _{-0.001}
229.01	0.0030 ^{+0.0230} _{-0.0056}	0.133 ^{+0.023} _{-0.016}	0.0479 ^{+0.0034} _{-0.0009}	86.91 ^{+2.3589} _{-2.0024}	0.020 ^{+0.097} _{-0.087}	0.090 ^{+0.191} _{-0.292}	3.573280 ^{+9.2e-05} _{-9.5e-05}	4967.93062 ^{+0.00228} _{-0.00223}	-0.248 ^{+0.001} _{-0.001}
254.01	0.0349 ^{+0.0168} _{-0.0123}	0.069 ^{+0.017} _{-0.013}	0.1713 ^{+0.0045} _{-0.0039}	88.62 ^{+0.3976} _{-0.5932}	0.052 ^{+0.006} _{-0.006}	-0.496 ^{+0.194} _{-0.185}	2.455264 ^{+2.9e-05} _{-2.9e-05}	5003.82083 ^{+0.00069} _{-0.00065}	-0.126 ^{+0.001} _{-0.001}
356.01	0.0701 ^{+0.0349} _{-0.0312}	0.139 ^{+0.041} _{-0.026}	0.0310 ^{+0.0030} _{-0.0009}	86.93 ^{+2.3117} _{-2.7558}	-0.003 ^{+0.011} _{-0.010}	-0.174 ^{+0.247} _{-0.296}	1.826970 ^{+5.3e-05} _{-5.2e-05}	5003.52752 ^{+0.00150} _{-0.00159}	-0.005 ^{+0.001} _{-0.001}
412.01	-0.0002 ^{+0.0005} _{-0.0012}	0.119 ^{+0.038} _{-0.014}	0.0477 ^{+0.0036} _{-0.0011}	86.47 ^{+2.5213} _{-2.7070}	0.013 ^{+0.512} _{-0.512}	0.026 ^{+0.242} _{-0.321}	4.146984 ^{+1.4e-04} _{-1.4e-04}	5003.32622 ^{+0.00295} _{-0.00288}	8.721 ^{+0.001} _{-0.001}
421.01	0.0003 ^{+0.0036} _{-0.0009}	0.063 ^{+0.006} _{-0.004}	0.1134 ^{+0.0031} _{-0.0023}	88.83 ^{+0.6649} _{-0.4695}	0.011 ^{+0.117} _{-0.119}	-0.118 ^{+0.098} _{-0.125}	4.454248 ^{+3.5e-05} _{-3.4e-05}	5005.81896 ^{+0.00042} _{-0.00042}	-1.164 ^{+0.001} _{-0.001}
433.01	-0.0002 ^{+0.0068} _{-0.0015}	0.086 ^{+0.013} _{-0.015}	0.0541 ^{+0.0058} _{-0.0045}	87.30 ^{+0.6371} _{-0.6802}	-0.231 ^{+0.110} _{-0.115}	-0.610 ^{+0.322} _{-0.372}	4.030290 ^{+1.9e-04} _{-0.0176}	5004.09156 ^{+0.00284} _{-0.00284}	0.135 ^{+0.001} _{-0.001}
611.01	-0.0018 ^{+0.0015} _{-0.0055}	0.109 ^{+0.005} _{-0.005}	0.1796 ^{+0.0130} _{-0.0758}	85.78 ^{+0.3957} _{-0.3992}	0.059 ^{+0.036} _{-0.010}	-0.371 ^{+0.136} _{-0.107}	3.251642 ^{+3.9e-05} _{-4.0e-05}	5004.06072 ^{+0.00063} _{-0.00061}	0.124 ^{+0.001} _{-0.001}
667.01	0.0003 ^{+0.0146} _{-0.0049}	0.099 ^{+0.051} _{-0.020}	0.0766 ^{+0.0081} _{-0.0026}	87.68 ^{+1.7035} _{-2.8017}	-0.256 ^{+0.282} _{-0.236}	0.029 ^{+0.360} _{-0.412}	4.305101 ^{+2.6e-04} _{-2.5e-04}	5003.45495 ^{+0.00322} _{-0.00353}	-0.137 ^{+0.001} _{-0.001}
684.01	0.0388 ^{+0.0504} _{-0.0729}	0.080 ^{+0.013} _{-0.011}	0.0307 ^{+0.0057} _{-0.0042}	87.08 ^{+0.5216} _{-0.7949}	0.040 ^{+0.029} _{-0.026}	-0.378 ^{+0.385} _{-0.236}	4.035404 ^{+2.6e-04} _{-2.5e-04}	5005.25403 ^{+0.00337} _{-0.00319}	0.017 ^{+0.001} _{-0.001}
760.01	0.0001 ^{+0.0092} _{-0.0079}	0.091 ^{+0.005} _{-0.005}	0.1048 ^{+0.0018} _{-0.0017}	86.18 ^{+0.3778} _{-0.4901}	0.002 ^{+0.137} _{-0.136}	-0.085 ^{+0.074} _{-0.062}	4.959296 ^{+5.7e-05} _{-5.6e-05}	5005.25691 ^{+0.00084} _{-0.00084}	-0.044 ^{+0.001} _{-0.001}
767.01	0.0111 ^{+0.0044} _{-0.0043}	0.122 ^{+0.019} _{-0.017}	0.1224 ^{+0.0005} _{-0.0017}	86.95 ^{+0.7914} _{-0.9652}	0.012 ^{+0.005} _{-0.005}	-0.146 ^{+0.141} _{-0.141}	2.816536 ^{+1.5e-05} _{-1.6e-05}	5003.96631 ^{+0.00028} _{-0.00028}	-0.075 ^{+0.001} _{-0.001}
801.01	0.0221 ^{+0.0117} _{-0.0103}	0.153 ^{+0.026} _{-0.022}	0.0798 ^{+0.0039} _{-0.0012}	88.08 ^{+1.7431} _{-2.0569}	-0.004 ^{+0.012} _{-0.012}	-0.289 ^{+0.140} _{-0.179}	1.625529 ^{+1.7e-05} _{-1.6e-05}	5003.82575 ^{+0.00053} _{-0.00053}	-0.114 ^{+0.001} _{-0.001}
809.01	0.0168 ^{+0.0064} _{-0.0057}	0.177 ^{+0.028} _{-0.029}	0.1150 ^{+0.0021} _{-0.0026}	84.88 ^{+1.5312} _{-1.6161}	-0.022 ^{+0.009} _{-0.009}	-0.138 ^{+0.152} _{-0.168}	1.594732 ^{+1.0e-05} _{-1.0e-05}	5003.64776 ^{+0.00034} _{-0.00035}	0.046 ^{+0.001} _{-0.001}

Table 2
Modeling Results: Median Values and Associated 1σ Uncertainties

813.01	-0.0612 ^{+0.0264} _{-0.0308}	0.060 ^{+0.014} _{-0.012}	0.0813 ^{+0.0063} _{-0.0018}	89.17 ^{+0.7397} _{-0.9617}	-0.090 ^{+0.011} _{-0.008}	-0.381 ^{+0.201} _{-0.202}	3.895869 ^{+9.5e-05} _{-9.4e-05}	5003.52768 ^{+0.00125} _{-0.00123}	0.050 ^{+0.000} _{-0.000}
830.01	-0.0000 ^{+0.0000} _{-0.0000}	0.095 ^{+0.005} _{-0.002}	0.1288 ^{+0.0019} _{-0.0019}	88.41 ^{+0.7408} _{-0.4725}	0.007 ^{+0.314} _{-0.340}	-0.106 ^{+0.038} _{-0.070}	3.525645 ^{+1.2e-05} _{-1.4e-05}	5003.04702 ^{+0.00026} _{-0.00028}	50.838 ^{+1.000} _{-1.000}
838.01	0.0003 ^{+0.0053} _{-0.0025}	0.087 ^{+0.004} _{-0.005}	0.1254 ^{+0.0555} _{-0.0448}	86.89 ^{+0.2559} _{-0.2515}	-0.022 ^{+0.053} _{-0.054}	-0.449 ^{+0.124} _{-0.078}	4.859269 ^{+1.2e-04} _{-1.2e-04}	5006.01102 ^{+0.00127} _{-0.00129}	0.199 ^{+0.000} _{-0.000}
840.01	0.0044 ^{+0.0112} _{-0.0101}	0.089 ^{+0.008} _{-0.009}	0.0959 ^{+0.0030} _{-0.0039}	87.10 ^{+0.4951} _{-0.4985}	0.084 ^{+0.037} _{-0.033}	-0.262 ^{+0.172} _{-0.119}	3.040329 ^{+3.1e-05} _{-3.0e-05}	5002.94877 ^{+0.00053} _{-0.00054}	-0.069 ^{+0.000} _{-0.000}
843.01	0.0686 ^{+0.0495} _{-0.0253}	0.148 ^{+0.025} _{-0.014}	0.0507 ^{+0.0037} _{-0.0031}	83.64 ^{+1.0836} _{-1.7704}	0.060 ^{+0.006} _{-0.007}	0.065 ^{+0.157} _{-0.157}	4.190477 ^{+1.7e-04} _{-1.8e-04}	5004.44189 ^{+0.00209} _{-0.00221}	-0.056 ^{+0.000} _{-0.000}
897.01	0.0132 ^{+0.0076} _{-0.0070}	0.122 ^{+0.018} _{-0.017}	0.1162 ^{+0.0021} _{-0.0025}	86.96 ^{+0.7474} _{-0.7906}	-0.001 ^{+0.011} _{-0.010}	-0.326 ^{+0.155} _{-0.136}	2.052357 ^{+1.5e-05} _{-1.4e-05}	5002.88992 ^{+0.00036} _{-0.00039}	-0.006 ^{+0.000} _{-0.000}
908.01	0.0214 ^{+0.0115} _{-0.0191}	0.098 ^{+0.028} _{-0.017}	0.0794 ^{+0.0031} _{-0.0014}	88.24 ^{+1.3406} _{-2.2814}	-0.000 ^{+0.016} _{-0.014}	0.011 ^{+0.198} _{-0.223}	4.708359 ^{+8.8e-05} _{-8.2e-05}	5004.44499 ^{+0.00092} _{-0.00098}	-0.114 ^{+0.000} _{-0.000}
913.01	0.0021 ^{+0.0058} _{-0.0025}	0.103 ^{+0.013} _{-0.010}	0.1112 ^{+0.0016} _{-0.0016}	88.15 ^{+0.9795} _{-0.7173}	-0.017 ^{+0.040} _{-0.043}	-0.069 ^{+0.124} _{-0.113}	4.082302 ^{+3.1e-05} _{-3.2e-05}	5002.63659 ^{+0.00041} _{-0.00040}	-0.604 ^{+1.000} _{-1.000}
1176.01	0.0002 ^{+0.0061} _{-0.0047}	0.119 ^{+0.011} _{-0.009}	0.1300 ^{+0.0028} _{-0.0033}	86.97 ^{+0.5149} _{-0.5087}	0.056 ^{+0.121} _{-0.126}	-0.234 ^{+0.136} _{-0.102}	1.973750 ^{+9.6e-06} _{-9.8e-06}	5011.68879 ^{+0.00032} _{-0.00030}	-0.088 ^{+0.000} _{-0.000}
1419.01	0.0225 ^{+0.0451} _{-0.0184}	0.256 ^{+0.146} _{-0.037}	0.0434 ^{+0.0020} _{-0.0015}	76.88 ^{+7.5639} _{-27.934}	-0.285 ^{+0.826} _{-0.468}	0.390 ^{+0.214} _{-0.299}	1.336130 ^{+5.8e-05} _{-5.5e-05}	5011.25785 ^{+0.00480} _{-0.00363}	-1.040 ^{+0.000} _{-0.000}
1459.01	0.0498 ^{+0.0771} _{-0.0366}	0.400 ^{+0.021} _{-0.025}	0.0917 ^{+0.0365} _{-0.0152}	69.02 ^{+2.2429} _{-0.8466}	0.004 ^{+0.014} _{-0.014}	0.027 ^{+0.023} _{-0.096}	0.692022 ^{+9.3e-06} _{-9.4e-06}	4966.11051 ^{+0.00117} _{-0.00119}	0.972 ^{+1.000} _{-1.000}
1541.01	0.0595 ^{+0.0121} _{-0.0113}	0.390 ^{+0.004} _{-0.005}	0.1693 ^{+0.0008} _{-0.0008}	82.85 ^{+0.6984} _{-0.6713}	-0.012 ^{+0.012} _{-0.008}	0.775 ^{+0.018} _{-0.017}	2.379293 ^{+1.5e-05} _{-1.5e-05}	4966.65019 ^{+0.00052} _{-0.00058}	0.485 ^{+0.000} _{-0.000}
1543.01	0.1226 ^{+0.0745} _{-0.0324}	0.369 ^{+0.008} _{-0.004}	0.1426 ^{+0.0021} _{-0.0014}	86.08 ^{+3.0058} _{-22.298}	0.114 ^{+0.010} _{-0.011}	0.797 ^{+0.010} _{-0.007}	3.964230 ^{+8.1e-05} _{-7.4e-05}	4969.03213 ^{+0.00187} _{-0.00315}	-0.065 ^{+0.000} _{-0.000}

Table 3
Derived System Parameters and Associated 1σ Uncertainties

KOI	L_r (ppm)	σ_{sec}	T_0 (K)	$T_{\epsilon=0}$ (K)	T_b^1 (K)	T_b/T_0	R_p (R_{Jup})	a (AU)	A_{max}
PDC Light Curve with Eccentricity Fixed to Zero and Stellar Parameters from the KIC									
2.01	75.0 ^{+9.48} _{-8.13}	9.11	2702 ⁺⁰⁷⁵⁹ ₋₀₅₉₇	2441 ⁺⁰⁶⁸⁶ ₋₀₅₄₀	2851 ⁺⁰⁰⁶² ₋₀₀₆₄	1.055 ^{+0.294} _{-0.232}	1.022 ^{+0.955} _{-0.497}	0.0367 ^{+0.0132} _{-0.0097}	0.38 ^{+0.65} _{-0.24}
5.01	-13.4 ^{+13.4} _{-14.8}	-0.99	2139 ⁺⁰⁵⁹⁷ ₋₀₄₅₅	1932 ⁺⁰⁵³⁹ ₋₀₄₁₁	-2607 ⁺⁰⁸²⁷ ₋₀₂₅₆	-1.159 ^{+0.539} _{-0.389}	0.617 ^{+0.552} _{-0.300}	0.0586 ^{+0.0205} _{-0.0154}	-0.40 ^{+0.39} _{-1.15}
10.01	14.9 ^{+34.7} _{-13.9}	1.07	1993 ⁺⁰⁵⁴⁶ ₋₀₄₂₀	1801 ⁺⁰⁴⁹³ ₋₀₃₈₀	2319 ⁺⁰²⁰⁵ ₋₀₃₅₈	1.121 ^{+0.355} _{-0.321}	0.990 ^{+0.905} _{-0.470}	0.0471 ^{+0.0172} _{-0.0124}	0.21 ^{+0.55} _{-0.17}
13.01	124.3 ^{+6.93} _{-7.81}	16.15	5069 ⁺¹⁴¹⁴ ₋₁₁₃₅	4580 ⁺¹²⁷⁸ ₋₁₀₂₅	3744 ⁺⁰⁰⁵⁵ ₋₀₀₅₆	0.738 ^{+0.213} _{-0.161}	1.610 ^{+1.524} _{-0.779}	0.0348 ^{+0.0127} _{-0.0092}	0.23 ^{+0.40} _{-0.14}
18.01	0.2 ^{+1.42} _{-0.27}	0.33	1827 ⁺⁰⁵¹⁴ ₋₀₃₉₈	1651 ⁺⁰⁴⁶⁴ ₋₀₃₆₀	1648 ⁺⁰¹³² ₋₀₂₅₂	0.866 ^{+0.703} _{-0.267}	0.749 ^{+0.357} _{-0.357}	0.0446 ^{+0.0158} _{-0.0158}	0.01 ^{+0.03} _{-0.01}
64.01	47.7 ^{+25.0} _{-23.3}	2.05	2711 ⁺⁰⁷⁴⁸ ₋₀₆₀₅	2449 ⁺⁰⁶⁷⁶ ₋₀₅₄₇	2702 ⁺⁰¹⁶⁵ ₋₀₂₂₇	0.980 ^{+0.294} _{-0.226}	0.829 ^{+0.756} _{-0.403}	0.0324 ^{+0.0115} _{-0.0084}	0.24 ^{+0.49} _{-0.17}
97.01	53.2 ^{+14.1} _{-13.0}	4.08	1899 ⁺⁰⁵²⁷ ₋₀₄₀₉	1716 ⁺⁰⁴⁷⁶ ₋₀₃₇₀	2541 ⁺⁰⁰⁸⁶ ₋₀₀₉₈	1.333 ^{+0.365} _{-0.291}	1.038 ^{+0.947} _{-0.500}	0.0579 ^{+0.0214} _{-0.0152}	0.63 ^{+1.06} _{-0.41}
102.01	13.6 ^{+8.83} _{-9.86}	1.38	3325 ⁺⁰⁹⁵⁷ ₋₀₇₂₆	3005 ⁺⁰⁸⁶⁵ ₋₀₆₅₆	2763 ⁺⁰²¹⁷ ₋₀₄₂₃	0.799 ^{+0.250} _{-0.238}	0.584 ^{+0.546} _{-0.282}	0.0302 ^{+0.0109} _{-0.0079}	0.11 ^{+0.26} _{-0.09}
144.01	59.1 ^{+55.3} _{-48.6}	1.21	1865 ⁺⁰⁵¹⁷ ₋₀₄₀₉	1685 ⁺⁰⁴⁶⁷ ₋₀₃₆₉	2776 ⁺⁰²⁶¹ ₋₀₄₉₇	1.429 ^{+0.455} _{-0.442}	0.629 ^{+0.561} _{-0.300}	0.0524 ^{+0.0185} _{-0.0134}	1.30 ^{+3.27} _{-1.12}
186.01	-25.8 ^{+48.2} _{-49.3}	-0.54	1793 ⁺⁰⁴⁸⁶ ₋₀₃₈₇	1620 ⁺⁰⁴³⁹ ₋₀₃₅₀	-2118 ⁺⁰¹⁸⁸ ₋₀₂₆₈	-1.067 ^{+2.375} _{-0.430}	1.075 ^{+0.992} _{-0.505}	0.0438 ^{+0.0157} _{-0.0116}	-0.12 ^{+0.23} _{-0.51}
188.01	56.2 ^{+41.7} _{-38.5}	1.47	1332 ⁺⁰³⁶⁵ ₋₀₂₈₇	1204 ⁺⁰³³⁰ ₋₀₂₆₀	2170 ⁺⁰¹⁴⁴ ₋₀₂₄₈	1.584 ^{+0.468} _{-0.422}	0.771 ^{+0.712} _{-0.367}	0.0459 ^{+0.0165} _{-0.0123}	0.63 ^{+1.41} _{-0.49}
195.01	76.7 ^{+45.5} _{-50.2}	1.52	1799 ⁺⁰⁵⁰⁴ ₋₀₃₉₉	1626 ⁺⁰⁴⁵⁶ ₋₀₃₆₁	2344 ⁺⁰¹⁵⁰ ₋₀₂₆₅	1.265 ^{+0.390} _{-0.342}	1.121 ^{+0.999} _{-0.543}	0.0435 ^{+0.0155} _{-0.0116}	0.36 ^{+0.82} _{-0.28}
196.01	77.0 ^{+24.1} _{-24.4}	3.13	2132 ⁺⁰⁵⁹⁹ ₋₀₄₆₃	1927 ⁺⁰⁵⁴² ₋₀₄₁₉	2425 ⁺⁰⁰⁹⁸ ₋₀₁₁₆	1.130 ^{+0.319} _{-0.246}	0.950 ^{+0.857} _{-0.455}	0.0298 ^{+0.0108} _{-0.0079}	0.27 ^{+0.48} _{-0.17}
199.01	32.4 ^{+33.9} _{-35.8}	0.91	1871 ⁺⁰⁵²³ ₋₀₄₀₆	1690 ⁺⁰⁴⁷² ₋₀₃₆₇	2339 ⁺⁰²²³ ₋₀₂₆₆	1.167 ^{+0.413} _{-2.061}	0.827 ^{+0.763} _{-0.399}	0.0442 ^{+0.0159} _{-0.0117}	0.26 ^{+0.81} _{-0.30}
201.01	-46.5 ^{+40.3} _{-40.7}	-1.14	1638 ⁺⁰⁴⁵² ₋₀₃₅₁	1480 ⁺⁰⁴⁰⁸ ₋₀₃₁₈	-2398 ⁺⁰⁴⁷⁰ ₋₀₂₀₁	-1.393 ^{+0.474} _{-0.461}	0.790 ^{+0.736} _{-0.374}	0.0518 ^{+0.0191} _{-0.0135}	-0.60 ^{+0.54} _{-1.62}
202.01	68.9 ^{+31.4} _{-30.3}	2.26	2416 ⁺⁰⁶⁸⁸ ₋₀₅₂₉	2183 ⁺⁰⁶²² ₋₀₄₇₈	2460 ⁺⁰¹²² ₋₀₁₆₇	1.003 ^{+0.292} _{-0.230}	1.073 ^{+1.019} _{-0.513}	0.0290 ^{+0.0104} _{-0.0078}	0.17 ^{+0.34} _{-0.12}
204.01	15.6 ^{+27.3} _{-33.7}	-0.57	1706 ⁺⁰⁴⁷⁶ ₋₀₃₆₇	1542 ⁺⁰⁴³⁰ ₋₀₃₃₁	-2130 ⁺⁴⁰⁸⁸ ₋₀₂₄₈	-1.154 ^{+2.215} _{-0.429}	0.778 ^{+0.725} _{-0.373}	0.0431 ^{+0.0154} _{-0.0117}	-0.17 ^{+0.25} _{-0.64}
229.01	3.0 ^{+42.7} _{-5.58}	0.52	1872 ⁺⁰⁵²⁴ ₋₀₄₀₈	1691 ⁺⁰⁴⁷⁴ ₋₀₃₆₅	1773 ⁺⁰¹⁴⁰ ₋₀₂₃₀	0.915 ^{+0.289} _{-0.243}	3.204 ^{+3.016} _{-1.532}	0.0468 ^{+0.0168} _{-0.0124}	0.02 ^{+0.06} _{-0.02}
356.01	1.1 ^{+20.2} _{-16.6}	0.06	2565 ⁺⁰⁷¹⁶ ₋₀₅₇₃	2318 ⁺⁰⁶⁴⁷ ₋₀₅₁₇	2086 ⁺⁰⁵²² ₋₀₄₅₆	0.682 ^{+0.422} _{-1.686}	0.558 ^{+0.529} _{-0.270}	0.0304 ^{+0.0110} _{-0.0080}	0.02 ^{+0.28} _{-0.19}
412.01	26.3 ^{+47.4} _{-50.2}	0.52	1879 ⁺⁰⁵²³ ₋₀₄₁₄	1696 ⁺⁰⁴⁷³ ₋₀₃₇₄	2426 ⁺⁰³⁶⁴ ₋₀₄₈₃	1.157 ^{+0.514} _{-2.428}	0.744 ^{+0.674} _{-0.364}	0.0520 ^{+0.0188} _{-0.0136}	0.33 ^{+1.59} _{-0.76}
421.01	-104.7 ^{+85.3} _{-75.5}	-1.22	1652 ⁺⁰⁴⁶³ ₋₀₃₆₁	1493 ⁺⁰⁴¹⁹ ₋₀₃₂₆	-2306 ⁺⁰³⁹⁸ ₋₀₁₈₀	-1.335 ^{+0.444} _{-0.435}	1.391 ^{+1.307} _{-0.672}	0.0534 ^{+0.0192} _{-0.0141}	-0.43 ^{+0.39} _{-1.09}
433.01	8.2 ⁺¹²⁰¹ ₋₂₂₉₇	0.01	1666 ⁺⁰⁴⁵⁹ ₋₀₃₆₉	1505 ⁺⁰⁴¹⁵ ₋₀₃₃₃	-2128 ⁺⁴⁷⁵⁷ ₋₀₆₂₂	-1.071 ^{+2.722} _{-0.709}	2.616 ^{+3.572} _{-1.778}	0.0493 ^{+0.0176} _{-0.0129}	-0.16 ^{+1.75} _{-2.29}
611.01	-22.6 ^{+59.0} _{-56.5}	-0.39	1912 ⁺⁰⁵²⁴ ₋₀₄₁₂	1728 ⁺⁰⁴⁸¹ ₋₀₃₇₃	-2327 ⁺⁰⁶²¹ ₋₀₃₉₇	-1.071 ^{+2.382} _{-0.495}	0.748 ^{+0.641} _{-0.363}	0.0444 ^{+0.0157} _{-0.0116}	-0.19 ^{+0.70} _{-1.17}
684.01	76.3 ^{+41.8} _{-42.1}	1.83	2180 ⁺⁰⁵⁹³ ₋₀₄₆₉	1970 ⁺⁰⁵³⁵ ₋₀₄₂₄	3360 ⁺⁰²⁷⁴ ₋₀₃₆₁	1.516 ^{+0.454} _{-0.378}	0.511 ^{+0.478} _{-0.241}	0.0523 ^{+0.0186} _{-0.0138}	2.68 ^{+5.63} _{-1.95}
760.01	30.6 ^{+72.8} _{-70.2}	0.43	1522 ⁺⁰⁴³⁶ ₋₀₃₂₉	1375 ⁺⁰³⁹⁴ ₋₀₂₉₇	2239 ⁺⁰³³⁷ ₋₀₄₅₂₉	1.300 ^{+0.585} _{-2.787}	0.883 ^{+0.842} _{-0.424}	0.0580 ^{+0.0209} _{-0.0152}	0.37 ^{+1.92} _{-0.96}
801.01	56.6 ^{+60.3} _{-56.2}	1.01	2343 ⁺⁰⁶⁵⁴ ₋₀₅₀₆	2117 ⁺⁰⁵⁹¹ ₋₀₄₅₈	2423 ⁺⁰²²⁵ ₋₀₆₉₇	0.978 ^{+0.327} _{-0.416}	0.925 ^{+0.863} _{-0.440}	0.0274 ^{+0.0099} _{-0.0073}	0.15 ^{+0.43} _{-0.15}
809.01	-41.1 ^{+76.2} _{-85.8}	-0.55	2328 ⁺⁰⁶³⁴ ₋₀₅₁₀	2103 ⁺⁰⁵⁷² ₋₀₄₆₁	-2233 ⁺⁴³⁵¹ ₋₀₂₈₂	-0.874 ^{+1.741} _{-0.355}	1.146 ^{+0.095} _{-0.541}	0.0272 ^{+0.0095} _{-0.0070}	-0.07 ^{+0.10} _{-0.30}
813.01	-166.1 ^{+94.6} _{-92.3}	-1.75	1397 ⁺⁰³⁸¹ ₋₀₃₀₄	1262 ⁺⁰³⁴⁴ ₋₀₂₇₅	-2681 ⁺⁰²⁷³ ₋₀₁₈₂	-1.875 ^{+0.465} _{-0.561}	0.626 ^{+0.571} _{-0.297}	0.0477 ^{+0.0170} _{-0.0126}	-3.07 ^{+2.29} _{-6.51}
830.01	61.8 ^{+78.4} _{-83.3}	0.76	1187 ⁺⁰³³² ₋₀₂₅₈	1072 ⁺⁰³⁰⁰ ₋₀₂₃₃	2049 ⁺⁰²⁰⁵ ₋₃₈₉₄	1.595 ^{+0.577} _{-3.001}	0.725 ^{+0.660} _{-0.344}	0.0420 ^{+0.0148} _{-0.0111}	0.51 ^{+1.85} _{-0.69}
838.01	1.3 ^{+65.0} _{-36.9}	0.03	1639 ⁺⁰⁴⁶⁰ ₋₀₃₆₀	1481 ⁺⁰⁴¹⁶ ₋₀₃₂₅	2045 ⁺⁰³⁸⁰ ₋₄₂₅₇	1.085 ^{+0.543} _{-2.449}	1.084 ^{+1.042} _{-0.531}	0.0571 ^{+0.0206} _{-0.0147}	0.12 ^{+0.88} _{-0.46}
840.01	-61.7 ^{+85.1} _{-85.3}	-0.73	1699 ⁺⁰⁴⁷² ₋₀₃₆₄	1535 ⁺⁰⁴²⁶ ₋₀₃₂₉	-2187 ⁺⁴¹⁷⁵ ₋₀₂₃₈	-1.187 ^{+2.263} _{-0.436}	1.067 ^{+0.996} _{-0.502}	0.0402 ^{+0.0142} _{-0.0070}	-0.23 ^{+0.32} _{-0.80}
843.01	-2.2 ^{+18.6} _{-48.8}	-0.13	1811 ⁺⁰⁴⁹¹ ₋₀₃₉₇	1637 ⁺⁰⁴⁴⁴ ₋₀₃₅₉	-2471 ⁺⁴⁶⁸⁶ ₋₀₃₆₄	-1.264 ^{+2.412} _{-0.498}	0.593 ^{+0.532} _{-0.282}	0.0524 ^{+0.0188} _{-0.0138}	-0.48 ^{+0.68} _{-1.95}
897.01	52.9 ^{+62.2} _{-52.7}	1.00	2181 ⁺⁰⁶⁰⁹ ₋₀₄₇₄	1970 ⁺⁰⁵⁵¹ ₋₀₄₂₈	2307 ⁺⁰²¹⁰ ₋₀₆₂₉	1.000 ^{+0.342} _{-0.417}	1.165 ^{+1.084} _{-0.555}	0.0323 ^{+0.0117} _{-0.0087}	0.13 ^{+0.39} _{-0.13}
908.01	45.0 ^{+53.9} _{-47.8}	0.95	1762 ⁺⁰⁵⁰⁰ ₋₀₃₈₀	1592 ⁺⁰⁴⁵² ₋₀₃₄₃	2362 ⁺⁰²¹⁵ ₋₀₈₀₀	1.269 ^{+0.427} _{-0.638}	1.096 ^{+1.034} _{-0.524}	0.0565 ^{+0.0204} _{-0.0150}	0.39 ^{+1.13} _{-0.38}
913.01	39.8 ^{+51.1} _{-52.2}	0.76	1388 ⁺⁰³⁸⁹ ₋₀₂₉₉	1254 ⁺⁰³⁵² ₋₀₂₇₁	2128 ⁺⁰²¹⁶ ₋₄₀₂₅	1.423 ^{+0.521} _{-2.662}	0.852 ^{+0.796} _{-0.411}	0.0494 ^{+0.0183} _{-0.0133}	0.38 ^{+1.31} _{-0.50}
931.01	12.8 ^{+62.5} _{-20.0}	0.67	1460 ⁺⁰⁴⁰⁵ ₋₀₃₁₄	1320 ⁺⁰⁴³⁰ ₋₀₂₈₃	2198 ⁺⁰⁵¹⁷ ₋₀₄₁₈	1.440 ^{+0.480} _{-0.473}	0.827 ^{+0.757} _{-0.400}	0.0484 ^{+0.0171} _{-0.0130}	0.44 ^{+0.32} _{-0.40}
961.02	6.1 ^{+68.1} _{-63.7}	0.09	2358 ⁺⁰⁶⁷⁴ ₋₀₅₀₇	2131 ⁺⁰⁶⁰⁹ ₋₀₄₅₉	1922 ⁺⁰⁴⁷⁹ ₋₄₂₃₁	0.676 ^{+0.424} _{-1.691}	0.354 ^{+0.336} _{-0.169}	0.0098 ^{+0.0034} _{-0.0026}	0.02 ^{+0.24} _{-0.18}
961.03	828.9 ⁺⁴⁸⁵⁰ ₋₃₉₇₁	0.40	1478 ⁺⁰⁴¹² ₋₀₃₂₇	1336 ⁺⁰³⁷² ₋₀₂₉₅	2371 ⁺⁰³⁸³ ₋₄₇₅₆	1.449 ^{+0.636} _{-3.040}	5.349 ^{+9.106} _{-4.062}	0.0254 ^{+0.0092} _{-0.0067}	0.94 ^{+4.77} _{-2.19}
1419.01	54.0 ^{+73.0} _{-53.8}	1.00	2572 ⁺⁰⁷⁰⁶ ₋₀₅₆₄	2324 ⁺⁰⁶³⁸ ₋₀₅₁₀	2755 ⁺⁰²⁸⁹ ₋₀₉₁₁	1.017 ^{+0.345} _{-0.466}	0.631 ^{+0.577} _{-0.305}	0.0244 ^{+0.0087} _{-0.0065}	0.29 ^{+0.85} _{-0.28}
1459.01	314.2 ⁺²³⁸ ₋₁₅₁	2.10	2189 ⁺⁰⁶²² ₋₀₄₇₀	1978 ⁺⁰⁵⁶² ₋₀₄₂₄	2383 ⁺⁰¹⁴⁶ ₋₀₁₈₅	1.076 ^{+0.303} _{-0.259}	0.889 ^{+0.902} _{-0.432}	0.0132 ^{+0.0048} _{-0.0035}	0.27 ^{+0.52} _{-0.19}
PDC Light Curve with Eccentricity Fixed to Zero and Stellar Parameters from Isochrones									
2.01	75.0 ^{+9.48} _{-8.13}	9.11	2747 ⁺⁰¹⁷¹ ₋₀₁₇₀	2482 ⁺⁰¹⁵⁵ ₋₀₁₅₄	2850 ⁺⁰⁰⁶² ₋₀₀₆₃	1.036 ^{+0.055} _{-0.046}	1.042 ^{+0.088} _{-0.086}	0.0363 ^{+0.0007} _{-0.0007}	0.36 ^{+0.07} _{-0.05}
5.01	-13.4 ^{+13.4} _{-14.8}	-0.99	1627 ⁺⁰¹⁰⁶ ₋₀₀₉₅	1470 ⁺⁰⁰⁹⁶ ₋₀₀₈₆	-2608 ⁺⁰⁷⁸⁴ ₋₀₂₅₃	-1.594 ^{+0.477} _{-0.175}	0.339 ^{+0.029} _{-0.025}	0.0562 ^{+0.0011} _{-0.0010}	-1.49 ^{+1.50} _{-1.50}
10.01	14.9 ^{+34.7} _{-13.9}	1.07	2050 ⁺⁰¹⁴³ ₋₀₁₂₉	1852 ⁺⁰¹³⁰ ₋₀₁₁₇	2318 ⁺⁰²⁰⁴ ₋₀₃₄₄	1.124 ^{+0.121} _{-0.174}	1.057 ^{+0.130} _{-0.087}	0.0476 ^{+0.0009} _{-0.0009}	0.21 ^{+0.23} _{-0.17}
13.01	124.3 ^{+6.93} _{-7.81}	16.15	4047 ⁺⁰¹⁰⁰ ₋₀₁₀₀	3657 ⁺⁰⁰⁹⁰ ₋₀₀₉₀	3744 ⁺⁰⁰⁵⁶ ₋₀₀₅₈	0.925 ^{+0.015} _{-0.015}	1.059 ^{+0.014} _{-0.015}	0.0359 ^{+0.0003} _{-0.0003}	0.56 ^{+0.03} _{-0.04}
18.01	0.2 ^{+1.42} _{-0.27}	0.33	1829 ⁺⁰¹¹⁸ ₋₀₁₁₂	1652 ⁺⁰¹⁰⁶ ₋₀₁₀₁	1649 ⁺⁰¹²⁹ ₋₀₂₆₁	0.896 ^{+0.089} _{-0.148}	0.779 ^{+0.067} _{-0.058}	0.0463 ^{+0.0009} _{-0.0009}	0.01 ^{+0.01} _{-0.01}
64.01	47.7 ^{+25.0} _{-23.3}	2.05	1817 ⁺⁰¹⁰⁶ ₋₀₁₀₁	1642 ⁺⁰⁰⁹⁶ ₋₀₀₉₂	2699 ⁺⁰¹⁷⁰ ₋₀₂₂₈	1.484 ^{+0.099} _{-0.128}	0.336 ^{+0.024} _{-0.021}	0.0292 ^{+0.0005} _{-0.0005}	1.32 ^{+0.67} _{-0.65}
97.01	53.2 ^{+14.1} _{-13.0}	4.08	1710 ⁺⁰¹¹⁸ ₋₀₁₀₅	1545 ⁺⁰¹⁰⁷ ₋₀₀₉₅	2541 ⁺⁰⁰⁸⁹ ₋₀₀₉₆	1.485 ^{+0.085} _{-0.088}	0.837 ^{+0.085} _{-0.063}	0.0580 ^{+0.0012} _{-0.0011}	0.97 ^{+0.29} _{-0.26}
102.0									

Table 3
Derived System Parameters and Associated 1σ Uncertainties

201.01	-46.5 ^{+40.3} _{-40.7}	-1.14	1559 ⁺⁰⁰⁹⁶ ₋₀₀₈₇	1409 ⁺⁰⁰⁸⁷ ₋₀₀₇₉	-2397 ⁺⁰⁴⁹⁹ ₋₀₂₀₁	-1.532 ^{+0.326} _{-0.146}	0.703 ^{+0.050} _{-0.044}	0.0504 ^{+0.0009} _{-0.0009}	-0.90 ^{+0.80} _{-0.80}
202.01	68.9 ^{+31.4} _{-30.3}	2.26	2398 ⁺⁰¹⁵⁹ ₋₀₁₄₆	2167 ⁺⁰¹⁴⁴ ₋₀₁₃₂	2461 ⁺⁰¹²⁴ ₋₀₁₇₀	1.023 ^{+0.072} _{-0.083}	1.053 ^{+0.092} _{-0.078}	0.0288 ^{+0.0006} _{-0.0006}	0.19 ^{+0.09} _{-0.09}
204.01	-15.6 ^{+27.3} _{-33.7}	-0.57	1603 ⁺⁰⁰⁹⁹ ₋₀₀₈₇	1449 ⁺⁰⁰⁹⁰ ₋₀₀₇₉	-2129 ⁺⁰¹¹⁰ ₋₀₂₅₃	-1.323 ^{+2.555} _{-0.169}	0.665 ^{+0.045} _{-0.039}	0.0415 ^{+0.0008} _{-0.0007}	-0.29 ^{+0.43} _{-0.48}
229.01	3.0 ^{+42.7} _{-5.58}	0.52	1708 ⁺⁰¹⁰⁶ ₋₀₀₉₇	1544 ⁺⁰⁰⁹⁶ ₋₀₀₈₈	1771 ⁺⁰¹⁴³ ₋₀₂₃₆	1.031 ^{+0.099} _{-0.143}	2.627 ^{+0.350} _{-0.317}	0.0456 ^{+0.0008} _{-0.0008}	0.03 ^{+0.04} _{-0.03}
356.01	1.1 ^{+20.2} _{-16.6}	0.06	1856 ⁺⁰¹¹⁰ ₋₀₁₀₆	1677 ⁺⁰⁰⁹⁹ ₋₀₀₉₆	2092 ⁺⁰⁵¹⁷ ₋₄₅₅₅	1.122 ^{+0.287} _{-2.452}	0.268 ^{+0.023} _{-0.020}	0.0279 ^{+0.0005} _{-0.0005}	0.14 ^{+0.79} _{-0.72}
412.01	26.3 ^{+47.4} _{-50.2}	0.52	1614 ⁺⁰¹⁰³ ₋₀₀₉₀	1458 ⁺⁰⁰⁹³ ₋₀₀₈₁	2424 ⁺⁰³⁶¹ ₋₄₈₃₆	1.495 ^{+0.236} _{-2.977}	0.526 ^{+0.045} _{-0.036}	0.0503 ^{+0.0009} _{-0.0009}	0.85 ^{+1.67} _{-1.65}
421.01	-104.7 ^{+85.3} _{-75.5}	-1.22	1400 ⁺⁰⁰⁸⁵ ₋₀₀₇₈	1265 ⁺⁰⁰⁷⁷ ₋₀₀₇₀	-2306 ⁺⁰³⁹⁵ ₋₀₁₈₁	-1.641 ^{+0.285} _{-0.141}	0.949 ^{+0.061} _{-0.053}	0.0508 ^{+0.0020} _{-0.0009}	-1.01 ^{+0.84} _{-0.85}
433.01	8.2 ⁺¹²⁰¹ ₋₂₂₉₇	0.01	1471 ⁺⁰⁰⁹⁰ ₋₀₀₈₀	1329 ⁺⁰⁰⁸¹ ₋₀₀₇₂	-2121 ⁺⁴⁷⁴³ ₋₀₆₃₀	-1.431 ^{+3.216} _{-0.439}	2.128 ^{+1.462} _{-1.315}	0.0477 ^{+0.0009} _{-0.0008}	-0.40 ^{+2.81} _{-3.04}
611.01	-22.6 ^{+59.0} _{-56.5}	-0.39	2080 ⁺⁰¹⁴⁵ ₋₀₁₃₅	1879 ⁺⁰¹³¹ ₋₀₁₂₂	-2350 ⁺⁴⁸²⁵ ₋₀₃₉₄	-1.118 ^{+2.312} _{-0.207}	0.890 ^{+0.107} _{-0.090}	0.0450 ^{+0.0009} _{-0.0009}	-0.23 ^{+0.60} _{-0.57}
684.01	76.3 ^{+41.8} _{-42.1}	1.83	1511 ⁺⁰⁰⁹³ ₋₀₀₈₄	1365 ⁺⁰⁰⁸⁴ ₋₀₀₇₆	3365 ⁺⁰²⁷¹ ₋₀₃₇₀	2.225 ^{+0.187} _{-0.249}	0.229 ^{+0.026} _{-0.023}	0.0482 ^{+0.0009} _{-0.0008}	12.79 ^{+7.49} _{-6.92}
760.01	30.6 ^{+72.8} _{-70.2}	0.43	1671 ⁺⁰¹¹⁵ ₋₀₁₀₅	1510 ⁺⁰¹⁰⁴ ₋₀₀₉₅	2233 ⁺⁰³⁴⁷ ₋₀₄₅₂	1.326 ^{+0.223} _{-0.281}	1.058 ^{+0.095} _{-0.081}	0.0583 ^{+0.0011} _{-0.0011}	0.36 ^{+0.84} _{-0.81}
801.01	56.6 ^{+60.3} _{-56.2}	1.01	2135 ⁺⁰¹³⁴ ₋₀₁₂₅	1929 ⁺⁰¹²¹ ₋₀₁₁₃	2428 ⁺⁰²²³ ₋₀₆₂₇	1.132 ^{+0.117} _{-0.305}	0.748 ^{+0.056} _{-0.051}	0.0267 ^{+0.0005} _{-0.0005}	0.28 ^{+0.29} _{-0.27}
809.01	-41.1 ^{+76.2} _{-85.8}	-0.55	2293 ⁺⁰¹⁴⁹ ₋₀₁₃₅	2072 ⁺⁰¹³⁵ ₋₀₁₂₂	-2232 ⁺⁴³⁴⁷ ₋₀₂₈₂	-0.967 ^{+1.883} _{-0.136}	1.109 ^{+0.090} _{-0.073}	0.0268 ^{+0.0005} _{-0.0005}	-0.10 ^{+0.16} _{-0.18}
813.01	-166.1 ^{+94.6} _{-92.3}	-1.75	1540 ⁺⁰⁰⁹⁴ ₋₀₀₈₇	1391 ⁺⁰⁰⁸⁵ ₋₀₀₇₈	-2684 ⁺⁰²⁷⁴ ₋₀₁₈₀	-1.741 ^{+0.187} _{-0.130}	0.756 ^{+0.059} _{-0.051}	0.0472 ^{+0.0009} _{-0.0009}	-2.38 ^{+1.38} _{-1.39}
830.01	61.8 ^{+78.4} _{-83.3}	0.76	1403 ⁺⁰⁰⁸⁶ ₋₀₀₈₇	1268 ⁺⁰⁰⁷⁸ ₋₀₀₇₉	2053 ⁺⁰²⁰² ₋₃₉₁₄	1.459 ^{+0.163} _{-2.785}	1.022 ^{+0.061} _{-0.068}	0.0424 ^{+0.0008} _{-0.0009}	0.37 ^{+0.48} _{-0.50}
838.01	1.3 ^{+65.0} _{-36.9}	0.03	1633 ⁺⁰¹⁰⁶ ₋₀₀₉₆	1475 ⁺⁰⁰⁹⁶ ₋₀₀₈₇	2032 ⁺⁰³⁹⁴ ₋₄₂₅₁	1.231 ^{+0.228} _{-2.593}	1.071 ^{+0.095} _{-0.178}	0.0570 ^{+0.0011} _{-0.0010}	0.16 ^{+0.64} _{-0.54}
840.01	-61.7 ^{+85.1} _{-85.3}	-0.73	1475 ⁺⁰⁰⁸⁶ ₋₀₀₉₂	1332 ⁺⁰⁰⁷⁷ ₋₀₀₈₃	-2194 ⁺⁴¹⁵⁵ ₋₀₂₃₆	-1.486 ^{+2.816} _{-0.766}	0.772 ^{+0.047} _{-0.053}	0.0384 ^{+0.0007} _{-0.0008}	-0.56 ^{+0.75} _{-0.78}
843.01	-2.2 ^{+18.6} _{-48.8}	-0.13	1710 ⁺⁰¹¹³ ₋₀₁₀₃	1545 ⁺⁰¹⁰³ ₋₀₀₉₃	-2482 ⁺⁴⁶⁸⁸ ₋₀₃₅₂	-1.446 ^{+2.733} _{-0.219}	0.520 ^{+0.052} _{-0.046}	0.0516 ^{+0.0010} _{-0.0010}	-0.82 ^{+1.11} _{-1.46}
897.01	52.9 ^{+62.2} _{-52.7}	1.00	2136 ⁺⁰¹³⁸ ₋₀₁₂₈	1930 ⁺⁰¹²⁵ ₋₀₁₁₆	2312 ⁺⁰²⁰⁴ ₋₀₆₃₀	1.076 ^{+0.112} _{-0.303}	1.101 ^{+0.090} _{-0.076}	0.0319 ^{+0.0006} _{-0.0006}	0.18 ^{+0.19} _{-0.17}
908.01	45.0 ^{+53.9} _{-47.8}	0.95	1462 ⁺⁰⁰⁸⁶ ₋₀₀₈₄	1321 ⁺⁰⁰⁷⁶ ₋₀₀₇₈	2365 ⁺⁰²¹⁸ ₋₀₆₉₂	1.614 ^{+0.164} _{-0.478}	0.720 ^{+0.044} _{-0.044}	0.0537 ^{+0.0010} _{-0.0010}	1.05 ^{+1.09} _{-1.01}
913.01	39.8 ^{+51.1} _{-52.2}	0.76	1568 ⁺⁰⁰⁹² ₋₀₀₉₀	1417 ⁺⁰⁰⁸³ ₋₀₀₈₂	2131 ⁺⁰²¹⁴ ₋₄₀₃₉	1.351 ^{+0.151} _{-2.566}	1.077 ^{+0.069} _{-0.066}	0.0492 ^{+0.0008} _{-0.0009}	0.30 ^{+0.41} _{-0.41}
931.01	12.8 ^{+62.5} _{-20.0}	0.67	1721 ⁺⁰¹¹² ₋₀₁₀₀	1555 ⁺⁰¹⁰² ₋₀₀₉₀	2198 ⁺⁰²¹⁹ ₋₀₄₂₈	1.271 ^{+0.144} _{-0.255}	1.139 ^{+0.093} _{-0.075}	0.0484 ^{+0.0009} _{-0.0009}	0.27 ^{+0.35} _{-0.24}
961.02	6.1 ^{+68.1} _{-63.7}	0.09	2001 ⁺⁰²⁶⁵ ₋₀₂₇₄	1808 ⁺⁰²³⁹ ₋₀₂₄₇	1895 ⁺⁰⁵⁰⁰ ₋₄₂₀₇	0.915 ^{+0.314} _{-2.090}	0.239 ^{+0.073} _{-0.068}	0.0094 ^{+0.0006} _{-0.0010}	0.05 ^{+0.40} _{-0.36}
961.03	828.9 ⁺⁴⁸⁵⁰ _{-397.1}	0.40	1252 ⁺⁰¹⁶³ ₋₀₁₇₁	1132 ⁺⁰¹⁴⁷ ₋₀₁₅₅	2360 ⁺⁰³⁹⁸ ₋₄₇₆₃	1.859 ^{+0.404} _{-3.781}	3.715 ^{+3.999} _{-0.0026}	0.0241 ^{+0.0016} _{-0.0026}	2.53 ^{+6.19} _{-5.41}
1419.01	54.0 ^{+73.0} _{-53.8}	1.00	2555 ⁺⁰¹⁶⁷ ₋₀₁₅₅	2309 ⁺⁰¹⁵¹ ₋₀₁₄₀	2763 ⁺⁰²⁸⁸ ₋₀₉₃₄	1.078 ^{+0.126} _{-0.368}	0.614 ^{+0.110} _{-0.083}	0.0242 ^{+0.0005} _{-0.0005}	0.38 ^{+0.39} _{-0.37}
1459.01	314.2 ^{+238.} _{-151.}	2.10	1587 ⁺⁰²²⁸ ₋₀₂₂₂	1434 ⁺⁰²⁰⁶ ₋₀₂₀₁	2381 ⁺⁰¹⁴⁵ ₋₀₁₈₄	1.493 ^{+0.204} _{-0.180}	0.402 ^{+0.181} _{-0.134}	0.0117 ^{+0.0011} _{-0.0016}	1.05 ^{+0.78} _{-0.54}

CLM Light Curve with Eccentricity Fixed to Zero and Stellar Parameters from the KIC

1.01	-3.9 ^{+8.07} _{-8.02}	-0.48	2461 ⁺⁰⁶⁹⁶ ₋₀₅₄₃	2223 ⁺⁰⁶²⁹ ₋₀₄₉₀	-1727 ⁺³⁴⁶⁵ ₋₀₁₉₅	-0.618 ^{+1.324} _{-0.259}	1.861 ^{+1.740} _{-0.904}	0.0373 ^{+0.0135} _{-0.0098}	-0.00 ^{+0.01} _{-0.02}
2.01	77.7 ^{+10.3} _{-9.51}	8.28	2714 ⁺⁰⁷⁵⁷ ₋₀₅₇₇	2452 ⁺⁰⁶⁸⁴ ₋₀₅₂₁	2865 ⁺⁰⁰⁶⁵ ₋₀₀₆₆	1.055 ^{+0.285} _{-0.228}	1.032 ^{+0.926} _{-0.501}	0.0367 ^{+0.0129} _{-0.0097}	0.39 ^{+0.63} _{-0.24}
5.01	-3.1 ^{+11.8} _{-13.0}	-0.26	2144 ⁺⁰⁵⁸⁶ ₋₀₄₅₄	1937 ⁺⁰⁵³⁰ ₋₀₄₁₀	-2256 ⁺⁴⁷⁰³ ₋₀₄₁₈	-0.915 ^{+2.065} _{-0.462}	0.612 ^{+0.556} _{-0.292}	0.0587 ^{+0.0215} _{-0.0155}	-0.10 ^{+0.37} _{-0.66}
10.01	19.6 ^{+31.6} _{-33.7}	0.58	1997 ⁺⁰⁵⁶¹ ₋₀₄₄₉	1804 ⁺⁰⁵⁰⁷ ₋₀₄₀₆	2200 ⁺⁰²⁹³ ₋₄₃₇₃	0.992 ^{+0.425} _{-2.040}	0.976 ^{+0.923} _{-0.472}	0.0469 ^{+0.0172} _{-0.0123}	0.11 ^{+0.51} _{-0.23}
13.01	125.6 ^{+6.31} _{-8.56}	15.64	5039 ⁺¹⁴⁰⁹ ₋₁₀₉₇	4553 ⁺¹²⁷³ ₋₀₉₉₁	3754 ⁺⁰⁰⁵⁷ ₋₀₀₅₇	0.744 ^{+0.210} _{-0.162}	1.582 ^{+1.490} _{-0.753}	0.0348 ^{+0.0124} _{-0.0092}	0.24 ^{+0.40} _{-0.15}
17.01	-17.1 ^{+17.2} _{-22.3}	-0.99	1832 ⁺⁰⁵⁰² ₋₀₄₀₈	1656 ⁺⁰⁴⁵⁴ ₋₀₃₆₉	-2142 ⁺⁰⁴²⁶ ₋₀₁₈₅	-1.116 ^{+0.426} _{-0.372}	0.864 ^{+0.797} _{-0.420}	0.0414 ^{+0.0147} _{-0.0107}	-0.14 ^{+0.47} _{-0.40}
18.01	-27.4 ^{+30.1} _{-33.2}	-0.91	1824 ⁺⁰⁵⁰⁵ ₋₀₃₉₃	1648 ⁺⁰⁴⁵⁶ ₋₀₃₅₅	-2360 ⁺⁰⁴⁸⁵ ₋₀₂₃₀	-1.215 ^{+2.003} _{-0.421}	0.729 ^{+0.667} _{-0.350}	0.0443 ^{+0.0164} _{-0.0116}	-0.32 ^{+0.33} _{-1.00}
20.01	4.7 ^{+17.2} _{-9.67}	0.49	1758 ⁺⁰⁵⁰⁵ ₋₀₃₈₄	1589 ⁺⁰⁴⁵⁶ ₋₀₃₄₇	1945 ⁺⁰²⁰⁷ ₋₃₆₆₈	1.023 ^{+0.375} _{-1.908}	1.165 ^{+1.091} _{-0.563}	0.0540 ^{+0.0196} _{-0.0142}	0.06 ^{+0.22} _{-0.08}
64.01	75.1 ^{+35.1} _{-27.7}	2.78	2716 ⁺⁰⁷⁴⁸ ₋₀₅₉₄	2454 ⁺⁰⁶⁷⁶ ₋₀₅₃₇	2853 ⁺⁰¹⁵¹ ₋₀₁₇₅	1.046 ^{+0.290} _{-0.233}	0.883 ^{+0.800} _{-0.421}	0.0323 ^{+0.0114} _{-0.0083}	0.38 ^{+0.68} _{-0.25}
97.01	66.1 ^{+17.4} _{-17.5}	3.79	1903 ⁺⁰⁵¹⁶ ₋₀₄₁₀	1719 ⁺⁰⁴⁹² ₋₀₃₇₁	2611 ⁺⁰⁴⁹² ₋₀₁₀₉	1.367 ^{+0.492} _{-0.297}	1.032 ^{+0.949} _{-0.485}	0.0586 ^{+0.0210} _{-0.0156}	0.77 ^{+0.32} _{-0.50}
127.01	-31.4 ^{+37.5} _{-43.9}	-0.83	1699 ⁺⁰⁴⁶⁶ ₋₀₃₆₇	1535 ⁺⁰⁴²¹ ₋₀₃₃₂	-2236 ⁺³⁹⁹⁶ ₋₀₂₁₉	-1.240 ^{+2.113} _{-0.431}	0.902 ^{+0.831} _{-0.428}	0.0464 ^{+0.0167} _{-0.0124}	-0.27 ^{+0.29} _{-0.86}
128.01	-8.3 ^{+8.16} _{-34.3}	-1.01	1918 ⁺⁰⁵³⁶ ₋₀₄₂₅	1733 ⁺⁰⁴⁸⁴ ₋₀₃₈₄	-2181 ⁺⁰²⁸⁵ ₋₀₁₉₅	-1.108 ^{+0.297} _{-0.341}	1.410 ^{+1.255} _{-0.684}	0.0593 ^{+0.0211} _{-0.0158}	-0.14 ^{+0.12} _{-0.38}
144.01	34.6 ^{+37.5} _{-34.3}	1.01	1856 ⁺⁰⁵²⁵ ₋₀₄₀₄	1677 ⁺⁰⁴⁷⁴ ₋₀₃₆₅	2702 ⁺⁰²⁸⁸ ₋₀₉₈₅	1.375 ^{+0.475} _{-0.676}	0.528 ^{+0.486} _{-0.254}	0.0524 ^{+0.0190} _{-0.0139}	1.04 ^{+2.94} _{-1.03}
183.01	14.4 ^{+42.5} _{-40.1}	0.36	1715 ⁺⁰⁴⁷⁹ ₋₀₃₇₃	1550 ⁺⁰⁴³² ₋₀₃₉₇	2012 ⁺⁰³⁰³ ₋₂₃₃₇	1.028 ^{+0.475} _{-2.360}	0.847 ^{+0.782} _{-0.409}	0.0379 ^{+0.0137} _{-0.0100}	0.08 ^{+0.47} _{-0.26}
186.01	-76.3 ^{+59.2} _{-63.7}	-1.25	1786 ⁺⁰⁴⁹¹ ₋₀₃₈₃	1614 ⁺⁰⁴⁴⁴ ₋₀₃₄₆	-2390 ⁺⁰³⁸⁴ ₋₀₁₈₆	-1.281 ^{+0.395} _{-0.415}	1.031 ^{+0.954} _{-0.488}	0.0437 ^{+0.0161} _{-0.0114}	-0.41 ^{+0.35} _{-1.06}
188.01	-54.2 ^{+49.7} _{-52.2}	-1.09	1327 ⁺⁰³⁷⁸ ₋₀₂₉₃	1199 ⁺⁰³⁴¹ ₋₀₂₆₄	-2173 ⁺⁰⁴³⁹ ₋₀₁₇₆	-1.560 ^{+0.560} _{-0.518}	0.741 ^{+0.708} _{-0.354}	0.0459 ^{+0.0164} _{-0.0123}	-0.60 ^{+0.55} _{-1.69}
195.01	0.7 ^{+27.8} _{-1.60}	0.41	1805 ⁺⁰⁵⁰² ₋₀₃₈₇	1631 ⁺⁰⁴⁵⁴ ₋₀₃₅₀	2015 ⁺⁰¹⁷⁵ ₋₀₂₆₅	1.087 ^{+0.328} _{-0.284}	1.122 ^{+1.046} _{-0.535}	0.0437 ^{+0.0156} _{-0.0119}	0.09 ^{+0.24} _{-0.07}
196.01	63.2 ^{+32.8} _{-31.5}	2.00	2134 ⁺⁰⁵⁹⁸ ₋₀₄₆₅	1929 ⁺⁰⁵⁴¹ ₋₀₄₂₀	2397 ⁺⁰¹³³ ₋₀₁₈₈	1.103 ^{+0.322} _{-0.258}	0.925 ^{+0.853} _{-0.438}	0.0299 ^{+0.0108} _{-0.0080}	0.23 ^{+0.46} _{-0.16}
201.01	-12.0 ^{+23.8} _{-33.5}	-0.50	1658 ⁺⁰⁴⁶² ₋₀₃₆₉	1498 ⁺⁰⁴¹⁸ ₋₀₃₃₄	-2158 ⁺⁰⁷⁵² ₋₀₂₅₉	-1.191 ^{+2.332} _{-0.470}	0.809 ^{+0.752} _{-0.391}	0.0519 ^{+0.0187} _{-0.0136}	-0.20 ^{+0.32} _{-0.84}
202.01	46.0 ^{+30.8} _{-36.1}	1.26	2424 ⁺⁰⁶⁷⁴ ₋₀₅₃₄	2190 ⁺⁰⁶⁰⁹ ₋₀₄₈₂	2354 ⁺⁰¹⁷⁵ ₋₀₄₀₃	0.927 ^{+0.299} _{-0.289}	1.026 ^{+0.932} _{-0.503}	0.0290 ^{+0.0105} _{-0.0076}	0.10 ^{+0.27} _{-0.09}
203.01	-14.7 ^{+58.5} _{-58.3}	-0.25	2357 ⁺⁰⁶⁶¹ ₋₀₅₁₃	2130 ⁺⁰⁵⁹⁷ ₋₀₄₆₄	-1937 ⁺⁴¹⁰⁶ ₋₀₃₆₃	-0.695 ^{+1.647} _{-0.376}	1.251 ^{+1.173} _{-0.604}	0.0260 ^{+0.0093} _{-0.0069}	-0.01 ^{+0.09} _{-0.13}
204.01	34.4 ^{+57.2} _{-57.4}	0.60	1701 ⁺⁰⁴⁶⁹ ₋₀₃₇₇	1537 ⁺⁰⁴²⁴ ₋₀₃₄₀	2321 ⁺⁰³⁰¹ ₋₄₅₂₆	1.246 ^{+0.496} _{-2.467}	0.685 ^{+0.619} _{-0.332}	0.0424 ^{+0.0151} _{-0.0111}	0.36 ^{+1.49} ₋₀

Table 3
Derived System Parameters and Associated 1σ Uncertainties

684.01	$79.6^{+48.8}_{-48.6}$	1.63	2173^{+0610}_{-0475}	1963^{+0551}_{-0429}	3461^{+0318}_{-0459}	$1.549^{+0.493}_{-0.406}$	$0.469^{+0.441}_{-0.225}$	$0.0524^{+0.0189}_{-0.0210}$	$3.14^{+7.19}_{-2.38}$
760.01	$25.9^{+90.5}_{-91.0}$	0.28	1521^{+0431}_{-0328}	1375^{+0390}_{-0296}	2204^{+0412}_{-4633}	$1.248^{+0.647}_{-2.868}$	$0.864^{+0.817}_{-0.413}$	$0.0581^{+0.0140}_{-0.0154}$	$0.30^{+2.17}_{-1.34}$
767.01	$95.4^{+71.2}_{-70.7}$	1.35	1870^{+0524}_{-0403}	1690^{+0473}_{-0365}	2351^{+0173}_{-0322}	$1.211^{+0.382}_{-0.356}$	$1.224^{+1.138}_{-0.591}$	$0.0394^{+0.0146}_{-0.0106}$	$0.31^{+0.76}_{-0.26}$
801.01	$105.4^{+60.8}_{-66.4}$	1.58	2338^{+0649}_{-0503}	2113^{+0586}_{-0455}	2622^{+0185}_{-0313}	$1.085^{+0.331}_{-0.282}$	$0.885^{+0.812}_{-0.427}$	$0.0275^{+0.0099}_{-0.0074}$	$0.31^{+0.70}_{-0.24}$
809.01	$119.6^{+83.3}_{-82.9}$	1.45	2314^{+0657}_{-0490}	2091^{+0594}_{-0443}	2516^{+0182}_{-0305}	$1.053^{+0.314}_{-0.291}$	$1.106^{+1.007}_{-0.517}$	$0.0271^{+0.0094}_{-0.0072}$	$0.24^{+0.51}_{-0.19}$
813.01	$-97.2^{+144.}_{-136.}$	-0.67	1398^{+0388}_{-0307}	1263^{+0351}_{-0277}	-2531^{+4913}_{-0412}	$-1.657^{+3.273}_{-0.668}$	$0.580^{+0.538}_{-0.278}$	$0.0478^{+0.0173}_{-0.0126}$	$-1.60^{+2.67}_{-6.56}$
830.01	$24.5^{+56.3}_{-49.5}$	0.50	1191^{+0327}_{-0297}	1076^{+0296}_{-0237}	1929^{+0237}_{-3835}	$1.457^{+0.599}_{-0.525}$	$0.677^{+0.612}_{-0.320}$	$0.0423^{+0.0151}_{-0.0102}$	$0.28^{+1.25}_{-0.56}$
838.01	$-380.4^{+319.}_{-1111.}$	-1.30	1629^{+0460}_{-0347}	1472^{+0415}_{-0314}	-2785^{+0449}_{-0232}	$-1.639^{+0.501}_{-0.514}$	$1.491^{+2.011}_{-0.973}$	$0.0573^{+0.0210}_{-0.0151}$	$-2.02^{+1.70}_{-4.90}$
840.01	$-38.0^{+84.0}_{-80.7}$	-0.45	1692^{+0465}_{-0368}	1529^{+0420}_{-0332}	-2104^{+4268}_{-0315}	$-1.104^{+2.384}_{-0.484}$	$0.957^{+0.892}_{-0.455}$	$0.0403^{+0.0141}_{-0.0104}$	$-0.15^{+0.42}_{-0.80}$
843.01	$83.6^{+67.3}_{-61.6}$	1.36	1812^{+0501}_{-0395}	1638^{+0452}_{-0357}	3032^{+0269}_{-0470}	$1.611^{+0.525}_{-0.465}$	$0.555^{+0.511}_{-0.272}$	$0.0524^{+0.0186}_{-0.0140}$	$2.49^{+6.05}_{-2.03}$
897.01	$106.6^{+88.8}_{-91.0}$	1.17	2196^{+0604}_{-0481}	1984^{+0546}_{-0435}	2483^{+0205}_{-0463}	$1.081^{+0.359}_{-0.361}$	$1.182^{+1.076}_{-0.575}$	$0.0323^{+0.0135}_{-0.0084}$	$0.25^{+0.67}_{-0.22}$
908.01	$145.4^{+85.1}_{-78.8}$	1.83	1764^{+0491}_{-0390}	1594^{+0444}_{-0353}	2729^{+0184}_{-0260}	$1.520^{+0.459}_{-0.367}$	$1.039^{+0.973}_{-0.503}$	$0.0559^{+0.0201}_{-0.0149}$	$1.38^{+3.03}_{-0.99}$
913.01	$23.4^{+56.7}_{-61.1}$	0.39	1387^{+0383}_{-0303}	1253^{+0346}_{-0274}	2051^{+0318}_{-4236}	$1.280^{+0.609}_{-2.879}$	$0.759^{+0.665}_{-0.364}$	$0.0495^{+0.0176}_{-0.0129}$	$0.23^{+1.44}_{-0.84}$
1176.01	$-33.2^{+81.8}_{-81.8}$	-0.41	1514^{+0429}_{-0332}	1368^{+0387}_{-0300}	-1897^{+3885}_{-0275}	$-1.109^{+2.422}_{-0.496}$	$0.808^{+0.773}_{-0.385}$	$0.0279^{+0.0099}_{-0.0075}$	$-0.09^{+0.28}_{-0.51}$
1419.01	$44.1^{+107.}_{-90.3}$	0.48	2562^{+0720}_{-0558}	2315^{+0651}_{-0504}	2875^{+0490}_{-5626}	$1.029^{+0.437}_{-0.203}$	$0.488^{+0.454}_{-0.234}$	$0.0243^{+0.0087}_{-0.0064}$	$0.36^{+1.61}_{-0.68}$
1459.01	$182.6^{+87.9}_{-83.6}$	2.16	2212^{+0620}_{-0478}	1999^{+0560}_{-0432}	2461^{+0149}_{-0187}	$1.096^{+0.519}_{-0.252}$	$0.556^{+0.512}_{-0.267}$	$0.0134^{+0.0047}_{-0.0035}$	$0.65^{+0.55}_{-0.24}$
1541.01	$1755.3^{+320.}_{-336.}$	5.42	2167^{+0583}_{-0482}	1958^{+0527}_{-0436}	3414^{+0117}_{-0123}	$1.576^{+0.444}_{-0.337}$	$1.640^{+1.450}_{-0.802}$	$0.0360^{+0.0131}_{-0.0094}$	$3.18^{+5.48}_{-1.97}$
1543.01	$646.7^{+604.}_{-578.}$	1.12	1697^{+0485}_{-0367}	1533^{+0438}_{-0332}	3000^{+0297}_{-0848}	$1.676^{+0.566}_{-0.682}$	$1.306^{+1.240}_{-0.619}$	$0.0497^{+0.0179}_{-0.0129}$	$2.84^{+7.60}_{-2.69}$

CLM Light Curve with Eccentricity Fixed to Zero and Stellar Parameters from Isochrones

1.01	-3.9 ^{+8.07} _{-8.02}	-0.48	1994 ⁺⁰¹²⁸ ₋₀₁₁₅	1802 ⁺⁰¹¹⁶ ₋₀₁₀₄	-1727 ⁺³⁴⁶⁰ ₋₀₁₉₇	-0.857 ^{+1.725} _{-0.116}	1.173 ^{+0.093} _{-0.074}	0.0360 ^{+0.0007} _{-0.0006}	-0.01 ^{+0.03} _{-0.03}
2.01	77.7 ^{+10.3} _{-9.51}	8.28	2746 ⁺⁰¹⁷³ ₋₀₁₆₇	2481 ⁺⁰¹⁵⁶ ₋₀₁₅₁	2865 ⁺⁰⁰⁶⁶ ₋₀₀₆₇	1.042 ^{+0.054} _{-0.049}	1.039 ^{+0.087} _{-0.085}	0.0363 ^{+0.0007} _{-0.0007}	0.37 ^{+0.07} _{-0.06}
5.01	-3.1 ^{+11.8} _{-13.0}	-0.26	1627 ⁺⁰¹⁰⁷ ₋₀₀₉₅	1470 ⁺⁰⁰⁹⁷ ₋₀₀₈₆	-2248 ⁺⁴⁶⁸⁸ ₋₀₄₁₆	-1.373 ^{+2.867} _{-0.272}	0.336 ^{+0.030} _{-0.025}	0.0562 ^{+0.0011} _{-0.0010}	-0.42 ^{+1.27} _{-1.32}
10.01	19.6 ^{+31.6} _{-33.7}	0.58	2051 ⁺⁰¹⁴³ ₋₀₁₃₀	1854 ⁺⁰¹²⁹ ₋₀₁₁₈	2214 ⁺⁰²⁸¹ ₋₄₃₉₁	1.069 ^{+0.158} _{-0.128}	1.048 ^{+0.099} _{-0.088}	0.0476 ^{+0.0010} _{-0.0009}	0.14 ^{+0.26} _{-0.27}
13.01	125.6 ^{+6.31} _{-8.56}	15.64	4049 ⁺⁰⁰⁹⁷ ₋₀₁₀₁	3658 ⁺⁰⁰⁸⁸ ₋₀₀₉₂	3753 ⁺⁰⁰⁵⁵ ₋₀₀₅₈	0.927 ^{+0.016} _{-0.015}	1.054 ^{+0.015} _{-0.015}	0.0359 ^{+0.0003} _{-0.0003}	0.57 ^{+0.03} _{-0.03}
17.01	-17.1 ^{+17.2} _{-22.3}	-0.99	1830 ⁺⁰¹¹⁸ ₋₀₁₀₆	1653 ⁺⁰¹⁰⁷ ₋₀₀₉₆	-2146 ⁺⁰⁴⁷⁷ ₋₀₁₈₁	-1.165 ^{+0.266} _{-0.119}	0.899 ^{+0.071} _{-0.059}	0.0431 ^{+0.0008} _{-0.0008}	-0.17 ^{+0.16} _{-0.18}
18.01	-27.4 ^{+30.1} _{-33.2}	-0.91	1826 ⁺⁰¹²¹ ₋₀₁₁₂	1650 ⁺⁰¹⁰⁹ ₋₀₁₀₁	-2357 ⁺⁴⁰⁷⁵ ₋₀₂₃₄	-1.284 ^{+2.206} _{-0.142}	0.760 ^{+0.063} _{-0.056}	0.0463 ^{+0.0009} _{-0.0009}	-0.41 ^{+0.42} _{-0.47}
20.01	4.7 ^{+17.2} _{-9.67}	0.49	1804 ⁺⁰¹²⁶ ₋₀₁₁₂	1630 ⁺⁰¹¹⁴ ₋₀₁₀₁	1954 ⁺⁰¹⁹⁹ ₋₃₆₇₅	1.073 ^{+0.129} _{-0.018}	1.238 ^{+0.116} _{-0.095}	0.0547 ^{+0.0011} _{-0.0010}	0.07 ^{+0.11} _{-0.09}
64.01	75.1 ^{+35.1} _{-27.7}	2.78	1815 ⁺⁰¹⁰⁸ ₋₀₁₀₁	1640 ⁺⁰⁰⁹⁸ ₋₀₀₉₁	2849 ⁺⁰¹⁵⁰ ₋₀₁₇₇	1.571 ^{+0.089} _{-0.107}	0.354 ^{+0.036} _{-0.029}	0.0291 ^{+0.0005} _{-0.0005}	2.00 ^{+0.76} _{-0.75}
97.01	66.1 ^{+17.4} _{-17.5}	3.79	1710 ⁺⁰¹¹⁷ ₋₀₁₀₆	1545 ⁺⁰¹⁰⁶ ₋₀₀₉₆	2612 ⁺⁰⁰⁹⁵ ₋₀₁₀₉	1.527 ^{+0.086} _{-0.092}	0.828 ^{+0.075} _{-0.062}	0.0580 ^{+0.0012} _{-0.0011}	1.22 ^{+0.37} _{-0.34}
127.01	-31.4 ^{+37.5} _{-43.9}	-0.83	1687 ⁺⁰¹⁰⁷ ₋₀₀₉₇	1524 ⁺⁰⁰⁹⁷ ₋₀₀₈₈	-2237 ⁺⁴⁰⁴⁷ ₋₀₂₂₀	-1.319 ^{+2.372} _{-0.145}	0.877 ^{+0.066} _{-0.056}	0.0455 ^{+0.0009} _{-0.0008}	-0.35 ^{+0.39} _{-0.43}
128.01	-8.3 ^{+8.16} _{-8.34}	-1.01	1585 ⁺⁰¹⁰⁴ ₋₀₀₉₂	1433 ⁺⁰⁰⁹⁴ ₋₀₀₈₃	-2184 ⁺⁰²⁹⁸ ₋₀₁₉₁	-1.374 ^{+0.199} _{-0.136}	0.923 ^{+0.074} _{-0.060}	0.0572 ^{+0.0011} _{-0.0010}	-0.37 ^{+0.28} _{-0.38}
144.01	34.6 ^{+37.5} _{-34.3}	1.01	1246 ⁺⁰⁰⁸¹ ₋₀₀₈₅	1126 ⁺⁰⁰⁷⁴ ₋₀₀₇₇	2709 ⁺⁰²⁸¹ ₋₀₉₁₅	2.176 ^{+0.249} _{-0.697}	0.210 ^{+0.022} _{-0.021}	0.0465 ^{+0.0010} _{-0.0011}	6.66 ^{+6.89} _{-6.48}
183.01	14.4 ^{+42.5} _{-40.1}	0.36	1946 ⁺⁰¹³⁰ ₋₀₁₁₄	1759 ⁺⁰¹¹⁷ ₋₀₁₀₃	2018 ⁺⁰³⁰⁰ ₋₄₁₁₅	1.026 ^{+0.171} _{-0.100}	1.091 ^{+0.089} _{-0.072}	0.0381 ^{+0.0008} _{-0.0007}	0.08 ^{+0.19} _{-0.18}
186.01	-76.3 ^{+59.2} _{-63.7}	-1.25	1886 ⁺⁰¹²⁷ ₋₀₁₁₂	1704 ⁺⁰¹¹⁵ ₋₀₁₀₁	-2390 ⁺⁰³⁹⁵ ₋₀₁₈₅	-1.260 ^{+0.221} _{-0.119}	1.156 ^{+0.100} _{-0.085}	0.0436 ^{+0.0009} _{-0.0008}	-0.40 ^{+0.33} _{-0.33}
188.01	-54.2 ^{+49.7} _{-52.2}	-1.09	1439 ⁺⁰⁰⁸² ₋₀₀₈₁	1301 ⁺⁰⁰⁷⁴ ₋₀₀₇₃	-2177 ⁺⁰⁴⁶² ₋₀₁₇₂	-1.507 ^{+0.329} _{-0.136}	0.864 ^{+0.050} _{-0.049}	0.0453 ^{+0.0008} _{-0.0008}	-0.55 ^{+0.50} _{-0.52}
195.01	0.7 ^{+27.8} _{-1.60}	0.41	1765 ⁺⁰¹¹⁶ ₋₀₀₉₈	1595 ⁺⁰¹⁰⁵ ₋₀₀₈₈	2024 ⁺⁰¹⁷⁴ ₋₀₂₅₉	1.141 ^{+0.113} _{-0.150}	1.048 ^{+0.081} _{-0.062}	0.0425 ^{+0.0008} _{-0.0007}	0.11 ^{+0.13} _{-0.09}
196.01	63.2 ^{+32.8} _{-31.5}	2.00	2111 ⁺⁰¹³⁰ ₋₀₁₂₀	1907 ⁺⁰¹¹⁸ ₋₀₁₀₈	2394 ⁺⁰¹³⁴ ₋₀₁₈₈	1.131 ^{+0.078} _{-0.101}	0.885 ^{+0.065} _{-0.054}	0.0294 ^{+0.0005} _{-0.0005}	0.26 ^{+0.14} _{-0.13}
201.01	-12.0 ^{+23.8} _{-33.5}	-0.50	1561 ⁺⁰⁰⁹⁶ ₋₀₀₉₁	1411 ⁺⁰⁰⁸⁶ ₋₀₀₈₂	-2153 ⁺⁴¹⁶² ₋₀₂₆₄	-1.371 ^{+2.648} _{-0.184}	0.699 ^{+0.050} _{-0.045}	0.0505 ^{+0.0009} _{-0.0010}	-0.34 ^{+0.52} _{-0.60}
202.01	46.0 ^{+30.8} _{-36.1}	1.26	2397 ⁺⁰¹⁶³ ₋₀₁₄₄	2166 ⁺⁰¹⁴⁸ ₋₀₁₃₁	2357 ⁺⁰¹⁶⁹ ₋₀₃₇₅	0.977 ^{+0.088} _{-0.166}	0.994 ^{+0.089} _{-0.073}	0.0288 ^{+0.0006} _{-0.0005}	0.13 ^{+0.10} _{-0.11}
203.01	-14.7 ^{+58.5} _{-58.3}	-0.25	2304 ⁺⁰¹⁵¹ ₋₀₁₃₀	2082 ⁺⁰¹³⁷ ₋₀₁₁₇	-1926 ⁺⁴⁰⁹³ ₋₀₃₇₈	-0.829 ^{+1.768} _{-0.170}	1.172 ^{+0.093} _{-0.071}	0.0255 ^{+0.0005} _{-0.0004}	-0.02 ^{+0.10} _{-0.10}
204.01	34.4 ^{+57.2} _{-57.4}	0.60	1604 ⁺⁰⁰⁹⁸ ₋₀₀₈₇	1449 ⁺⁰⁰⁸⁹ ₋₀₀₇₉	2325 ⁺⁰²⁹⁴ ₋₄₅₂₈	1.442 ^{+0.198} _{-2.812}	0.596 ^{+0.043} _{-0.039}	0.0415 ^{+0.0008} _{-0.0007}	0.62 ^{+1.04} _{-1.01}
214.01	-68.3 ^{+127.} _{-153.}	-0.54	1612 ⁺⁰⁰⁹⁸ ₋₀₀₉₁	1457 ⁺⁰⁰⁸⁸ ₋₀₀₈₂	-2401 ⁺⁴⁷⁰⁹ ₋₀₃₃₁	-1.484 ^{+2.923} _{-0.214}	1.005 ^{+0.376} _{-0.241}	0.0422 ^{+0.0008} _{-0.0008}	-0.81 ^{+1.40} _{-1.41}
217.01	-3543.0 ⁺⁴⁶³⁴ ₋₈₂₃₂	-0.72	1607 ⁺⁰¹⁰⁰ ₋₀₀₉₂	1452 ⁺⁰⁰⁹⁰ ₋₀₀₈₃	-2274 ⁺⁴²⁹¹ ₋₀₂₅₀	-1.408 ^{+2.657} _{-0.170}	9.656 ^{+3.992} _{-3.316}	0.0479 ^{+0.0009} _{-0.0009}	-0.50 ^{+0.67} _{-0.69}
229.01	-0.3 ^{+10.2} _{-36.3}	-0.04	1708 ⁺⁰¹¹¹ ₋₀₀₉₈	1543 ⁺⁰¹⁰⁰ ₋₀₀₈₉	-2435 ⁺⁴⁴¹⁹ ₋₀₃₂₄	-1.420 ^{+2.575} _{-0.199}	0.447 ^{+0.039} _{-0.032}	0.0456 ^{+0.0009} _{-0.0008}	-0.71 ^{+0.82} _{-1.15}
254.01	-157.4 ^{+262.} _{-277.}	-0.61	962 ⁺⁰¹⁵⁵ ₋₀₁₃₃	869 ⁺⁰¹⁴⁰ ₋₀₁₂₀	-1944 ⁺³⁷⁸⁸ ₋₀₂₁₉	-1.959 ^{+3.858} _{-0.388}	0.538 ^{+0.211} _{-0.152}	0.0250 ^{+0.0035} _{-0.0032}	-1.22 ^{+1.98} _{-2.35}
356.01	59.5 ^{+27.0} _{-26.6}	2.25	1857 ⁺⁰¹⁰⁹ ₋₀₁₀₇	1678 ⁺⁰⁰⁹⁹ ₋₀₀₉₇	3044 ⁺⁰¹⁹³ ₋₀₂₄₀	1.641 ^{+0.018} _{-0.135}	0.245 ^{+0.018} _{-0.016}	0.0279 ^{+0.0005} _{-0.0005}	2.95 ^{+1.37} _{-1.29}
412.01	0.4 ^{+17.7} _{-0.40}	1.00	1612 ⁺⁰¹⁰⁴ ₋₀₀₉₂	1456 ⁺⁰⁰⁹⁴ ₋₀₀₈₃	2323 ⁺⁰²²¹ ₋₀₂₉₁	1.437 ^{+0.151} _{-0.189}	0.441 ^{+0.040} _{-0.032}	0.0502 ^{+0.0010} _{-0.0009}	0.59 ^{+0.66} _{-0.42}
421.01	-17.1 ^{+76.9} _{-79.5}	-0.22	1401 ⁺⁰⁰⁸⁷ ₋₀₀₇₇	1266 ⁺⁰⁰⁷⁸ ₋₀₀₇₀	-1956 ⁺⁴¹⁵³ ₋₀₃₈₉	-1.388 ^{+2.959} _{-0.287}	0.913 ^{+0.060} _{-0.056}	0.0508 ^{+0.0010} _{-0.0009}	-0.22 ^{+0.88} _{-0.94}
433.01	0.2 ^{+15.1} _{-0.31}	0.74	1471 ⁺⁰⁰⁸⁹ ₋₀₀₇₈	1329 ⁺⁰⁰⁸¹ ₋₀₀₇₁	2202 ⁺⁰²⁰⁴ ₋₀₂₇₂	1.496 ^{+0.145} _{-0.192}	0.392 ^{+0.032} _{-0.026}	0.0477 ^{+0.0009} _{-0.0008}	0.55 ^{+0.60} _{-0.40}
611.01	48.9 ^{+45.3} _{-200.}	0.28	2079 ⁺⁰¹⁴⁰ ₋₀₁₃₂	1878 ⁺⁰¹²⁷ ₋₀₁₂₀	2295 ⁺⁰⁴⁷⁹ ₋₄₈₇₀	1.094 ^{+0.246} _{-2.335}	2.128 ^{+1.279} _{-0.664}	0.0450 ^{+0.0009} _{-0.0009}	0.19 ^{+0.59} _{-0.69}
667.01	1.6 ^{+200.} _{-15.2}	0.11	912 ⁺⁰¹²⁴ ₋₀₁₂₆	824 ⁺⁰¹¹² ₋₀₁₁₄	2283 ⁺⁰²³⁴ ₋₀₃₅₉	2.488 ^{+0.395} _{-0.447}	0.350 ^{+0.098} _{-0.099}	0.0411 ^{+0.0032} _{-0.0051}	6.60 ^{+8.97} _{-5.29}
684.01	79.6 ^{+48.8} _{-48.6}	1.63	1512 ⁺⁰⁰⁹¹ ₋₀₀₈₆	1366 ⁺⁰⁰⁸² ₋₀₀₇₈	3472 ⁺⁰³⁰⁸ ₋₀₄₆₃	2.298 ^{+0.206} _{-0.313}	0.209 ^{+0.018} _{-0.016}	0.0482 ^{+0.0009} _{-0.0009}	15.70 ^{+9.92} _{-9.64}
760.01	25.9 ^{+90.5} _{-91.0}	0.28	1670 ⁺⁰¹¹² ₋₀₁₀₄	1509 ⁺⁰¹⁰¹ ₋₀₀₉₄	2214 ⁺⁰⁴¹⁴ ₋₄₆₃₉	1.314 ^{+0.266} _{-2.761}	1.047 ^{+0.092} _{-0.079}	0.0583 ^{+0.0011} _{-0.0011}	0.33 ^{+1.07} _{-1.04}
767.01	95.4 ^{+71.2} _{-70.7}	1.35	1758 ⁺⁰¹⁰³ ₋₀₁₀₁	1589 ⁺⁰¹⁰⁹ ₋₀₀₉₂	2353 ⁺⁰¹⁷¹ ₋₀₃₃₇	1.334 ^{+0.161} _{-0.193}	1.047 ^{+0.067} _{-0.065}	0.0383 ^{+0.0007} _{-0.0007}	0.47 ^{+0.36} _{-0.35}
801.01	105.4 ^{+60.8} _{-66.4}	1.58	2135 ⁺⁰¹²⁹ ₋₀₁₂₂	1930 ⁺⁰¹¹⁷ ₋₀₁₁₀	2622 ⁺⁰¹⁸⁶ ₋₀₃₁₈	1.225 ^{+0.097} _{-0.156}	0.711 ^{+0.055} _{-0.048}	0.0267 ^{+0.0005} _{-0.0005}	0.53 ^{+0.34} _{-0.35}
809.01	119.6 ^{+83.3} _{-82.9}	1.45	2290 ⁺⁰¹⁵⁰ ₋₀₁₃₂	2069 ⁺⁰¹³⁵ ₋₀₁₂₀	2514 ⁺⁰¹⁸² ₋₀₃₂₃	1.093 ^{+0.095} _{-0.146}	1.069 ^{+0.087} _{-0.072}	0.0268 ^{+0.0005} _{-0.0005}	0.28 ^{+0.20} _{-0.19}
813.01	-97.2 ^{+144.} _{-136.}	-0.67	1543 ⁺⁰⁰⁹² ₋₀₀₈₇	1394 ⁺⁰⁰⁸³ ₋₀₀₇₉	-2541 ⁺⁴⁹²⁶ ₋₀₃₄₀	-1.647 ^{+3.190} _{-0.227}	0.698 ^{+0.055} _{-0.046}	0.0472 ^{+0.0008} _{-0.0009}	-1.56 ^{+2.46} _{-2.41}
830.01	24.5 ^{+56.3} _{-49.5}	0.50	1403 ⁺⁰⁰⁸⁷ ₋₀₀₈₇	1268 ⁺⁰⁰⁷⁹ ₋₀₀₇₉	1936 ⁺⁰²³⁵ ₋₃₈₃₉	1.379 ^{+0.055} _{-0.238}	0.946 ^{+0.061} _{-0.061}	0.0424 ^{+0.0009} _{-0.0009}	0.21 ^{+0.40} _{-0.38}
838.01	-380.4 ^{+319.} ₋₁₁₁₁	-1.30	1632 ⁺⁰¹⁰⁷ ₋₀₀₉₈	1475 ⁺⁰⁰⁹⁶ ₋₀₀₈₈	-2783 ⁺⁰⁴³⁶ ₋₀₂₃₅	-1.700 ^{+0.276} _{-0.161}	1.656 ^{+0.921} _{-0.957}	0.0570 ^{+0.0011} _{-0.0011}	-2.40 ^{+1.77} _{-1.93}

Table 3
Derived System Parameters and Associated 1σ Uncertainties

840.01	-38.0 ^{+84.0} _{-80.7}	-0.45	1473 ⁺⁰⁰⁸⁸ ₋₀₀₉₂	1331 ⁺⁰⁰⁷⁹ ₋₀₀₈₃	-2112 ⁺⁴³⁰⁰ ₋₀₃₀₅	-1.428 ^{+2.911} _{-0.227}	0.695 ^{+0.050} _{-0.053}	0.0384 ^{+0.0007} _{-0.0008}	-0.39 ^{+0.93} _{-0.91}
843.01	83.6 ^{+67.3} _{-61.6}	1.36	1713 ⁺⁰¹⁰⁸ ₋₀₁₀₄	1548 ⁺⁰⁰⁹⁸ ₋₀₀₉₄	3027 ⁺⁰²⁷⁷ ₋₀₄₇₈	1.762 ^{+0.178} _{-0.285}	0.487 ^{+0.057} _{-0.052}	0.0516 ^{+0.0009} _{-0.0010}	3.63 ^{+2.97} _{-2.60}
897.01	106.6 ^{+88.8} _{-91.0}	1.17	2137 ⁺⁰¹²⁸ ₋₀₁₂₈	1931 ⁺⁰¹¹⁶ ₋₀₁₁₆	2474 ⁺⁰²¹³ ₋₀₄₈₈	1.152 ^{+0.114} _{-0.236}	1.098 ^{+0.093} _{-0.076}	0.0319 ^{+0.0006} _{-0.0006}	0.32 ^{+0.29} _{-0.28}
908.01	145.4 ^{+85.1} _{-78.8}	1.83	1463 ⁺⁰⁰⁸⁷ ₋₀₀₈₄	1322 ⁺⁰⁰⁷⁹ ₋₀₀₇₆	2727 ⁺⁰¹⁸¹ ₋₀₂₆₃	1.862 ^{+0.138} _{-0.189}	0.689 ^{+0.050} _{-0.045}	0.0537 ^{+0.0010} _{-0.0010}	3.29 ^{+1.90} _{-1.80}
913.01	23.4 ^{+56.7} _{-61.1}	0.39	1566 ⁺⁰⁰⁹⁵ ₋₀₀₉₀	1415 ⁺⁰⁰⁸⁶ ₋₀₀₈₂	2040 ⁺⁰³³¹ ₋₄₂₁₉	1.297 ^{+0.224} _{-2.686}	0.955 ^{+0.065} _{-0.058}	0.0492 ^{+0.0009} _{-0.0009}	0.21 ^{+0.59} _{-0.58}
1176.01	-33.2 ^{+81.8} _{-107.8}	-0.41	1533 ⁺⁰¹¹⁰ ₋₀₁₃₇	1385 ⁺⁰⁰⁹⁹ ₋₀₁₂₄	-1897 ⁺³⁸⁸⁴ ₋₀₂₇₂	-1.235 ^{+2.538} _{-0.201}	0.829 ^{+0.071} _{-0.105}	0.0278 ^{+0.0006} _{-0.0010}	-0.13 ^{+0.33} _{-0.33}
1419.01	44.1 ^{+107.9} _{-90.3}	0.48	2552 ⁺⁰¹⁷⁶ ₋₀₁₉₉	2306 ⁺⁰¹⁵⁹ ₋₀₁₄₉	2882 ⁺⁰⁴⁷⁵ ₋₅₆₅₀	1.125 ^{+0.197} _{-2.205}	0.483 ^{+0.068} _{-0.057}	0.0242 ^{+0.0015} _{-0.0005}	0.52 ^{+0.98} _{-0.90}
1459.01	182.6 ^{+87.9} _{-83.6}	2.16	1588 ⁺⁰²³¹ ₋₀₂₂₅	1435 ⁺⁰²⁰⁹ ₋₀₂₀₃	2458 ⁺⁰¹⁵² ₋₀₁₈₉	1.542 ^{+0.209} _{-0.186}	0.248 ^{+0.079} _{-0.074}	0.0117 ^{+0.0011} _{-0.0016}	1.37 ^{+1.04} _{-0.69}
1541.01	1755.3 ^{+320.6} _{-336.6}	5.42	2337 ⁺⁰¹⁶² ₋₀₁₅₁	2112 ⁺⁰¹⁴⁷ ₋₀₁₃₆	3411 ⁺⁰¹¹⁸ ₋₀₁₂₃	1.459 ^{+0.080} _{-0.080}	1.945 ^{+0.186} _{-0.162}	0.0367 ^{+0.0008} _{-0.0007}	2.35 ^{+0.56} _{-0.51}
1543.01	646.7 ^{+604.7} _{-578.8}	1.12	1763 ⁺⁰¹¹⁴ ₋₀₁₀₈	1593 ⁺⁰¹⁰³ ₋₀₀₉₇	2996 ⁺⁰³⁰⁷ ₋₀₇₈₂	1.696 ^{+0.184} _{-0.458}	1.405 ^{+0.121} _{-0.105}	0.0499 ^{+0.0009} _{-0.0009}	3.05 ^{+2.75} _{-2.78}

PDC Light Curve with Eccentricity Free and Stellar Parameters from the KIC

2.01	41.1 ^{+9.23} _{-8.67}	9.03	2702 ⁺⁰⁷⁵⁹ ₋₀₅₉₇	2441 ⁺⁰⁶⁸⁶ ₋₀₅₄₀	2842 ⁺⁰⁰⁶² ₋₀₀₆₃	1.052 ^{+0.294} _{-0.232}	1.022 ^{+0.956} _{-0.497}	0.0367 ^{+0.0132} _{-0.0097}	0.37 ^{+0.63} _{-0.24}
5.01	16.9 ^{+30.4} _{-16.8}	0.76	2139 ⁺⁰⁵⁹⁷ ₋₀₄₅₅	1932 ⁺⁰⁵³⁹ ₋₀₄₁₁	2760 ⁺⁰³³² ₋₀₈₅₈	1.225 ^{+0.436} _{-0.556}	0.622 ^{+0.556} _{-0.303}	0.0586 ^{+0.0205} _{-0.0154}	0.62 ^{+1.96} _{-0.60}
10.01	-85.6 ^{+58.5} _{-52.1}	1.20	1993 ⁺⁰⁵⁴⁶ ₋₀₄₂₀	1801 ⁺⁰⁴⁹³ ₋₀₃₈₀	2445 ⁺⁰²¹¹ ₋₀₃₇₄	1.181 ^{+0.375} _{-0.470}	0.990 ^{+0.906} _{-0.470}	0.0471 ^{+0.0172} _{-0.0124}	0.33 ^{+0.82} _{-0.27}
13.01	82.4 ^{+6.86} _{-7.79}	16.39	5069 ⁺¹⁴¹⁴ ₋₁₁₃₅	4580 ⁺¹²⁷⁸ ₋₁₀₂₅	3750 ⁺⁰⁰⁵⁴ ₋₀₀₅₆	0.740 ^{+0.212} _{-0.161}	1.606 ^{+1.520} _{-0.777}	0.0348 ^{+0.0127} _{-0.0092}	0.23 ^{+0.40} _{-0.14}
18.01	-118.8 ^{+75.4} _{-45.6}	1.01	1827 ⁺⁰⁵¹⁴ ₋₀₃₉₈	1651 ⁺⁰⁴⁶⁴ ₋₀₃₆₀	2518 ⁺⁰²⁵⁴ ₋₀₃₆₁	1.339 ^{+0.431} _{-0.367}	0.738 ^{+0.692} _{-0.352}	0.0446 ^{+0.0158} _{-0.0118}	0.61 ^{+1.59} _{-0.50}
64.01	16.6 ^{+37.5} _{-39.1}	1.46	2711 ⁺⁰⁷⁴⁸ ₋₀₆₀₅	2449 ⁺⁰⁶⁷⁶ ₋₀₅₄₇	2553 ⁺⁰¹⁸⁷ ₋₀₃₃₄	0.909 ^{+0.288} _{-0.250}	0.846 ^{+0.775} _{-0.410}	0.0324 ^{+0.0115} _{-0.0084}	0.14 ^{+0.34} _{-0.12}
97.01	62.3 ^{+19.7} _{-18.7}	4.22	1899 ⁺⁰⁵²⁷ ₋₀₄₀₉	1716 ⁺⁰⁴⁷⁶ ₋₀₃₇₀	2556 ⁺⁰⁰⁸⁴ ₋₀₀₉₅	1.342 ^{+0.366} _{-0.294}	1.038 ^{+0.946} _{-0.500}	0.0579 ^{+0.0214} _{-0.0152}	0.66 ^{+1.10} _{-0.42}
102.01	25.2 ^{+12.8} _{-14.1}	2.11	3325 ⁺⁰⁹⁵⁷ ₋₀₇₂₆	3005 ⁺⁰⁸⁶⁵ ₋₀₆₅₆	2995 ⁺⁰¹⁷⁴ ₋₀₂₅₂	0.886 ^{+0.254} _{-0.212}	0.625 ^{+0.584} _{-0.304}	0.0302 ^{+0.0109} _{-0.0079}	0.21 ^{+0.42} _{-0.15}
144.01	-4.9 ^{+82.7} _{-92.6}	1.74	1865 ⁺⁰⁵¹⁷ ₋₀₄₀₉	1685 ⁺⁰⁴⁶⁷ ₋₀₃₆₉	3049 ⁺⁰²⁴⁷ ₋₀₃₄₀	1.601 ^{+0.474} _{-0.396}	0.608 ^{+0.540} _{-0.290}	0.0524 ^{+0.0185} _{-0.0134}	2.77 ^{+5.82} _{-2.03}
186.01	-49.7 ^{+92.0} _{-79.0}	-0.80	1793 ⁺⁰⁴⁸⁶ ₋₀₃₈₇	1620 ⁺⁰⁴³⁹ ₋₀₃₅₀	-2266 ⁺⁴²⁷⁵ ₋₀₂₃₈	-1.168 ^{+2.187} _{-0.421}	1.080 ^{+0.995} _{-0.506}	0.0438 ^{+0.0157} _{-0.0116}	-0.23 ^{+0.31} _{-0.76}
188.01	66.5 ^{+53.2} _{-61.3}	1.67	1332 ⁺⁰³⁶⁵ ₋₀₂₈₇	1204 ⁺⁰³³⁰ ₋₀₂₆₀	2265 ⁺⁰¹⁴⁰ ₋₀₂₂₁	1.663 ^{+0.484} _{-0.417}	0.771 ^{+0.710} _{-0.367}	0.0459 ^{+0.0165} _{-0.0123}	0.94 ^{+2.00} _{-0.71}
195.01	103.0 ^{+66.0} _{-65.8}	2.10	1799 ⁺⁰⁵⁰⁴ ₋₀₃₉₉	1626 ⁺⁰⁴⁵⁶ ₋₀₃₆₁	2477 ⁺⁰¹³⁵ ₋₀₁₈₅	1.360 ^{+0.398} _{-0.316}	1.117 ^{+0.995} _{-0.542}	0.0435 ^{+0.0155} _{-0.0116}	0.60 ^{+1.24} _{-0.42}
196.01	82.1 ^{+33.9} _{-31.2}	3.76	2132 ⁺⁰⁵⁴² ₋₀₄₆₃	1927 ⁺⁰⁴¹⁹ ₋₀₄₁₉	2490 ⁺⁰⁰⁹⁴ ₋₀₁₀₃	1.162 ^{+0.327} _{-0.251}	0.951 ^{+0.857} _{-0.456}	0.0298 ^{+0.0108} _{-0.0079}	0.34 ^{+0.59} _{-0.22}
199.01	60.0 ^{+40.2} _{-64.9}	1.00	1871 ⁺⁰⁵²³ ₋₀₄₀₆	1690 ⁺⁰⁴⁷² ₋₀₃₆₇	2432 ⁺⁰²¹⁶ ₋₄₄₈₀	1.209 ^{+0.429} _{-2.181}	0.828 ^{+0.763} _{-0.400}	0.0442 ^{+0.0159} _{-0.0117}	0.36 ^{+1.08} _{-0.43}
201.01	-123.5 ^{+53.4} _{-47.4}	-1.23	1638 ⁺⁰⁴⁵² ₋₀₃₅₁	1480 ⁺⁰⁴⁰⁸ ₋₀₃₁₈	-2451 ⁺⁰⁴³⁶ ₋₀₁₉₇	-1.427 ^{+0.462} _{-0.467}	0.787 ^{+0.734} _{-0.372}	0.0518 ^{+0.0191} _{-0.0135}	-0.72 ^{+0.63} _{-1.87}
202.01	67.9 ^{+34.3} _{-34.8}	2.88	2416 ⁺⁰⁶⁸⁸ ₋₀₅₂₉	2183 ⁺⁰⁶²² ₋₀₄₇₈	2537 ⁺⁰¹⁰⁶ ₋₀₁₃₂	1.042 ^{+0.295} _{-0.231}	1.072 ^{+1.018} _{-0.512}	0.0290 ^{+0.0104} _{-0.0078}	0.23 ^{+0.42} _{-0.15}
204.01	-100.6 ^{+47.0} _{-49.2}	-1.13	1706 ⁺⁰⁴⁷⁶ ₋₀₃₆₇	1542 ⁺⁰⁴³⁰ ₋₀₃₃₁	-2353 ⁺⁰⁴⁰⁷ ₋₀₁₉₇	-1.325 ^{+0.442} _{-0.422}	0.779 ^{+0.724} _{-0.374}	0.0431 ^{+0.0154} _{-0.0117}	-0.46 ^{+0.40} _{-1.16}
229.01	114.2 ^{+53.8} _{-54.5}	1.57	1872 ⁺⁰⁵²⁴ ₋₀₄₀₈	1691 ⁺⁰⁴⁷⁴ ₋₀₃₆₈	2930 ⁺⁰²²⁴ ₋₀₃₇₄	1.517 ^{+0.466} _{-0.400}	0.563 ^{+0.524} _{-0.266}	0.0468 ^{+0.0168} _{-0.0124}	1.74 ^{+3.95} _{-1.33}
356.01	39.1 ^{+26.7} _{-33.3}	1.30	2565 ⁺⁰⁷¹⁶ ₋₀₅₇₃	2318 ⁺⁰⁶⁴⁷ ₋₀₅₁₇	2727 ⁺⁰²²⁵ ₋₀₄₉₉	1.017 ^{+0.334} _{-0.323}	0.580 ^{+0.555} _{-0.282}	0.0304 ^{+0.0110} _{-0.0080}	0.29 ^{+0.74} _{-0.25}
412.01	21.5 ^{+72.5} _{-78.0}	0.98	1879 ⁺⁰⁵²³ ₋₀₄₁₄	1698 ⁺⁰⁴⁷³ ₋₀₃₇₄	2715 ⁺⁰²⁸⁵ ₋₄₆₀₃	1.357 ^{+0.485} _{-2.176}	0.739 ^{+0.672} _{-0.361}	0.0520 ^{+0.0188} _{-0.0136}	0.90 ^{+2.75} _{-0.92}
421.01	-134.5 ^{+119.9} _{-104.2}	-1.59	1652 ⁺⁰⁴⁶³ ₋₀₃₆₁	1493 ⁺⁰⁴¹⁹ ₋₀₃₂₆	-2412 ⁺⁰²⁶⁰ ₋₀₁₅₇	-1.422 ^{+0.382} _{-0.431}	1.382 ^{+1.297} _{-0.668}	0.0534 ^{+0.0192} _{-0.0141}	-0.67 ^{+0.52} _{-1.47}
433.01	92.6 ^{+38.1} _{-123.2}	1.29	1666 ⁺⁰⁴⁵⁹ ₋₀₃₆₉	1505 ⁺⁰⁴¹⁵ ₋₀₃₃₃	3343 ⁺⁰³⁹⁴ ₋₀₅₂₁	1.954 ^{+0.648} _{-0.527}	0.573 ^{+0.511} _{-0.279}	0.0493 ^{+0.0176} _{-0.0129}	7.25 ^{+19.31} _{-5.69}
611.01	105.7 ^{+52.3} _{-53.3}	1.97	1912 ⁺⁰⁵²⁴ ₋₀₄₁₂	1728 ⁺⁰⁴⁷⁴ ₋₀₃₇₃	2820 ⁺⁰¹⁷⁵ ₋₀₂₄₄	1.450 ^{+0.418} _{-0.335}	0.746 ^{+0.658} _{-0.362}	0.0444 ^{+0.0157} _{-0.0116}	1.26 ^{+2.53} _{-0.88}
684.01	72.1 ^{+38.8} _{-43.5}	1.44	2180 ⁺⁰⁵⁹³ ₋₀₄₆₉	1970 ⁺⁰⁵³⁵ ₋₀₄₂₄	3095 ⁺⁰²⁷⁷ ₋₀₄₃₄	1.382 ^{+0.432} _{-0.384}	0.871 ^{+0.903} _{-0.432}	0.0523 ^{+0.0186} _{-0.0138}	1.48 ^{+3.49} _{-1.17}
760.01	10.6 ^{+118.6} _{-83.6}	0.27	1522 ⁺⁰⁴³⁶ ₋₀₃₂₉	1375 ⁺⁰³⁹⁴ ₋₀₂₉₇	2307 ⁺⁰³⁸⁸ ₋₄₆₈₇	1.339 ^{+0.624} _{-2.895}	0.883 ^{+0.842} _{-0.424}	0.0580 ^{+0.0209} _{-0.0152}	0.48 ^{+2.71} _{-1.30}
801.01	158.2 ^{+66.5} _{-63.4}	1.46	2343 ⁺⁰⁵⁰⁶ ₋₀₅₀₆	2117 ⁺⁰⁴⁵⁸ ₋₀₄₅₈	2578 ⁺⁰¹⁸⁶ ₋₀₃₅₆	1.057 ^{+0.359} _{-0.300}	0.913 ^{+0.850} _{-0.431}	0.0274 ^{+0.0099} _{-0.0073}	0.27 ^{+0.61} _{-0.22}
809.01	-338.7 ^{+105.9} _{-111.1}	-2.62	2328 ⁺⁰⁶³⁴ ₋₀₅₁₀	2103 ⁺⁰⁵⁷² ₋₀₄₆₁	-2734 ⁺⁰¹⁷⁰ ₋₀₁₄₂	-1.166 ^{+0.260} _{-0.334}	1.183 ^{+1.089} _{-0.558}	0.0272 ^{+0.0095} _{-0.0071}	-0.48 ^{+0.32} _{-0.92}
813.01	-201.4 ^{+146.6} _{-125.9}	-1.08	1397 ⁺⁰³⁸¹ ₋₀₃₀₄	1262 ⁺⁰³⁴⁴ ₋₀₂₇₅	-2653 ⁺⁴⁷¹² ₋₀₂₄₇	-1.782 ^{+3.057} _{-0.607}	0.615 ^{+0.567} _{-0.290}	0.0477 ^{+0.0170} _{-0.0126}	-2.43 ^{+2.66} _{-6.93}
830.01	59.6 ^{+133.3} _{-144.4}	1.19	1187 ⁺⁰³³² ₋₀₂₅₈	1072 ⁺⁰³⁰⁰ ₋₀₂₃₃	2243 ⁺⁰¹⁷⁰ ₋₀₅₄₅	1.791 ^{+0.584} _{-0.731}	0.722 ^{+0.655} _{-0.342}	0.0420 ^{+0.0148} _{-0.0111}	1.26 ^{+3.35} _{-1.20}
838.01	22.4 ^{+221.1} _{-220.9}	0.13	1639 ⁺⁰⁴⁶⁰ ₋₀₃₂₅	1481 ⁺⁰⁴¹⁶ ₋₀₃₂₅	1804 ⁺⁰²²¹ ₋₃₅₅₆	0.989 ^{+0.407} _{-2.020}	1.219 ^{+1.228} _{-0.615}	0.0571 ^{+0.0206} _{-0.0147}	0.04 ^{+0.17} _{-0.07}
840.01	-115.8 ^{+154.7} _{-132.7}	-0.93	1699 ⁺⁰⁴⁷² ₋₀₃₆₄	1535 ⁺⁰⁴²⁶ ₋₀₃₂₉	-2317 ⁺⁴¹⁰⁰ ₋₀₂₂₀	-1.281 ^{+2.168} _{-0.439}	1.067 ^{+0.995} _{-0.502}	0.0402 ^{+0.0142} _{-0.0104}	-0.39 ^{+0.42} _{-1.18}
843.01	-47.2 ^{+27.8} _{-38.0}	-0.24	1811 ⁺⁰⁴⁹¹ ₋₀₃₉₇	1637 ⁺⁰⁴⁴⁴ ₋₀₃₅₉	-2406 ⁺³⁹²⁶ ₋₀₂₉₃	-1.265 ^{+1.945} _{-0.443}	0.598 ^{+0.539} _{-0.284}	0.0524 ^{+0.0188} _{-0.0138}	-0.42 ^{+0.42} _{-1.35}
897.01	-31.5 ^{+112.7} _{-94.2}	1.11	2181 ⁺⁰⁶⁰⁹ ₋₀₄₇₄	1970 ⁺⁰⁵⁵¹ ₋₀₄₂₈	2455 ⁺⁰²²¹ ₋₀₄₈₃	1.073 ^{+0.359} _{-0.366}	1.154 ^{+1.073} _{-0.550}	0.0323 ^{+0.0117} _{-0.0087}	0.23 ^{+0.64} _{-0.21}
908.01	93.8 ^{+62.7} _{-87.9}	1.00	1762 ⁺⁰⁵⁰⁰ ₋₀₃₈₀	1592 ⁺⁰⁴⁵² ₋₀₃₄₃	2462 ⁺⁰²¹⁹ ₋₄₃₂₇	1.312 ^{+0.450} _{-2.188}	1.094 ^{+1.033} _{-0.523}	0.0565 ^{+0.0204} _{-0.0150}	0.53 ^{+1.54} _{-0.57}
913.01	103.9 ^{+88.0} _{-114.4}	1.16	1388 ⁺⁰³⁸⁹ ₋₀₂₉₉	1254 ⁺⁰³⁵² ₋₀₂₇₁	2292 ⁺⁰¹⁸² ₋₀₅₁₂	1.572 ^{+0.521} _{-0.621}	0.852 ^{+0.795} _{-0.411}	0.0494 ^{+0.0183} _{-0.0133}	0.78 ^{+2.11} _{-0.74}
931.01	-65.0 ^{+83.4} _{-65.5}	1.06	1460 ⁺⁰⁴⁰⁵ ₋₀₃₁₄	1320 ⁺⁰³⁶⁶ ₋₀₂₈₃	2357 ⁺⁰²¹² ₋₀₃₈₄	1.546 ^{+0.505} _{-0.468}	0.822 ^{+0.744} _{-0.398}	0.0484 ^{+0.0175} _{-0.0130}	0.82 ^{+2.22} _{-0.70}
961.02	13.3 ^{+118.6} _{-83.6}	0.10	2358 ⁺⁰⁶⁷⁴ ₋₀₅₀₇	2131 ⁺⁰⁶⁰⁹ ₋₀₄₅₉	2223 ⁺⁰⁴²³ ₋₄₅₆₈	0.837 ^{+0.389} _{-1.838}	0.339 ^{+0.320} _{-0.162}	0.0098 ^{+0.0034} _{-0.0026}	0.08 ^{+0.51} _{-0.25}
961.03	-0.1 ^{+65.9} _{-41.5}	0.00	1478 ⁺⁰⁴¹² ₋₀₃₂₇	1336 ⁺⁰³⁷² ₋₀₂₉₅	1629 ⁺⁰²⁷⁹ ₋₃₄₁₈	0.941 ^{+0.493} _{-2.185}	1.617 ^{+2.612} _{-1.093}	0.0254 ^{+0.0292} _{-0.0067}	0.02 ^{+0.18} _{-0.11}
1419.01	54.9 ^{+52.7} _{-53.4}	1.66	2572 ⁺⁰⁷⁰⁶ ₋₀₅₆₄	2324 ⁺⁰⁶³⁸ ₋₀₅₁₀	3007 ⁺⁰²³⁵ ₋₀₃₅₁	1.143 ^{+0.344} _{-0.291}	0.696 ^{+0.646} _{-0.340}	0.0244 ^{+0.0087} _{-0.0065}	0.61 ^{+1.32} _{-0.46}
1459.01	843.8 ^{+166.6} _{-199.9}	1.74	2189 ⁺⁰⁶²² ₋₀₄₇₀	1978 ⁺⁰⁵⁶² ₋₀₄₂₄	2345 ⁺⁰¹⁷² ₋₀₂₂₃	1.052 ^{+0.310} _{-0.263}	0.972 ^{+1.042} _{-0.494}	0.0132 ^{+0.0048} _{-0.0035}	0.23 ^{+0.50} _{-0.17}

Table 3
Derived System Parameters and Associated 1σ Uncertainties

97.01	62.3 ^{+19.7} _{-18.7}	4.22	1710 ⁺⁰¹¹⁸ ₋₀₁₀₅	1545 ⁺⁰¹⁰⁷ ₋₀₀₉₅	2555 ⁺⁰⁰⁸⁸ ₋₀₀₉₄	1.493 ^{+0.085} _{-0.086}	0.837 ^{+0.077} _{-0.063}	0.0580 ^{+0.0012} _{-0.0011}	1.02 ^{+0.29} _{-0.27}
102.01	25.2 ^{+12.8} _{-14.1}	2.11	2394 ⁺⁰¹⁶⁵ ₋₀₁₄₇	2163 ⁺⁰¹⁴⁹ ₋₀₁₃₂	2997 ⁺⁰¹⁷⁴ ₋₀₂₅₉	1.247 ^{+0.090} _{-0.118}	0.310 ^{+0.032} _{-0.027}	0.0290 ^{+0.0006} _{-0.0006}	0.88 ^{+0.41} _{-0.42}
144.01	-4.9 ^{+82.7} _{-92.6}	1.74	1244 ⁺⁰⁰⁸⁴ ₋₀₀₈₃	1124 ⁺⁰⁰⁷⁶ ₋₀₀₇₅	3042 ⁺⁰²⁵¹ ₋₀₃₄₂	2.459 ^{+0.206} _{-0.289}	0.240 ^{+0.017} _{-0.019}	0.0465 ^{+0.0010} _{-0.0011}	15.80 ^{+10.17} _{-9.16}
186.01	-49.7 ^{+92.0} _{-79.0}	-0.80	1888 ⁺⁰¹²⁵ ₋₀₁₁₆	1706 ⁺⁰¹¹³ ₋₀₁₀₅	-2257 ⁺⁴²⁷³ ₋₀₂₃₉	-1.190 ^{+2.251} _{-0.143}	1.200 ^{+0.100} _{-0.089}	0.0436 ^{+0.0008} _{-0.0008}	-0.25 ^{+0.33} _{-0.33}
188.01	66.5 ^{+53.2} _{-61.3}	1.67	1438 ⁺⁰⁰⁸⁴ ₋₀₀₈₂	1299 ⁺⁰⁰⁷⁶ ₋₀₀₇₄	2265 ⁺⁰¹⁴⁰ ₋₀₂₂₀	1.572 ^{+0.114} _{-0.160}	0.891 ^{+0.051} _{-0.050}	0.0453 ^{+0.0008} _{-0.0009}	0.80 ^{+0.49} _{-0.48}
195.01	103.0 ^{+66.0} _{-65.8}	2.10	1766 ⁺⁰¹¹⁵ ₋₀₁₀₀	1596 ⁺⁰¹⁰⁴ ₋₀₀₉₀	2481 ⁺⁰¹³⁶ ₋₀₁₈₅	1.399 ^{+0.098} _{-0.118}	1.047 ^{+0.081} _{-0.063}	0.0425 ^{+0.0008} _{-0.0008}	0.71 ^{+0.37} _{-0.34}
196.01	82.1 ^{+33.9} _{-31.2}	3.76	2109 ⁺⁰¹³³ ₋₀₁₂₀	1906 ⁺⁰¹²⁷ ₋₀₁₀₈	2490 ⁺⁰⁵⁹³ ₋₀₁₀₂	1.179 ^{+0.063} _{-0.065}	0.917 ^{+0.078} _{-0.056}	0.0294 ^{+0.0005} _{-0.0005}	0.36 ^{+0.11} _{-0.10}
199.01	60.0 ^{+40.2} _{-64.9}	1.00	2140 ⁺⁰¹⁵¹ ₋₀₁₄₀	1933 ⁺⁰¹³⁷ ₋₀₁₂₆	2431 ⁺⁰²²⁰ ₋₄₄₄₉	1.126 ^{+0.130} _{-2.056}	1.112 ^{+0.108} _{-0.096}	0.0456 ^{+0.0010} _{-0.0009}	0.28 ^{+0.29} _{-0.32}
201.01	-123.5 ^{+53.4} _{-47.4}	-1.23	1559 ⁺⁰⁰⁹⁶ ₋₀₀₈₇	1409 ⁺⁰⁰⁸⁷ ₋₀₀₇₉	-2452 ⁺⁰⁴⁵⁸ ₋₀₁₉₆	-1.567 ^{+0.299} _{-0.143}	0.700 ^{+0.050} _{-0.043}	0.0504 ^{+0.0009} _{-0.0009}	-1.09 ^{+0.93} _{-0.88}
202.01	67.9 ^{+34.3} _{-34.8}	2.88	2398 ⁺⁰¹⁵⁹ ₋₀₁₃₂	2167 ⁺⁰¹⁴⁴ ₋₀₁₃₅	2539 ⁺⁰¹⁰⁷ ₋₀₁₃₅	1.056 ^{+0.067} _{-0.071}	1.052 ^{+0.092} _{-0.078}	0.0288 ^{+0.0006} _{-0.0006}	0.25 ^{+0.10} _{-0.09}
204.01	-100.6 ^{+47.0} _{-49.2}	-1.13	1603 ⁺⁰⁰⁹⁹ ₋₀₀₈₇	1449 ⁺⁰⁰⁹⁰ ₋₀₀₇₉	-2351 ⁺⁰²⁹² ₋₀₂₀₂	-1.463 ^{+0.288} _{-0.138}	0.666 ^{+0.045} _{-0.039}	0.0415 ^{+0.0008} _{-0.0007}	-0.69 ^{+0.60} _{-0.66}
229.01	114.2 ^{+53.8} _{-54.5}	1.57	1708 ⁺⁰¹⁰⁶ ₋₀₀₉₇	1544 ⁺⁰⁰⁹⁶ ₋₀₀₈₈	2927 ⁺⁰²²⁵ ₋₀₃₈₀	1.709 ^{+0.144} _{-0.231}	0.457 ^{+0.035} _{-0.029}	0.0456 ^{+0.0008} _{-0.0008}	2.94 ^{+1.88} _{-1.92}
356.01	39.1 ^{+26.7} _{-33.3}	1.30	1856 ⁺⁰¹¹⁰ ₋₀₁₀₆	1677 ⁺⁰⁰⁹⁹ ₋₀₀₉₆	2731 ⁺⁰²²⁴ ₋₀₅₁₇	1.469 ^{+0.130} _{-0.279}	0.278 ^{+0.029} _{-0.025}	0.0279 ^{+0.0005} _{-0.0005}	1.33 ^{+0.99} _{-1.10}
412.01	21.5 ^{+72.5} _{-78.0}	0.98	1614 ⁺⁰¹⁰³ ₋₀₀₉₀	1458 ⁺⁰⁰⁹³ ₋₀₀₈₁	2715 ⁺⁰²⁸⁰ ₋₄₂₉₈	1.675 ^{+0.188} _{-2.628}	0.522 ^{+0.044} _{-0.034}	0.0503 ^{+0.0009} _{-0.0009}	2.12 ^{+2.16} _{-2.13}
421.01	-134.5 ^{+119.} _{-104.}	-1.59	1400 ⁺⁰⁰⁸⁵ ₋₀₀₇₈	1265 ⁺⁰⁰⁷⁷ ₋₀₀₇₀	-2410 ⁺⁰²⁵⁸ ₋₀₁₅₇	-1.717 ^{+0.193} _{-0.124}	0.942 ^{+0.061} _{-0.053}	0.0508 ^{+0.0010} _{-0.0009}	-1.48 ^{+0.93} _{-0.92}
433.01	92.6 ^{+38.1} _{-123.}	1.29	1471 ⁺⁰⁰⁹⁹ ₋₀₀₈₀	1329 ⁺⁰⁰⁸¹ ₋₀₀₇₂	3333 ⁺⁰³⁹⁶ ₋₀₅₁₃	2.271 ^{+0.029} _{-0.356}	0.430 ^{+0.026} _{-0.025}	0.0477 ^{+0.0009} _{-0.0008}	13.67 ^{+13.38} _{-9.38}
611.01	105.7 ^{+52.3} _{-53.3}	1.97	2080 ⁺⁰¹⁴⁵ ₋₀₁₃₅	1879 ⁺⁰¹³¹ ₋₀₁₂₂	2812 ⁺⁰¹⁷⁷ ₋₀₂₅₃	1.346 ^{+0.113} _{-0.135}	0.887 ^{+0.106} _{-0.090}	0.0450 ^{+0.0009} _{-0.0009}	0.98 ^{+0.56} _{-0.51}
684.01	72.1 ^{+38.8} _{-43.5}	1.44	1511 ⁺⁰⁰⁹³ ₋₀₀₈₄	1365 ⁺⁰⁰⁸⁴ ₋₀₀₇₆	3098 ⁺⁰²⁷⁶ ₋₀₄₄₄	2.048 ^{+0.193} _{-0.297}	0.389 ^{+0.138} _{-0.095}	0.0482 ^{+0.0009} _{-0.0008}	7.37 ^{+5.40} _{-5.03}
760.01	10.6 ^{+118.} _{-83.6}	0.27	1671 ⁺⁰¹¹⁵ ₋₀₁₀₅	1510 ⁺⁰¹⁰⁴ ₋₀₀₉₅	2297 ⁺⁰³⁹⁹ ₋₄₆₉₃	1.364 ^{+0.254} _{-2.794}	1.058 ^{+0.095} _{-0.081}	0.0583 ^{+0.0011} _{-0.0011}	0.46 ^{+1.23} _{-1.11}
801.01	158.2 ^{+65.5} _{-63.4}	1.46	2135 ⁺⁰¹³⁴ ₋₀₁₂₅	1929 ⁺⁰¹²¹ ₋₀₁₁₃	2584 ⁺⁰¹⁷⁸ ₋₀₃₄₆	1.204 ^{+0.121} _{-0.167}	0.737 ^{+0.051} _{-0.048}	0.0267 ^{+0.0005} _{-0.0005}	0.47 ^{+0.32} _{-0.33}
809.01	-338.7 ^{+105.} _{-111.}	-2.62	2293 ⁺⁰¹⁴⁹ ₋₀₁₃₅	2072 ⁺⁰¹³⁵ ₋₀₁₂₂	-2735 ⁺⁰¹⁶⁹ ₋₀₁₃₇	-1.190 ^{+0.086} _{-0.077}	1.143 ^{+0.093} _{-0.074}	0.0268 ^{+0.0005} _{-0.0005}	-0.54 ^{+0.21} _{-0.23}
813.01	-201.4 ^{+146.} _{-125.}	-1.08	1540 ⁺⁰⁰⁹⁴ ₋₀₀₈₇	1391 ⁺⁰⁰⁸⁵ ₋₀₀₇₈	-2657 ⁺⁴⁷¹¹ ₋₀₂₄₅	-1.719 ^{+3.057} _{-0.174}	0.744 ^{+0.053} _{-0.045}	0.0472 ^{+0.0009} _{-0.0009}	-2.19 ^{+2.44} _{-2.00}
830.01	59.6 ^{+133.} _{-144.}	1.19	1403 ⁺⁰⁰⁸⁶ ₋₀₀₈₇	1268 ⁺⁰⁰⁷⁸ ₋₀₀₇₉	2244 ⁺⁰¹⁶⁹ ₋₀₆₄₈	1.596 ^{+0.142} _{-0.472}	1.016 ^{+0.060} _{-0.067}	0.0424 ^{+0.0008} _{-0.0009}	0.84 ^{+0.69} _{-0.81}
838.01	22.4 ^{+221.} _{-220.}	0.13	1633 ⁺⁰¹⁰⁶ ₋₀₀₉₈	1475 ⁺⁰⁰⁹⁶ ₋₀₀₈₇	1800 ⁺⁰²²⁷ ₋₂₅₅₉	1.092 ^{+0.155} _{-2.727}	1.198 ^{+0.376} _{-0.010}	0.0570 ^{+0.0011} _{-0.0010}	0.05 ^{+0.11} _{-0.09}
840.01	-115.8 ^{+154.} _{-132.}	-0.93	1475 ⁺⁰⁰⁸⁶ ₋₀₀₉₂	1332 ⁺⁰⁰⁷⁷ ₋₀₀₈₃	-2322 ⁺⁴⁰²² ₋₀₂₂₀	-1.575 ^{+0.047} _{-0.164}	0.773 ^{+0.047} _{-0.053}	0.0384 ^{+0.0007} _{-0.0008}	-0.92 ^{+0.97} _{-1.01}
843.01	-47.2 ^{+27.8} _{-38.0}	-0.24	1710 ⁺⁰¹¹³ ₋₀₁₀₃	1545 ⁺⁰¹⁰³ ₋₀₀₉₃	-2416 ⁺³⁸³² ₋₀₂₇₉	-1.408 ^{+2.206} _{-0.179}	0.526 ^{+0.053} _{-0.047}	0.0516 ^{+0.010} _{-0.010}	-0.66 ^{+0.66} _{-0.90}
897.01	-31.5 ^{+112.} _{-94.2}	1.11	2136 ⁺⁰¹³⁸ ₋₀₁₂₈	1930 ⁺⁰¹²⁵ ₋₀₁₁₆	2461 ⁺⁰²¹⁴ ₋₀₄₈₉	1.146 ^{+0.117} _{-0.236}	1.089 ^{+0.090} _{-0.075}	0.0319 ^{+0.0006} _{-0.0006}	0.31 ^{+0.29} _{-0.27}
908.01	93.8 ^{+62.7} _{-87.9}	1.00	1462 ⁺⁰⁰⁸⁶ ₋₀₀₈₄	1321 ⁺⁰⁰⁷⁸ ₋₀₀₇₆	2455 ⁺⁰²²⁹ ₋₄₃₂₉	1.676 ^{+0.172} _{-2.951}	0.719 ^{+0.048} _{-0.044}	0.0537 ^{+0.0010} _{-0.0010}	1.46 ^{+1.43} _{-1.58}
913.01	103.9 ^{+88.0} _{-114.}	1.16	1568 ⁺⁰⁰⁹² ₋₀₀₉₀	1417 ⁺⁰⁰⁸³ ₋₀₀₈₂	2292 ⁺⁰⁶⁸² ₋₀₆₀₀	1.457 ^{+0.130} _{-0.387}	1.077 ^{+0.066} _{-0.064}	0.0492 ^{+0.0005} _{-0.0009}	0.59 ^{+0.52} _{-0.57}
931.01	-65.0 ^{+83.4} _{-65.5}	1.06	1721 ⁺⁰¹¹² ₋₀₁₀₀	1555 ⁺⁰¹⁰² ₋₀₀₉₀	2354 ⁺⁰²¹⁸ ₋₀₃₈₈	1.360 ^{+0.142} _{-0.231}	1.132 ^{+0.090} _{-0.074}	0.0484 ^{+0.0009} _{-0.0009}	0.51 ^{+0.54} _{-0.41}
961.02	13.3 ^{+118.} _{-83.6}	0.10	2001 ⁺⁰²⁶⁵ ₋₀₂₇₄	1808 ⁺⁰²³⁹ ₋₀₂₄₇	2221 ⁺⁰⁴¹⁴ ₋₄₅₇₈	1.088 ^{+0.272} _{-2.270}	0.231 ^{+0.065} _{-0.064}	0.0094 ^{+0.0006} _{-0.0010}	0.21 ^{+0.76} _{-0.59}
961.03	-0.1 ^{+65.9} _{-41.5}	0.00	1252 ⁺⁰¹⁶³ ₋₀₁₇₁	1132 ⁺⁰¹⁴⁷ ₋₀₁₅₅	1622 ⁺⁰²⁸⁷ ₋₃₄₁₇	1.253 ^{+0.315} _{-2.702}	1.108 ^{+1.124} _{-0.699}	0.0241 ^{+0.0016} _{-0.0026}	0.06 ^{+0.28} _{-0.24}
1419.01	54.9 ^{+52.7} _{-53.4}	1.66	2555 ⁺⁰¹⁶⁷ ₋₀₁₅₅	2309 ⁺⁰¹⁵¹ ₋₀₁₄₀	3015 ⁺⁰²³⁶ ₋₀₃₆₁	1.176 ^{+0.106} _{-0.146}	0.672 ^{+0.164} _{-0.115}	0.0242 ^{+0.0005} _{-0.0005}	0.71 ^{+0.47} _{-0.43}
1459.01	843.8 ^{+166.} _{-199.}	1.74	1587 ⁺⁰²²⁸ ₋₀₂₂₂	1434 ⁺⁰²⁰⁶ ₋₀₂₀₁	2342 ⁺⁰¹⁷⁷ ₋₀₂₁₉	1.471 ^{+0.212} _{-0.199}	0.447 ^{+0.231} _{-0.174}	0.0117 ^{+0.0011} _{-0.0016}	0.92 ^{+0.84} _{-0.55}

CLM Light Curve with Eccentricity Free and Stellar Parameters from the KIC

1.01	-9.3 ^{+14.2} _{-8.94}	-0.49	2461 ⁺⁰⁶⁹⁶ ₋₀₅₄₃	2223 ⁺⁰⁶²⁹ ₋₀₄₉₀	-1686 ⁺³⁵⁵³ ₋₀₂₅₃	-0.577 ^{+1.364} _{-0.293}	1.861 ^{+1.740} _{-0.904}	0.0373 ^{+0.0135} _{-0.0098}	-0.00 ^{+0.02} _{-0.02}
2.01	57.7 ^{+9.30} _{-9.78}	8.45	2714 ⁺⁰⁷⁵⁷ ₋₀₅₇₇	2452 ⁺⁰⁶⁸⁴ ₋₀₅₂₁	2859 ⁺⁰⁰⁶⁴ ₋₀₀₆₄	1.054 ^{+0.285} _{-0.228}	1.032 ^{+0.926} _{-0.501}	0.0367 ^{+0.0129} _{-0.0097}	0.38 ^{+0.62} _{-0.24}
5.01	0.0 ^{+13.7} _{-18.6}	-0.00	2144 ⁺⁰⁵⁸⁶ ₋₀₄₅₄	1937 ⁺⁰⁵³⁰ ₋₀₄₁₀	-2181 ⁺⁴⁶⁹⁹ ₋₀₅₂₅	-0.873 ^{+2.078} _{-0.498}	0.646 ^{+0.589} _{-0.307}	0.0587 ^{+0.0215} _{-0.0155}	-0.07 ^{+0.45} _{-0.72}
10.01	-5.8 ^{+45.9} _{-44.2}	1.09	1997 ⁺⁰⁵⁶¹ ₋₀₄₄₉	1804 ⁺⁰⁵⁰⁷ ₋₀₄₀₆	2454 ⁺⁰²²² ₋₀₅₆₆	1.170 ^{+0.402} _{-0.438}	0.976 ^{+0.923} _{-0.472}	0.0469 ^{+0.0172} _{-0.0123}	0.32 ^{+0.91} _{-0.30}
13.01	88.8 ^{+6.19} _{-8.04}	16.03	5039 ⁺¹⁴⁰⁹ ₋₁₀₉₇	4553 ⁺¹²⁷³ ₋₀₉₉₁	3759 ⁺⁰⁰⁵⁵ ₋₀₀₅₆	0.745 ^{+0.209} _{-0.163}	1.575 ^{+1.485} _{-0.750}	0.0348 ^{+0.0124} _{-0.0092}	0.24 ^{+0.40} _{-0.15}
17.01	-71.7 ^{+33.6} _{-28.2}	-1.28	1832 ⁺⁰⁵⁰² ₋₀₄₀₈	1656 ⁺⁰⁴⁵⁴ ₋₀₃₆₉	-2303 ⁺⁰³⁵⁹ ₋₀₁₆₉	-1.207 ^{+0.373} _{-0.383}	0.853 ^{+0.786} _{-0.415}	0.0414 ^{+0.0147} _{-0.0107}	-0.27 ^{+0.23} _{-0.67}
18.01	-89.8 ^{+48.6} _{-44.7}	-0.80	1824 ⁺⁰⁵⁰⁵ ₋₀₃₉₃	1648 ⁺⁰⁴⁵⁶ ₋₀₃₅₅	-2399 ⁺⁴²⁷² ₋₀₂₅₈	-1.233 ^{+2.108} _{-0.435}	0.725 ^{+0.663} _{-0.349}	0.0443 ^{+0.0164} _{-0.0116}	-0.36 ^{+0.40} _{-1.21}
20.01	-26.3 ^{+28.5} _{-13.8}	0.98	1758 ⁺⁰⁵⁰⁵ ₋₀₃₈₄	1589 ⁺⁰⁴⁵⁶ ₋₀₃₄₇	2111 ⁺⁰¹⁸¹ ₋₀₃₁₄	1.153 ^{+0.370} _{-0.348}	1.163 ^{+1.090} _{-0.562}	0.0540 ^{+0.0196} _{-0.0142}	0.15 ^{+0.41} _{-0.13}
64.01	39.5 ^{+42.6} _{-40.8}	1.78	2716 ⁺⁰⁷⁴⁸ ₋₀₅₉₄	2454 ⁺⁰⁶⁷⁶ ₋₀₅₃₇	2672 ⁺⁰¹⁷⁸ ₋₀₂₆₂	0.964 ^{+0.284} _{-0.237}	0.909 ^{+0.823} _{-0.434}	0.0323 ^{+0.0114} _{-0.0083}	0.22 ^{+0.45} _{-0.16}
97.01	79.1 ^{+15.3} _{-15.5}	4.11	1903 ⁺⁰⁵¹⁶ ₋₀₄₁₀	1719 ⁺⁰⁴⁶⁷ ₋₀₃₇₁	2625 ⁺⁰⁰⁸⁸ ₋₀₁₀₁	1.375 ^{+0.379} _{-0.297}	1.031 ^{+0.948} _{-0.484}	0.0586 ^{+0.0210} _{-0.0156}	0.81 ^{+1.36} _{-0.51}
127.01	-92.6 ^{+39.1} _{-42.1}	-3.21	1699 ⁺⁰⁴⁶⁶ ₋₀₃₆₇	1535 ⁺⁰⁴²¹ ₋₀₃₃₂	-2564 ⁺⁰¹²⁶ ₋₀₁₁₁	-1.504 ^{+0.331} _{-0.427}	0.889 ^{+0.819} _{-0.422}	0.0464 ^{+0.0167} _{-0.0124}	-1.05 ^{+0.68} _{-1.94}
128.01	-62.9 ^{+16.4} _{-15.7}	-1.00	1918 ⁺⁰⁵³⁶ ₋₀₄₂₅	1733 ⁺⁰⁴⁸⁴ ₋₀₃₈₄	-1606 ⁺⁰³⁰² ₋₀₁₀₄	-0.792 ^{+0.302} _{-0.259}	1.413 ^{+1.258} _{-0.685}	0.0593 ^{+0.0211} _{-0.0158}	-0.01 ^{+0.01} _{-0.02}
144.01	101.3 ^{+44.0} _{-43.4}	2.80	1856 ⁺⁰⁵²⁵ ₋₀₄₀₄	1677 ⁺⁰⁴⁷⁴ ₋₀₃₆₅	3125 ⁺⁰¹⁹¹ ₋₀₂₁₂	1.671 ^{+0.476} _{-0.369}	0.547 ^{+0.500} _{-0.264}	0.0524 ^{+0.0190} _{-0.0139}	3.55 ^{+6.55} _{-2.32}
183.01	124.8 ^{+42.0} _{-39.4}	2.76	1715 ⁺⁰⁴⁷⁹ ₋₀₃₇₃	1550 ⁺⁰⁴³² ₋₀₃₃₇	2502 ⁺⁰¹¹² ₋₀₁₃₉	1.448 ^{+0.406} _{-0.324}	0.846 ^{+0.781} _{-0.409}	0.0379 ^{+0.0137} _{-0.0100}	0.81 ^{+1.51} _{-0.54}
186.01	-200.4 ^{+93.8} _{-75.4}	-1.21	1786 ⁺⁰³⁸³ ₋₀₃₃₇	1614 ⁺⁰⁴⁹¹ ₋₀₃₄₆	-2473 ⁺⁰¹⁹⁸ ₋₀₁₈₃	-1.317 ^{+0.433} _{-0.333}	1.016 ^{+0.480} _{-0.349}	0.0437 ^{+0.0114} _{-0.0114}	-0.53 ^{+1.41} _{-1.41}
188.01	-33.1 ^{+17.0} _{-43.9}	-0.28	1327 ⁺⁰³⁷⁸ ₋₀₂₉₃	1199 ⁺⁰³⁴¹ ₋₀₂₆₄	-2004 ⁺³⁵⁸³ ₋₀₂₁₆	-1.424 ^{+2.412} _{-0.503}	0.721 ^{+0.683} _{-0.347}	0.0459 ^{+0.0164} _{-0.0123}	-0.28 ^{+0.29} _{-1.02}
195.01	99.4 ^{+79.1} _{-80.9}	1.71	1805 ⁺⁰⁵⁰² ₋₀₃₈₇	1631 ⁺⁰⁴⁵⁴ ₋₀₃₅₀	2516 ⁺⁰¹⁶⁰ ₋₀₂₄₇	1.364 ^{+0.401} _{-0.340}	1.123 ^{+1.045} _{-0.536}	0.0437 ^{+0.0156} _{-0.0119}	0.65 ^{+1.38} _{-0.48}
196.01	75.4 ^{+40.1} _{-39.0}	2.29	2134 ⁺⁰⁵⁹⁸ ₋₀₄₆₅	1929 ⁺⁰⁵⁴¹ ₋₀₄₆₉	2466 ⁺⁰¹²⁸ ₋₀₁₆₉	1.139 ^{+0.331} _{-0.287}	0.926 ^{+0.854} _{-0.469}	0.0299 ^{+0.0108} _{-0.0080}	0.29 ^{+0.57} _{-0.29}
201.01	21.7 ^{+25.4} _{-43.0}	-1.00	1658 ⁺⁰⁴⁶² ₋₀₃₆₉	1498 ⁺⁰⁴³⁴ ₋₀₃₃₄	-2357 ⁺⁰⁴⁴³ ₋₀₂₁₄	-1.363 ^{+0.401} _{-0.449}	0.807 ^{+0.754} _{-0.390}	0.0519 ^{+0.0187} _{-0.0136}	-0.50 ^{+0.45} _{-1.41}
202.01	63.6 ^{+37.7} _{-40.2}	1.85	2424 ⁺⁰⁶⁷⁴ ₋₀₅₃₄	2190 ⁺⁰⁶⁴³ ₋₀₄₈₂	2455 ⁺⁰¹⁴³ ₋₀₂₁₆	0.989 ^{+0.298} _{-0.235}	1.026 ^{+0.932} _{-0.503}	0.0290 ^{+0.0105} _{-0.0076}	0.16 ^{+0.35} _{-0.12}
203.01	52.0 ^{+98.0} _{-117.0}	1.00	2357 ⁺⁰⁶⁶¹ ₋₀₅₁₃	2130 ⁺⁰⁵⁹⁷ ₋₀₄₆₄	2319 ⁺⁰²⁰² ₋₄₁₀₆	0.918 ^{+0.323} _{-1.550}	1.252 ^{+1.175} _{-0.604}	0.0260 ^{+0.0093} _{-0.0069}	0.10 ^{+0.29} _{-0.11}
204.01	54.8 ^{+82.5} _{-97.6}	1.15	1701 ⁺⁰⁴⁶⁹ ₋₀₃₇₇	1537 ⁺⁰⁴⁶⁴ ₋₀₃₇₇	2660 ⁺⁰²⁴⁶ ₋₀₆₄₆	1.492 ^{+0.499} _{-0.590}	0.662 ^{+0.591} _{-0.422}	0.0424 ^{+0.0151} _{-0.0118}	1.22 ^{+0.39} _{-1.14}
214.01	-224.9 ^{+181.0} ₋₁₆₀₇	-1.21	1744 ⁺⁰⁴⁸¹ ₋₀₃₇₇	1576 ⁺⁰⁴³⁵ ₋₀₃₄₁	-3515 ⁺⁰⁵⁵⁹ ₋₀₄₇₂	-1.987 ^{+0.525} _{-0.628}	1.088 ^{+1.033} _{-0.536}	0.0438 ^{+0.0155} _{-0.0115}	-8.73 ^{+6.82} _{-21.74}
217.01	260.3 ^{+118.0} _{-112.0}	2.64	1442 ⁺⁰³⁹² ₋₀₃₁₀	1303 ⁺⁰³⁵⁴ ₋₀₂₈₀	2782 ⁺⁰¹⁴² ₋₀₁₇₃	1.917 ^{+0.542} _{-0.431}	0.770 ^{+0.712} _{-0.359}	0.0481 ^{+0.0171} _{-0.0126}	3.81 ^{+7.08} _{-2.54}

Table 3
Derived System Parameters and Associated 1σ Uncertainties

229.01	32.5 ^{+60.6} _{-23.3}	0.53	1873 ⁺⁰⁵³⁷ ₋₀₄₀₅	1693 ⁺⁰⁴⁸⁵ ₋₀₃₆₆	2713 ⁺⁰³²⁶ ₋₀₆₁₄	1.383 ^{+0.467} _{-0.477}	0.562 ^{+0.531} _{-0.269}	0.0469 ^{+0.0169} _{-0.0123}	0.93 ^{+2.85} _{-0.85}
254.01	1143.3 ^{+643.} _{-462.}	2.82	1279 ⁺⁰³⁵⁶ ₋₀₂₈₁	1155 ⁺⁰³²² ₋₀₂₅₄	2454 ⁺⁰¹⁴⁴ ₋₀₁₅₃	1.910 ^{+0.526} _{-0.425}	1.103 ^{+1.028} _{-0.524}	0.0288 ^{+0.0104} _{-0.0077}	3.27 ^{+5.78} _{-2.18}
356.01	86.9 ^{+48.2} _{-41.1}	2.25	2544 ⁺⁰⁶⁹⁶ ₋₀₅₆₁	2299 ⁺⁰⁶²⁸ ₋₀₅₀₇	3206 ⁺⁰²¹⁸ ₋₀₂₆₇	1.251 ^{+0.482} _{-0.292}	0.515 ^{+0.482} _{-0.243}	0.0303 ^{+0.0106} _{-0.0080}	1.11 ^{+2.11} _{-0.77}
412.01	34.4 ^{+11.1} _{-14.3}	-0.38	1870 ⁺⁰⁵¹¹ ₋₀₄₀₇	1689 ⁺⁰⁴⁶¹ ₋₀₃₆₈	-1908 ⁺³⁵⁷⁶ ₋₀₂₀₆	-0.950 ^{+1.740} _{-0.342}	0.616 ^{+0.569} _{-0.291}	0.0521 ^{+0.0186} _{-0.0138}	-0.04 ^{+0.05} _{-0.15}
421.01	-53.9 ^{+58.1} _{-23.2}	0.35	1644 ⁺⁰⁴⁵⁹ ₋₀₃₅₆	1485 ⁺⁰⁴¹⁴ ₋₀₃₂₂	2071 ⁺⁰²¹⁹ ₋₃₄₈₁	1.184 ^{+0.421} _{-1.847}	1.308 ^{+1.198} _{-0.619}	0.0533 ^{+0.0188} _{-0.0140}	0.16 ^{+0.55} _{-0.16}
433.01	-10.5 ^{+40.5} _{-10.2}	-0.03	1663 ⁺⁰⁴⁶⁸ ₋₀₃₆₇	1503 ⁺⁰⁴²³ ₋₀₃₃₁	-2503 ⁺⁴⁶³⁶ ₋₀₃₆₂	-1.396 ^{+2.561} _{-0.552}	0.577 ^{+0.544} _{-0.278}	0.0494 ^{+0.0178} _{-0.0127}	-0.79 ^{+0.97} _{-3.12}
611.01	-112.1 ^{+74.4} _{-67.5}	-1.19	1908 ⁺⁰⁵²³ ₋₀₄₀₆	1724 ⁺⁰⁴³² ₋₀₃₆₇	-2451 ⁺⁰³²⁶ ₋₀₂₂₃	-1.251 ^{+0.329} _{-0.387}	1.869 ^{+2.327} _{-1.095}	0.0441 ^{+0.0156} _{-0.0115}	-0.41 ^{+0.33} _{-1.04}
667.01	55.5 ^{+131.} _{-64.3}	0.05	1108 ⁺⁰³⁰⁴ ₋₀₂₄₆	1002 ⁺⁰²⁷⁵ ₋₀₂₂₃	2065 ⁺⁰²⁷² ₋₃₉₂₇	1.727 ^{+0.655} _{-3.298}	0.547 ^{+0.495} _{-0.262}	0.0439 ^{+0.0158} _{-0.0115}	0.95 ^{+3.82} _{-1.30}
684.01	54.6 ^{+55.2} _{-103.}	0.53	2173 ⁺⁰⁶¹⁰ ₋₀₄₇₅	1963 ⁺⁰⁵⁵¹ ₋₀₄₂₉	2795 ⁺⁰⁵⁷³ ₋₅₈₄₃	1.132 ^{+0.580} _{-2.538}	0.587 ^{+0.577} _{-0.288}	0.0524 ^{+0.0189} _{-0.0140}	0.57 ^{+3.31} _{-2.02}
760.01	-18.1 ^{+126.} _{-108.}	0.01	1521 ⁺⁰⁴³¹ ₋₀₃₂₈	1375 ⁺⁰³⁹⁰ ₋₀₂₉₆	2051 ⁺⁰⁵⁹⁴ ₋₄₆₀₅	1.097 ^{+0.783} _{-2.858}	0.868 ^{+0.820} _{-0.415}	0.0581 ^{+0.0210} _{-0.0154}	0.14 ^{+2.46} _{-1.85}
767.01	189.7 ^{+86.6} _{-87.5}	2.55	1870 ⁺⁰⁵²⁴ ₋₀₄₀₃	1690 ⁺⁰⁴⁷³ ₋₀₃₆₅	2577 ⁺⁰¹²⁹ ₋₀₁₅₉	1.363 ^{+0.391} _{-0.592}	1.226 ^{+1.140} _{-0.592}	0.0394 ^{+0.0146} _{-0.0106}	0.73 ^{+1.41} _{-0.49}
801.01	155.7 ^{+102.} _{-91.6}	2.14	2338 ⁺⁰⁶⁴⁹ ₋₀₅₀₃	2113 ⁺⁰⁵⁸⁶ ₋₀₄₅₅	2842 ⁺⁰¹⁷⁸ ₋₀₂₃₂	1.196 ^{+0.350} _{-0.274}	0.884 ^{+0.811} _{-0.427}	0.0275 ^{+0.0099} _{-0.0074}	0.62 ^{+1.25} _{-0.42}
809.01	278.8 ^{+110.} _{-100.}	2.91	2314 ⁺⁰⁶⁵⁷ ₋₀₄₉₀	2091 ⁺⁰⁵⁹⁴ ₋₀₄₄₃	2801 ⁺⁰¹³⁶ ₋₀₁₅₈	1.205 ^{+0.324} _{-0.275}	1.104 ^{+1.003} _{-0.517}	0.0271 ^{+0.0094} _{-0.0072}	0.60 ^{+1.04} _{-0.40}
813.01	-540.1 ^{+228.} _{-253.}	-2.31	1398 ⁺⁰³⁸⁸ ₋₀₃₀₇	1263 ⁺⁰³⁵¹ ₋₀₂₇₇	-3240 ⁺⁰²⁶⁵ ₋₀₂₂₁	-2.292 ^{+0.524} _{-0.669}	0.588 ^{+0.548} _{-0.282}	0.0478 ^{+0.0173} _{-0.0126}	-12.63 ^{+8.63} _{-24.90}
830.01	-89.1 ^{+13.1} _{-11.0}	-0.87	1191 ⁺⁰³²⁷ ₋₀₂₆₂	1076 ⁺⁰²⁹⁶ ₋₀₂₃₇	-1457 ⁺²⁶³⁵ ₋₀₀₉₅	-1.160 ^{+1.948} _{-0.382}	0.680 ^{+0.614} _{-0.321}	0.0423 ^{+0.0151} _{-0.0112}	-0.01 ^{+0.01} _{-0.04}
838.01	54.9 ^{+93.4} _{-97.2}	0.13	1629 ⁺⁰⁴⁶⁵ ₋₀₃₄₇	1472 ⁺⁰⁴²⁰ ₋₀₃₁₄	2187 ⁺⁰³²³ ₋₄₃₀₃	1.205 ^{+0.512} _{-2.465}	1.223 ^{+1.397} _{-0.654}	0.0573 ^{+0.0210} _{-0.0151}	0.23 ^{+1.14} _{-0.44}
840.01	29.4 ^{+142.} _{-121.}	0.44	1692 ⁺⁰⁴⁶⁵ ₋₀₃₆₈	1529 ⁺⁰⁴⁵² ₋₀₃₃₂	2223 ⁺⁰³²¹ ₋₄₄₅₈	1.187 ^{+0.490} _{-2.489}	0.967 ^{+0.902} _{-0.458}	0.0403 ^{+0.0141} _{-0.0104}	0.26 ^{+1.20} _{-0.60}
843.01	224.3 ^{+134.} _{-72.7}	2.71	1812 ⁺⁰⁵⁰¹ ₋₀₃₉₅	1638 ⁺⁰⁴⁵² ₋₀₃₅₇	3569 ⁺⁰²⁶³ ₋₀₂₈₉	1.952 ^{+0.580} _{-0.432}	0.565 ^{+0.518} _{-0.276}	0.0524 ^{+0.0186} _{-0.0140}	8.24 ^{+16.44} _{-5.44}
897.01	216.0 ^{+91.4} _{-132.}	1.88	2196 ⁺⁰⁶⁰⁴ ₋₀₄₈₁	1984 ⁺⁰⁵⁴⁶ ₋₀₄₃₅	2728 ⁺⁰¹⁷³ ₋₀₂₄₉	1.218 ^{+0.370} _{-0.293}	1.179 ^{+1.076} _{-0.573}	0.0323 ^{+0.0115} _{-0.0084}	0.57 ^{+1.22} _{-0.41}
908.01	193.9 ^{+91.4} _{-135.}	1.12	1764 ⁺⁰⁴⁹¹ ₋₀₃₉₀	1594 ⁺⁰⁴⁴⁴ ₋₀₃₅₃	2694 ⁺⁰²⁴⁹ ₋₄₄₉₀	1.435 ^{+0.959} _{-2.239}	1.031 ^{+0.966} _{-0.500}	0.0559 ^{+0.0201} _{-0.0149}	1.09 ^{+3.21} _{-1.11}
913.01	-22.3 ^{+96.5} _{-49.3}	0.82	1387 ⁺⁰³⁸³ ₋₀₃₀₃	1253 ⁺⁰³⁴⁶ ₋₀₂₇₄	2303 ⁺⁰²²³ ₋₀₄₉₇	1.584 ^{+0.528} _{-0.580}	0.763 ^{+0.671} _{-0.365}	0.0495 ^{+0.0176} _{-0.0129}	0.82 ^{+2.48} _{-0.77}
1176.01	-30.9 ^{+148.} _{-100.}	0.05	1514 ⁺⁰⁴²⁹ ₋₀₃₃₂	1368 ⁺⁰³⁸⁷ ₋₀₃₀₀	1849 ⁺⁰³⁷⁹ ₋₃₉₅₀	1.025 ^{+0.588} _{-2.461}	0.831 ^{+0.793} _{-0.395}	0.0279 ^{+0.0099} _{-0.0075}	0.07 ^{+0.65} _{-0.42}
1419.01	130.0 ^{+109.} _{-72.9}	1.22	2562 ⁺⁰⁷²⁰ ₋₀₅₅₈	2315 ⁺⁰⁶⁵¹ ₋₀₅₀₄	3201 ⁺⁰³⁶⁴ ₋₀₅₁₈	1.212 ^{+0.392} _{-0.336}	0.434 ^{+0.401} _{-0.207}	0.0243 ^{+0.0087} _{-0.0064}	0.93 ^{+2.33} _{-0.75}
1459.01	25.2 ^{+739.} _{-298.}	1.36	2212 ⁺⁰⁶²⁰ ₋₀₄₇₈	1999 ⁺⁰⁵⁶⁰ ₋₀₃₈₂	2728 ⁺⁰²⁶⁵ ₋₀₃₆₆	1.205 ^{+0.368} _{-0.449}	0.898 ^{+0.898} _{-0.449}	0.0134 ^{+0.0047} _{-0.0035}	0.74 ^{+1.81} _{-0.58}
1541.01	1088.9 ^{+357.} _{-397.}	5.22	2167 ⁺⁰⁵⁸³ ₋₀₄₈₂	1958 ⁺⁰⁵²⁷ ₋₀₄₃₆	3523 ⁺⁰¹³³ ₋₀₁₃₆	1.628 ^{+0.458} _{-0.348}	1.608 ^{+1.428} _{-0.785}	0.0360 ^{+0.0131} _{-0.0094}	3.89 ^{+3.73} _{-2.42}
1543.01	3080.9 ⁺²⁹³³ _{-797.}	3.77	1697 ⁺⁰⁴⁸⁵ ₋₀₃₆₇	1533 ⁺⁰⁴³⁸ ₋₀₃₃₂	3957 ⁺⁰²⁷⁷ ₋₀₂₇₃	2.320 ^{+0.675} _{-0.526}	1.299 ^{+1.239} _{-0.615}	0.0497 ^{+0.0179} _{-0.0129}	20.14 ^{+37.73} _{-13.27}

CLM Light Curve with Eccentricity Free and Stellar Parameters from Isochrones

1.01	-9.3 ^{+14.2} _{-8.94}	-0.49	1994 ⁺⁰¹²⁸ ₋₀₁₁₅	1802 ⁺⁰¹¹⁶ ₋₀₁₀₄	-1700 ⁺³⁵⁶³ ₋₀₂₄₃	-0.844 ^{+1.779} _{-0.136}	1.173 ^{+0.093} _{-0.074}	0.0360 ^{+0.0007} _{-0.0006}	-0.01 ^{+0.04} _{-0.04}
2.01	57.7 ^{+9.30} _{-9.78}	8.45	2746 ⁺⁰¹⁷³ ₋₀₁₆₇	2481 ⁺⁰¹⁵⁶ ₋₀₁₅₁	2860 ⁺⁰⁰⁶⁵ ₋₀₀₆₆	1.040 ^{+0.054} _{-0.048}	1.038 ^{+0.087} _{-0.085}	0.0363 ^{+0.0007} _{-0.0007}	0.37 ^{+0.07} _{-0.06}
5.01	0.0 ^{+13.7} _{-18.6}	-0.00	1627 ⁺⁰¹⁰⁷ ₋₀₀₉₅	1470 ⁺⁰⁰⁹⁷ ₋₀₀₈₆	-2179 ⁺⁴⁶⁹⁷ ₋₀₅₁₄	-1.320 ^{+2.871} _{-0.337}	0.355 ^{+0.031} _{-0.025}	0.0562 ^{+0.0011} _{-0.0010}	-0.33 ^{+1.42} _{-1.58}
10.01	-5.8 ^{+45.9} _{-44.2}	1.09	2051 ⁺⁰¹⁴³ ₋₀₁₃₀	1854 ⁺⁰¹²⁹ ₋₀₁₁₈	2463 ⁺⁰²¹⁵ ₋₀₅₈₇	1.192 ^{+0.129} _{-0.294}	1.048 ^{+0.099} _{-0.088}	0.0476 ^{+0.0010} _{-0.0009}	0.36 ^{+0.36} _{-0.33}
13.01	88.8 ^{+6.19} _{-8.04}	16.03	4049 ⁺⁰⁰⁹⁷ ₋₀₁₀₁	3658 ⁺⁰⁰⁸⁸ ₋₀₀₉₂	3758 ⁺⁰⁰⁵⁵ ₋₀₀₅₇	0.929 ^{+0.016} _{-0.015}	1.050 ^{+0.014} _{-0.015}	0.0359 ^{+0.0003} _{-0.0003}	0.58 ^{+0.03} _{-0.03}
17.01	-71.7 ^{+33.6} _{-28.2}	-1.28	1830 ⁺⁰¹¹⁸ ₋₀₁₀₆	1653 ⁺⁰¹⁰⁷ ₋₀₀₉₆	-2306 ⁺⁰³⁶⁹ ₋₀₁₆₃	-1.252 ^{+0.210} _{-0.114}	0.887 ^{+0.070} _{-0.058}	0.0431 ^{+0.0008} _{-0.0008}	-0.33 ^{+0.27} _{-0.27}
18.01	-89.8 ^{+48.6} _{-44.7}	-0.80	1826 ⁺⁰¹²¹ ₋₀₁₁₂	1650 ⁺⁰¹⁰⁹ ₋₀₁₀₁	-2399 ⁺⁴²⁷⁴ ₋₀₂₅₇	-1.308 ^{+2.328} _{-0.155}	0.757 ^{+0.063} _{-0.056}	0.0463 ^{+0.0009} _{-0.0009}	-0.47 ^{+0.51} _{-0.60}
20.01	-26.3 ^{+28.5} _{-13.8}	0.98	1804 ⁺⁰¹²⁶ ₋₀₁₁₂	1630 ⁺⁰¹¹⁴ ₋₀₁₀₁	2115 ⁺⁰¹⁸⁰ ₋₀₃₁₂	1.165 ^{+0.118} _{-0.181}	1.236 ^{+0.115} _{-0.095}	0.0547 ^{+0.0011} _{-0.0010}	0.16 ^{+0.17} _{-0.13}
64.01	39.5 ^{+42.6} _{-40.8}	1.78	1815 ⁺⁰¹⁰⁸ ₋₀₁₀₁	1640 ⁺⁰⁰⁹⁸ ₋₀₀₉₁	2669 ⁺⁰¹⁷⁸ ₋₀₂₇₁	1.471 ^{+0.105} _{-0.155}	0.363 ^{+0.045} _{-0.034}	0.0291 ^{+0.0005} _{-0.0005}	1.22 ^{+0.69} _{-0.71}
97.01	79.1 ^{+15.3} _{-15.5}	4.11	1710 ⁺⁰¹¹⁷ ₋₀₁₀₆	1545 ⁺⁰¹⁰⁶ ₋₀₀₉₆	2626 ⁺⁰⁰⁹⁰ ₋₀₁₀₁	1.534 ^{+0.085} _{-0.090}	0.827 ^{+0.075} _{-0.062}	0.0580 ^{+0.0112} _{-0.011}	1.26 ^{+0.36} _{-0.33}
127.01	-92.6 ^{+39.1} _{-42.1}	-3.21	1687 ⁺⁰¹⁰⁷ ₋₀₀₉₇	1524 ⁺⁰⁰⁹⁷ ₋₀₀₈₈	-2563 ⁺⁰¹²⁹ ₋₀₁₁₂	-1.517 ^{+0.094} _{-0.086}	0.863 ^{+0.064} _{-0.052}	0.0455 ^{+0.0009} _{-0.0008}	-1.11 ^{+0.36} _{-0.41}
128.01	-62.9 ^{+16.4} _{-15.7}	-1.00	1585 ⁺⁰¹⁰⁴ ₋₀₀₉₂	1433 ⁺⁰⁰⁹⁴ ₋₀₀₈₃	-1604 ⁺⁰⁴⁰⁰ ₋₀₁₀₆	-1.003 ^{+0.246} _{-0.088}	0.925 ^{+0.074} _{-0.060}	0.0572 ^{+0.0011} _{-0.0010}	-0.01 ^{+0.01} _{-0.01}
144.01	101.3 ^{+44.0} _{-43.4}	2.80	1246 ⁺⁰⁰⁸¹ ₋₀₀₈₅	1126 ⁺⁰⁰⁷⁴ ₋₀₀₇₇	3124 ⁺⁰¹⁸⁹ ₋₀₂₁₀	2.515 ^{+0.170} _{-0.174}	0.218 ^{+0.024} _{-0.024}	0.0465 ^{+0.0010} _{-0.0011}	18.85 ^{+7.96} _{-6.83}
183.01	124.8 ^{+42.0} _{-39.4}	2.76	1946 ⁺⁰¹³⁰ ₋₀₁₁₄	1759 ⁺⁰¹¹⁷ ₋₀₁₀₃	2505 ⁺⁰¹¹¹ ₋₀₁₃₆	1.284 ^{+0.080} _{-0.088}	1.091 ^{+0.089} _{-0.072}	0.0381 ^{+0.0008} _{-0.0007}	0.52 ^{+0.21} _{-0.19}
186.01	-200.4 ^{+93.8} _{-75.4}	-1.21	1886 ⁺⁰¹²⁷ ₋₀₁₁₂	1704 ⁺⁰¹¹⁵ ₋₀₁₀₁	-2474 ⁺⁰⁵⁰⁶ ₋₀₁₉₇	-1.303 ^{+0.276} _{-0.126}	1.141 ^{+0.096} _{-0.081}	0.0436 ^{+0.0008} _{-0.0008}	-0.53 ^{+0.46} _{-0.44}
188.01	-33.1 ^{+17.0} _{-43.9}	-0.28	1439 ⁺⁰⁰⁸² ₋₀₀₈₁	1301 ⁺⁰⁰⁷⁴ ₋₀₀₇₃	-2006 ⁺³⁵⁹⁴ ₋₀₂₁₆	-1.391 ^{+2.488} _{-0.164}	0.838 ^{+0.050} _{-0.049}	0.0453 ^{+0.0008} _{-0.0008}	-0.26 ^{+0.27} _{-0.41}
195.01	99.4 ^{+79.1} _{-80.9}	1.71	1765 ⁺⁰¹¹⁶ ₋₀₀₉₈	1595 ⁺⁰¹⁰⁵ ₋₀₀₈₈	2518 ⁺⁰¹⁶³ ₋₀₂₆₂	1.420 ^{+0.110} _{-0.157}	1.048 ^{+0.082} _{-0.062}	0.0425 ^{+0.0008} _{-0.0007}	0.81 ^{+0.50} _{-0.48}
196.01	75.4 ^{+40.1} _{-39.0}	2.29	2111 ⁺⁰¹³⁰ ₋₀₁₂₀	1907 ⁺⁰¹¹⁸ ₋₀₁₀₈	2463 ⁺⁰¹³⁰ ₋₀₁₆₈	1.164 ^{+0.077} _{-0.092}	0.886 ^{+0.066} _{-0.054}	0.0294 ^{+0.0005} _{-0.0005}	0.33 ^{+0.16} _{-0.15}
201.01	21.7 ^{+25.4} _{-43.0}	-1.00	1561 ⁺⁰⁰⁹⁶ ₋₀₀₉₁	1411 ⁺⁰⁰⁸⁶ ₋₀₀₈₂	-2353 ⁺⁰⁴³⁹ ₋₀₂₁₈	-1.503 ^{+0.049} _{-0.152}	0.697 ^{+0.049} _{-0.044}	0.0505 ^{+0.0009} _{-0.0010}	-0.76 ^{+0.65} _{-0.80}
202.01	63.6 ^{+37.7} _{-40.2}	1.85	2397 ⁺⁰¹⁶³ ₋₀₁₄₄	2166 ⁺⁰¹⁴⁸ ₋₀₁₃₁	2455 ⁺⁰¹³⁸ ₋₀₂₀₇	1.019 ^{+0.077} _{-0.101}	0.994 ^{+0.089} _{-0.073}	0.0288 ^{+0.0006} _{-0.0005}	0.19 ^{+0.10} _{-0.10}
203.01	52.0 ^{+98.0} _{-117.}	1.00	2304 ⁺⁰¹⁵¹ ₋₀₁₃₀	2082 ⁺⁰¹³⁷ ₋₀₁₁₇	2319 ⁺⁰²⁰² ₋₄₁₃₈	0.999 ^{+0.102} _{-1.781}	1.173 ^{+0.093} _{-0.071}	0.0255 ^{+0.0005} _{-0.0004}	0.14 ^{+0.14} _{-0.15}
204.01	54.8 ^{+82.5} _{-97.6}	1.15	1604 ⁺⁰⁰⁹⁸ ₋₀₀₈₇	1449 ⁺⁰⁰⁸⁹ ₋₀₀₇₉	2669 ⁺⁰²³¹ ₋₀₆₄₁	1.657 ^{+0.160} _{-0.402}	0.573 ^{+0.045} _{-0.040}	0.0415 ^{+0.0008} _{-0.0007}	1.92 ^{+1.67} _{-1.74}
214.01	-224.9 ^{+181.} ₋₁₆₀₇	-1.21	1612 ⁺⁰⁰⁹⁸ ₋₀₀₉₁	1457 ⁺⁰⁰⁸⁸ ₋₀₀₈₂	-3530 ⁺⁰⁴⁷⁵ ₋₀₄₇₅	-2.187 ^{+0.302} _{-0.299}	0.881 ^{+0.222} _{-0.150}	0.0422 ^{+0.0008} _{-0.0008}	-13.30 ^{+9.35} _{-14.68}
217.01	260.3 ^{+118.} _{-112.}	2.64	1607 ⁺⁰¹⁰⁰ ₋₀₀₉₂	1452 ⁺⁰⁰⁹⁰ ₋₀₀₈₃	2783 ⁺⁰¹⁴³ ₋₀₁₇₃	1.729 ^{+0.108} _{-0.121}	0.960 ^{+0.070} _{-0.060}	0.0479 ^{+0.0009} _{-0.0009}	2.60 ^{+1.05} _{-0.99}
229.01	32.5 ^{+60.6} _{-23.3}	0.53	1708 ⁺⁰¹¹¹ ₋₀₀₉₈	1543 ⁺⁰¹⁰⁰ ₋₀₀₈₉	2707 ⁺⁰³³¹ ₋₀₆₂₀	1.581 ^{+0.203} _{-0.374}	0.450 ^{+0.041} _{-0.033}	0.0456 ^{+0.0009} _{-0.0008}	1.65 ^{+2.12} _{-1.48}
254.01	1143.3 ^{+643.} _{-462.}	2.82	962 ⁺⁰¹⁵⁵ ₋₀₁₃₃	869 ⁺⁰¹⁴⁰ ₋₀₁₃₀	2457 ⁺⁰¹⁴³ ₋₀₁₅₂	2.557 ^{+0.318} _{-0.303}	0.541 ^{+0.212} _{-0.153}	0.0250 ^{+0.0035} _{-0.0032}	10.64 ^{+7.14} _{-7.75}
356.01	86.9 ^{+48.2} _{-41.1}	2.25	1857 ⁺⁰¹⁰⁹ ₋₀₁₀₇	1678 ⁺⁰⁰⁹⁹ ₋₀₀₉₇	3209 ⁺⁰²¹⁴ ₋₀₂₆₄	1.730 ^{+0.147} _{-0.147}	0.254 ^{+0.024} _{-0.020}	0.0279 ^{+0.0005} _{-0.0005}	4.22 ^{+1.98} _{-1.85}
412.01	34.4 ^{+11.1} _{-14.3}	-0.38	1612 ⁺⁰¹⁰⁴ ₋₀₀₉₂	1456 ⁺⁰⁰⁹⁴ ₋₀₀₈₃	-1909 ⁺³⁵⁶⁵ ₋₀₂₀₂	-1.178 ^{+2.196} _{-0.142}	0.444 ^{+0.042} _{-0.033}	0.0502 ^{+0.0010} _{-0.0009}	-0.10 ^{+0.12} _{-0.15}
421.01	-53.9 ^{+58.1} _{-23.2}	0.35	1401 ⁺⁰⁰⁸⁷ ₋₀₀₇₇	1266 ⁺⁰⁰⁷⁸ ₋₀₀₇₀	2075 ⁺⁰²¹⁹ ₋₀₆₇₈	1.478 ^{+0.167} _{-0.501}	0.906 ^{+0.061} _{-0.053}	0.0508 ^{+0.0010} _{-0.0009}	0.39 ^{+0.56} _{-0.39}
433.01	-10.5 ^{+40.5} _{-10.2}	-0.03	1471 ⁺⁰⁰⁸⁹ ₋₀₀₇₈	1329 ⁺⁰⁰⁸¹ ₋₀₀₇₁	-2513 ⁺⁴⁶²⁸ ₋₀₃₅₇	-1.707 ^{+3.137} _{-0.243}	0.437 ^{+0.055} _{-0.045}	0.0477 ^{+0.0009} _{-0.0008}	-1.73 ^{+2.31} _{-2.00}
611.01	-112.1 ^{+74.4} _{-67.5}	-1.19	2079 ⁺⁰¹⁴⁰ ₋₀₁₃₂	1878 ⁺⁰¹²⁷ ₋₀₁₂₀	-2452 ⁺⁰³²² ₋₀₂₂₄	-1.175 ^{+0.163} _{-0.127}	2.395 ^{+1.287} _{-1.062}	0.0450 ^{+0.0009} _{-0.0009}	-0.33 ^{+0.24} _{-0.34}
667.01	55.5 ^{+131.} _{-64.3}	0.05	912 ⁺⁰¹²⁴ ₋₀₁₂₆	824 ⁺⁰¹¹² ₋₀₁₁₄	2074 ⁺⁰²⁶⁴ ₋₃₉₃₅	2.232 ^{+0.433} _{-4.241}	0.345 ^{+0.096} _{-0.097}	0.0411 ^{+0.0032} _{-0.0051}	2.74 ^{+5.59} _{-3.69}

Table 3
Derived System Parameters and Associated 1σ Uncertainties

684.01	$54.6^{+55.2}_{-103.}$	0.53	1511^{+0091}_{-0086}	1366^{+0082}_{-0078}	2823^{+0547}_{-5863}	$1.860^{+0.376}_{-3.877}$	$0.263^{+0.047}_{-0.042}$	$0.0482^{+0.0009}_{-0.0009}$	$3.76^{+9.06}_{-10.32}$
760.01	$-18.1^{+126.}_{-108.}$	0.01	1670^{+0112}_{-0104}	1509^{+0101}_{-0094}	2069^{+0596}_{-4618}	$1.233^{+0.366}_{-2.756}$	$1.051^{+0.092}_{-0.079}$	$0.0583^{+0.0011}_{-0.0011}$	$0.18^{+1.39}_{-1.26}$
767.01	$189.7^{+86.6}_{-87.5}$	2.55	1758^{+0103}_{-0101}	1589^{+0093}_{-0092}	2578^{+0129}_{-0165}	$1.465^{+0.089}_{-0.105}$	$1.048^{+0.067}_{-0.065}$	$0.0383^{+0.0007}_{-0.0007}$	$1.01^{+0.42}_{-0.41}$
801.01	$155.7^{+102.}_{-91.6}$	2.14	2135^{+0129}_{-0122}	1930^{+0117}_{-0110}	2840^{+0183}_{-0234}	$1.330^{+0.094}_{-0.121}$	$0.711^{+0.053}_{-0.047}$	$0.0267^{+0.0005}_{-0.0005}$	$0.98^{+0.51}_{-0.47}$
809.01	$278.8^{+110.}_{-100.}$	2.91	2290^{+0150}_{-0132}	2069^{+0135}_{-0120}	2797^{+0138}_{-0160}	$1.219^{+0.077}_{-0.084}$	$1.066^{+0.088}_{-0.071}$	$0.0268^{+0.0005}_{-0.0005}$	$0.65^{+0.26}_{-0.23}$
813.01	$-540.1^{+228.}_{-253.}$	-2.31	1543^{+0092}_{-0087}	1394^{+0083}_{-0079}	-3245^{+0268}_{-0218}	$-2.106^{+0.188}_{-0.149}$	$0.707^{+0.060}_{-0.051}$	$0.0472^{+0.0008}_{-0.0009}$	$-9.36^{+4.21}_{-4.44}$
830.01	$-89.1^{+13.1}_{-11.0}$	-0.87	1403^{+0082}_{-0087}	1268^{+0074}_{-0079}	-1455^{+2674}_{-0098}	$-1.032^{+1.897}_{-0.089}$	$0.950^{+0.055}_{-0.063}$	$0.0424^{+0.0008}_{-0.0009}$	$-0.01^{+0.01}_{-0.01}$
838.01	$54.9^{+93.4}_{-97.2}$	0.13	1632^{+0107}_{-0098}	1475^{+0096}_{-0088}	2181^{+0327}_{-4295}	$1.330^{+0.213}_{-2.614}$	$1.277^{+0.535}_{-0.478}$	$0.0570^{+0.0011}_{-0.0011}$	$0.32^{+0.73}_{-0.55}$
840.01	$29.4^{+142.}_{-121.}$	0.44	1473^{+0088}_{-0092}	1331^{+0079}_{-0083}	2225^{+0331}_{-4466}	$1.509^{+0.235}_{-3.034}$	$0.702^{+0.049}_{-0.052}$	$0.0384^{+0.0007}_{-0.0008}$	$0.63^{+1.39}_{-1.30}$
843.01	$224.3^{+138.}_{-72.7}$	2.71	1713^{+0108}_{-0104}	1548^{+0098}_{-0094}	3567^{+0272}_{-0284}	$2.083^{+0.171}_{-0.183}$	$0.494^{+0.052}_{-0.047}$	$0.0516^{+0.0009}_{-0.0010}$	$10.87^{+5.93}_{-4.43}$
897.01	$216.0^{+134.}_{-132.}$	1.88	2137^{+0141}_{-0128}	1931^{+0128}_{-0116}	2721^{+0179}_{-0251}	$1.269^{+0.098}_{-0.128}$	$1.096^{+0.092}_{-0.076}$	$0.0319^{+0.0006}_{-0.0006}$	$0.69^{+0.40}_{-0.37}$
908.01	$193.9^{+91.4}_{-135.}$	1.12	1463^{+0087}_{-0084}	1322^{+0079}_{-0076}	2697^{+0241}_{-4512}	$1.838^{+0.182}_{-3.077}$	$0.683^{+0.047}_{-0.043}$	$0.0537^{+0.0010}_{-0.0010}$	$3.03^{+2.63}_{-3.11}$
913.01	$-22.3^{+96.5}_{-49.3}$	0.82	1566^{+0095}_{-0090}	1415^{+0086}_{-0082}	2301^{+0229}_{-0470}	$1.467^{+0.161}_{-0.311}$	$0.960^{+0.066}_{-0.059}$	$0.0492^{+0.0009}_{-0.0009}$	$0.62^{+0.74}_{-0.56}$
1176.01	$-30.9^{+148.}_{-100.}$	0.05	1533^{+0110}_{-0137}	1385^{+0099}_{-0124}	1845^{+0384}_{-3933}	$1.203^{+0.271}_{-2.575}$	$0.854^{+0.071}_{-0.107}$	$0.0278^{+0.0006}_{-0.0010}$	$0.10^{+0.50}_{-0.42}$
1419.01	$130.0^{+109.}_{-72.9}$	1.22	2552^{+0176}_{-0154}	2306^{+0159}_{-0139}	3205^{+0355}_{-0523}	$1.252^{+0.149}_{-0.209}$	$0.432^{+0.042}_{-0.035}$	$0.0242^{+0.0005}_{-0.0005}$	$1.09^{+1.06}_{-0.79}$
1459.01	$25.2^{+739.}_{-298.}$	1.36	1588^{+0231}_{-0225}	1435^{+0209}_{-0203}	2731^{+0267}_{-0359}	$1.713^{+0.262}_{-0.274}$	$0.397^{+0.183}_{-0.133}$	$0.0117^{+0.0011}_{-0.0016}$	$3.19^{+3.53}_{-2.19}$
1541.01	$1088.9^{+357.}_{-397.}$	5.22	2337^{+0162}_{-0151}	2112^{+0147}_{-0136}	3522^{+0132}_{-0137}	$1.507^{+0.084}_{-0.085}$	$1.909^{+0.182}_{-0.160}$	$0.0367^{+0.0008}_{-0.0007}$	$2.87^{+0.73}_{-0.65}$
1543.01	$3080.9^{+2933}_{-797.}$	3.77	1763^{+0114}_{-0108}	1593^{+0103}_{-0097}	3953^{+0282}_{-0268}	$2.245^{+0.165}_{-0.168}$	$1.400^{+0.117}_{-0.102}$	$0.0498^{+0.0009}_{-0.0009}$	$17.89^{+7.72}_{-6.01}$

¹ Derived assuming $A = 0.0$